

OK[®]



**TOUGH & DYNAMIC TOOLS
SINCE 1974**



Our story

OX Tools is a world leading manufacturer of hand tools, diamond tools and safety products.

Developed and proven in Australia over the past 44 years, our tools are recognised as tough, dynamic and dependable across the globe.

As a leading supplier of professional tools we sell direct to the merchants, providing them with excellent service, innovative merchandising solutions and a very powerful brand.

 **n The Tools**
AWARDS 2017

WINNER

**VOTED HAND TOOL BRAND
OF THE YEAR 2016 & 2017**

Issue date: 2019
Subject to availability and Forge Products Inc. terms & conditions of sale.

Contents



Measuring Tools
pages 8-13



Layout Tools
pages 14-22



Woodworking Tools
pages 23-27



Concreting Tools
pages 28-45



Bricklaying Tools
pages 46-60



Plastering & Drywall Tools
pages 61-80



Tiling Tools
pages 81-90



Striking Tools
pages 91-97




Cutting Tools
pages 98-106



Demolition Tools
pages 107-111



Plumbing & Electrical Tools
pages 112-115



Site Tools & Accessories
pages 116-125



Tool Storage
pages 126-134



Workwear
pages 135-136



Safety / PPE
pages 137-159



Diamond Tools
pages 160-194



Merchandising Stands
pages 208-210

18 offices, 15 countries, one **OX**



**OX UK -
Europe/Middle East**

- France
- Spain
- Sweden
- The Netherlands
- Malta
- Italy
- Finland
- Saudi Arabia
- Argentina
- United Arab Emirates

**OX Australia -
Australasia/Asia Pacific**

- New Zealand

**OX USA -
North America**

- Canada

World leading technology...



Look at the detail of the products – the strength and thickness of the steel, the perfect weight & balance, the positioning of the handles – guaranteed better than the rest!



Packed with innovation the phenomenal OX tools raise the benchmark for tool performance to unprecedented new levels.



The materials and construction are of the highest quality to stand up to an unbelievable amount of force.


Only heavy use can really demonstrate the power and resistance of these tools.

visit oxtools.ca to find out more


New innovative tool development

With our 44 years experience, and product and marketing innovation, we deliver ingenious design solutions to meet ever-evolving customer requirements.

The performance, service life and ergonomics of our tools are guided by the need to meet the high expectations of professional users.



Whatever the level of merchandising support you need we have the answer!



Promotional displays & packs...





Measuring Tools

Few tools are as widely used across the world as the tape measure.

We at OX recognise that and build our tapes to last the test of time. Durability, reliability and innovation are the words we think when designing a new line of tapes.

OX has enhanced its reputation as a leading tape rule manufacturer with the launch of the new Pro Series short tape, which boasts an impressive 2.8m standout while remaining an extremely compact design.





PRO TAPE MEASURE

FEATURES

- High impact ABS case with rugged over mold
- Cushion grip for comfort and slip resistant hold
- 1¹/₁₆" / 27mm wide tape
- Double sided printing on tape for convenience
- Inch fractional markings



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P029225	9341231015250	25ft	1	6

PRO STAINLESS STEEL TAPE MEASURE

FEATURES

- Durable stainless steel case with rugged over mold
- Cushion grip for comfort and slip resistant hold
- 1³/₁₆" / 30mm wide tape - 9' standout
- Double sided printing on tape for convenience
- Inch fractional markings
- Magnetic hook



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P029425	9341231015267	25ft	1	6

PRO STAINLESS STEEL TAPE MEASURE

FEATURES

- 9¹/₂' of standout
- Durable stainless steel case with over mold
- 1³/₁₆" / 30mm wide tape with double sided print for convenience
- Inch fractional markings
- Oversized OX hook for extreme grasping of materials



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P501535	9341231016578	35ft	1	6



PRO HEAVY DUTY TAPE MEASURE



FEATURES

- Extra tough nylon coated 32mm wide blade
- Blade available in metric / imperial & metric only
- 2.8m standout
- Class II & CE approved
- Heavy duty construction
- Easy slide thumb lock

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P028905	5060359913654	5m (metric only)	1	6
OX-P028705	5060359913388	5m / 16ft	1	6
OX-P028708	5060359918765	8m / 26ft	1	6

Chrome case with over mold for heavy duty use

Easy slide thumb lock

Compact design

Extra tough nylon coated steel blade - 32mm wide

Comfortable grip and slip resistant hold

Impressive 2.8m standout





PRO TAPE MEASURE

FEATURES

- Chrome case with over mold for heavy duty use
- Cushion grip for comfort and slip resistant hold
- Extra tough nylon coated steel 27mm wide blade
- 2.8m standout
- Bigger end hook
- Easy access thumb lock
- Class II & CE approved

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P020905	5060242331626	5m / 16ft	1	6
OX-P020908	5060242331633	8m / 26ft	1	6



PRO STAINLESS STEEL TAPE MEASURE

FEATURES

- Professional tape measure
- Stainless steel case with over mold for heavy duty use
- Extra tough nylon coated steel 30mm wide blade
- 3.0m standout
- Large end hook
- Easy access thumb lock

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P029308	9341231015519	8m (metric only)	1	6





PRO POWER TAPE MEASURE



FEATURES

- OXGRIP moulded rubber case
- Triple riveted hook end
- 25mm wide metric blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P020108	9341231000706	8m (metric only)	1	12

TRADE POWER TAPE MEASURE



FEATURES

- 25mm wide metric blade
- Ergonomic rubber grip
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release button

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T020108	9341231032349	8m (metric only)	1	12
OX-T020110	9341231034008	10m (metric only)	1	12

TRADE TAPE MEASURE



FEATURES

- Duragrip moulded rubber case
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip
- 25mm wide blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T020605	5060135479640	5m / 16ft	1	12
OX-T020608	5060135479886	8m / 26ft	1	12
OX-T029105	5060359913746	5m (metric only)	1	12
OX-T029108	5060359913753	8m (metric only)	1	12



TRADE TAPE MEASURE

FEATURES

- Duragrip moulded rubber case
- Nylon coated steel blade
- Easy access sliding thumb lock
- Shock absorbing blade return bumper
- Quick release bottom strip
- 25mm wide blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T500810	5060359915788	10m (metric only)	1	6



TRADE CLOSED REEL TAPE MEASURE

FEATURES

- Long wearing fibreglass tape
- Quick winding mechanism
- Hi-impact ABS plastic case
- 13mm wide blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T023603	9341231010699	30m / 100ft	1	6



TRADE OPEN REEL TAPE MEASURE

FEATURES

- Durable fibreglass tape
- Rubber grip handle
- Hi-impact case
- 13mm wide blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T023503	9341231010668	30m / 100ft	1	6
OX-T023505	9341231010675	50m / 165ft	1	6
OX-T023510	9341231010682	100m / 330ft	1	6





Layout Tools

LIFETIME VIAL WARRANTY, 30MM DEPTH EXTRUSION AND PATENTED INNOVATIVE DUAL VIEW VIALS ARE JUST SOME OF THE FEATURES ON THE EXTRAORDINARY OX PRO SERIES LEVEL.

This one is definitely stronger than an OX
- and if you can find a tougher level we will
give you your money back...Guaranteed!



PRO LEVEL

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Available in 24", 36", 48", 72", 78", & 96"

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P024406	5060242333897	24" / 600mm	1	4
OX-P024409	5060242333910	36" / 900mm	1	4
OX-P024412	5060242333934	48" / 1200mm	1	4
OX-P024418	5060242333941	72" / 1800mm	1	4
OX-P024420	5060242333958	78" / 2000mm	1	4
OX-P024424	5060242333965	96" / 2400mm	1	4



PRO LEVEL SET

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Set includes 24", 48", & 72" levels and 3 pocket zipped case

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P028603	5060242339486	see above	1	4



PRO MAGNETIC LEVEL

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Ultra strong rare earth magnets

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P024306	5060242338359	24" / 600mm	1	4
OX-P024308	5060242338366	32" / 800mm	1	4
OX-P024312	5060242338397	48" / 1200mm	1	4
OX-P024320	5060242338410	78" / 2000mm	1	4
OX-P024324	5060242338427	96" / 2400mm	1	4



PRO LEVEL BAG

FEATURES

- Tough construction for ultimate durability
- Strong grip handle and shoulder strap
- Holds 24", 48", & 72" levels
- 3 zipped cases

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P027501	5060242338847	1850mm	1	4





PRO HEAVY DUTY TORPEDO LEVEL



FEATURES

- The toughest torpedo level in the world!
- Tilted horizontal vial for direct view of bubble
- 3 unbreakable acrylic shock-proof vials
- Accuracy <math><0.0005\text{"/math> (0.5mm/m)
- 25mm thick profile – extremely strong construction
- Fine milled surface with V-groove

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P027210	5060242338632	10" / 250mm	1	4

TRADE LEVEL

FEATURES

- 3 Solid acrylic vials with accuracy <math><0.0005\text{"/math> (0.5mm/m)
- UV resistant vials
- Milled surface on base up to 96" / 2400mm
- Shock absorbing rubber end caps
- Lifetime vial warranty
- Strong, lightweight aluminum profile



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T024206	9341231018046	24" / 600mm	1	4
OX-T024209	9341231018053	36" / 900mm	1	4
OX-T024212	9341231018060	48" / 1200mm	1	4
OX-T024218	9341231018077	72" / 1800 mm	1	4
OX-T024220	9341231018084	78" / 2000 mm	1	4
OX-T024224	9341231018091	96" / 2400 mm	1	4

TRADE LEVEL SET – 4 PACK

FEATURES

- Includes: 24", 48", & 72" trade level (next page) & trade 9" torpedo level (OX-T026323)



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T500404	5060359914729	see above	1	4



TRADE LEVEL

FEATURES

- 3 solid acrylic vials with accuracy <math><0.0005''</math> (0.5mm/m)
- UV resistant vials
- Milled surface on base up to 48" length
- Shock absorbing rubber end caps
- Lifetime vial warranty
- Strong, lightweight aluminum profile
- Available in 24", 36", 48", & 72"

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T500206	5060359914224	24" / 600mm	1	4
OX-T500209	5060359914231	36" / 900mm	1	4
OX-T500212	5060359914248	48" / 1200mm	1	4
OX-T500218	5060359914255	72" / 1800mm	1	4



TRADE WOOD MASON LEVEL

FEATURES

- Dimensionally stable
- Easy to clean
- Resists moisture
- Laminated bamboo for exceptional strength
- Calibrated to 0.75mm/m
- (0.00075 in./in.) vial accuracy



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T500912	5060359916853	48" / 1200mm	1	4



TRADE STUBBY LEVEL

FEATURES

- Shockproof solid acrylic vial
- Lightweight aluminum box profile fits easily into your tool belt or pocket
- Accuracy: <math><0.0005''</math> (0.5mm/m)

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T502801	5060530350803	4" / 100mm	1	10



TRADE TORPEDO LEVEL

FEATURES

- Lightweight trade torpedo level
- 3 easy to read vials (horizontal, vertical, 45 degrees)
- Magnetic V-groove for pipe work and scaffolding
- Tough rubber end caps

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T026323	9341231040214	9" / 230mm	1	10





Checking the accuracy of a level

Checking the accuracy of a level is easy. When you are purchasing a level or think that your level may have been damaged on the worksite, you can check its integrity with the following simple steps.

To check the horizontal vial:

1. Place the level on a flat surface.
2. Make two marks:
 - At the end of the level – **End Mark**.
 - Along the body of the level in line with the horizontal vial - **Test Point**.
1. Read the vial and remember the bubble's position.
2. Turn the level around 180° from end to end and set side of the level back on the test surface. Be sure to line up the vial with the **Test Point**.
3. Take your second reading.

NOTE: The bubble in an accurate level will give you the same reading both times. Any difference in the bubble's position is the degree of inaccuracy in the level.


4. Repeat the test even if the readings indicated an accurate level.

To check the vertical vial:

1. Place the level against a plumb doorframe or flat wall.
2. Make two marks:
 - At the end of the level – **End Mark**.
 - Along the body of the level in line with the vertical vial – **Test Point**.
3. Read the vial and remember the bubble's position.
4. Turn the level from side to side (not end to end) and place it back on the wall. Be sure to line up the vial with your **Test Point**.
5. Take your second reading.

NOTE: The bubble in an accurate level will give you the same reading both times. Any difference in the bubble's position is the degree of inaccuracy in the level.

6. Repeat the test even if the readings indicated an accurate level.



End Mark

Test Point

Turn the level 180° side to side

Align the vial with End Mark and Test Point



End Mark

Test Point

Turn the level 180° side to side

Align the vial with End Mark and Test Point



PRO MAGNETIC COMBINATION SQUARE

FEATURES

- Unique magnetic lock adjustment for easy movement of the steel rule
- Easy to read vial
- Stainless steel blade with permanently etched ruler markings (in and cm)
- 5 milled sides for superior accuracy
- Magnet-held stainless steel scribe




Product Code	Barcode	Size	Order Qty	Box Qty
OX-P504530	5060530351954	12" / 305mm	1	6

PRO COMBINATION SQUARE

FEATURES

- High quality cast and machined sliding stock
- Stainless steel rule engraved with both imperial & metric graduations
- Can mark 90° and 45° with adjustable depth for repetition marking & scribing




Product Code	Barcode	Size	Order Qty	Box Qty
OX-P025630	5060242337772	12" / 305mm	1	6

PRO COMBINATION SQUARE

FEATURES

- High quality cast and machined sliding stock
- Stainless steel rule engraved with metric graduations
- Can mark 90° and 45° with adjustable depth for repetition marking and scribing



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P500530	9341231015793	305mm	1	6

PRO CARPENTERS SQUARE & ANGLE FINDER

FEATURES

- Unique support ledge
- High-impact polymer handle
- Permanently etched stainless steel blade
- 22.5°, 45°, 67.5° and 90° angles for beveling and framing
- Certified 90°



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P503030	5060530351947	12" / 305mm	1	6



PRO HEAVY DUTY ALUMINUM 'T' SQUARE



FEATURES

- Made from high quality silver anodised structural aircraft aluminum
- Precise 'mm' - graduation markings
- Quadruple riveted 'T' end to ensure accuracy for a long time

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P021114	9341231032158	1200 x 550mm	1	4


PRO ADJUSTABLE 'T' SQUARE



FEATURES

- Sliding T-head adjust to any angle and folds for storage
- ABS end-caps with ledge: hands-free hold, won't flip
- Tough anodized aluminum profile
- Strong screw lock
- Durable printed scale, etched angle markings
- Mark and cut from board edge
- Intersection has cnc machined groove for precise 90-degree setting
- Multiple common angle marks for versatility

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P501348	5060359917690	48"	1	6



PRO HEAVY DUTY CHALK LINE REEL



FEATURES

- Heavy duty construction
- 5:1 gear ratio for fast rewind
- 30m / 100ft chalkline length
- Twisted polyester string for strength and durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P027730	5060242338861	30m / 100ft	1	6



PRO HEAVY DUTY THICK CHALK REEL LINE

FEATURES

- 6 to 1 gear drive ratio for faster rewind of the line
- Rubber over molded for comfort and durability
- 30m / 100ft of 16 thick strand line for all jobsite layouts
- Reinforced handle for added durability
- Push button stop for accurate layouts



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P027731	9341231006142	30m / 100ft	1	6

TRADE HEAVY DUTY CHALK LINE REEL

FEATURES

- Dual use – can be used as plumb bob
- High impact cast metal body
- Stainless steel hook



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T020830	9341231001291	30m / 100ft	1	6

TRADE HEAVY DUTY THIN CHALK REEL LINE

FEATURES

- 3.5 to 1 gear drive ratio for faster rewind of the line
- 30m / 100ft of 8 thin strand line for all jobsite layouts
- Reinforced handle for added durability
- Unique locking mechanism built into the handle and gear system
- 3X faster than previous chalk reels



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T020831	9341231006159	30m / 100ft	1	6

TRADE FOLDING RULE

FEATURES

- Engineered plastic
- Professional quality steel hinges
- Full sealed blister pack
- Bevelled edge on one side

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T024010	9341231015861	1m	1	6





PRO CHALK POWDER



FEATURES

- Three different colours available – red, blue, & black
- Powder formulated for good adhesion and high visibility
- For both interior & exterior use
- For use with chalk lines
- Easy pour, refillable bottle

Product Code	Barcode	Color / Size	Order Qty	Box Qty
OX-P025701	5060242337895	Red / 8oz (226g)	1	6
OX-P025702	5060242337901	Blue / 8oz (226g)	1	6
OX-P025705	9341231025945	Black / 8oz (226g)	1	6



TRADE LUMBER CRAYONS - 12 PACK

FEATURES

- Hexagonal profile - 13 x 113mm
- Will not dry out
- Waterproof
- For marking timber, concrete, bitumen, tires, etc.

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T024701	9341231025747	Yellow	1	6
OX-T024704	9341231025778	Red	1	6
OX-T024706	9341231025792	White	1	6





Woodworking Tools

Owning quality woodworking tools says a lot about how serious a woodworker you are.

Superbly balanced chisels and built tough bar clamps are products that have been designed to give users greater control and accuracy.

The OX pro heavy duty clamp has been created for more demanding work where high-force tension, strength and durability are required.





PRO HEAVY DUTY BAR CLAMP



FEATURES

- Very heavy duty construction for durability
- High clamping force – 150kg
- Quick change conversion from clamp to spreader
- TPR jaw pads protect surfaces from damage
- Available in 5 sizes

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P201206	5060242338786	6" / 150mm	1	6
OX-P201212	5060242338793	12" / 300mm	1	6
OX-P201218	5060242338809	18" / 450mm	1	6
OX-P201224	5060242338816	24" / 600mm	1	6
OX-P201236	5060242338823	36" / 900mm	1	6

PRO SOLID STEEL DOOR CLAMP



FEATURES

- Solid steel, fully welded
- Holds door during; attaching hinges, routing, hanging, rebating
- Comfortable soft grip handles
- Felt covered jaws for protection against door damage
- Fits all doors – from 18mm 'built in' doors to 65mm 'fire rated' doors

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P200101	9771473968012	49 x 30cm	1	3

PRO HEAVY DUTY WOOD CHISEL SET



FEATURES

- 5 piece wood chisel set
- Sizes – 6, 10, 15, 19 & 25mm
- Packaged in a high quality velcro case

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P371005	5060359919175	6, 10, 15, 19 & 25mm	1	4



PRO WOOD CHISEL

FEATURES

- Hardened & tempered high grade steel for durability
- Soft grip non-slip handle
- Precision balanced
- Strike end cap
- Size etched into blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P370413	5060242334900	1/2" / 13mm	1	6
OX-P370419	5060242334948	3/4" / 19mm	1	6
OX-P370425	5060242334979	1" / 25mm	1	6



PRO SHARPDRAW CARPENTERS PENCIL

FEATURES

- Unique retractable carpenters pencil
- 9mm carbon fibre blade always sharp for accurate marking
- Wooden grip
- Easily extend and retract the graphite marking blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P500601	5060359915429	-	1	12





PRO SHARPDRAW PENCIL BLADE



FEATURES

- Snap off replaceable pencil blades for the sharpdraw carpenters pencil
- 9mm Carbon fibre blade always sharp for accurate marking
- Snap off blade means sharpening is never needed
- These blades will fit most 9mm snap off knives
- Pack of 3 blades

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P500703	5060359915436	-	1	12

TRADE CARPENTERS PENCILS – 10 PK



FEATURES

- 10 carpenters pencils with FREE sharpener included
- Comfort grip and easy to hold
- High quality lead

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T022910	5060135479916	10 Pack Medium Lead (Red)	1	12
OX-T023010	9341231035012	10 Pack Hard Lead (Green)	1	12

TRADE CARPENTERS PENCILS - 72 PK



FEATURES

- Traditional shape chamfered rectangle
- Ideal for marking saw cuts
- High quality lead

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T022972	5060135479947	72 Pack Medium Lead (Red)	1	4
OX-T023072	9341231025808	72 Pack Hard Lead (Green)	1	4



PRO MULTIBIT RATCHET SCREWDRIVER

FEATURES

- High quality heavy duty multibit ratchet screwdriver
- Easy access bit storage inside end of handle
- Chrome vanadium bits
- Lockable ratchet
- Contains: 3mm/5mm/6mm slotted, PH1/PH2 Phillips, PZ1/PZ2/PZ3 Pozidrive, T10/T15 Torx bits



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P361501	5060359914170	-	1	12



PRO SCREWDRIVER SET

FEATURES

- Pro series 7 piece set
- Chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handles
- Robust, heavy duty case
- Set includes: Flared 6.5 x 150mm, Parallel 3.5 x 75mm & 5.5 x 125mm, Phillips PH1 x 100mm, PH2 x 125mm, Pozi PZ1 x 100mm, PZ2 x 125mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P360207	5060242339318	7 Piece Set	1	4





Concreting Tools

Concreting is hard work and the OX range has been developed to stand the test of time.

Look at the detail of the products – the quality and thickness of the steel, the perfect amount of flexibility, the positioning of the handles, the quality of the riveting – the complete finish.

A tough range of trowels to cement your reputation.





PRO ADJUSTABLE FORMWORK BRACKET

FEATURES

- Bracket is adjustable to suit 35mm to 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-P101950	9341231021336	35 - 50mm	1	6



PRO FIXED FORMWORK BRACKET

FEATURES

- Bracket suits 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-P103405	9341231024320	2" / 50mm	1	6



TRADE TIE WIRE REEL

FEATURES

- Fits any standard belt
- Suits all types of tie wire
- Left or right hand use
- Cast aluminum construction

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-T299701	9341231020230	Fits any standard belt	1	6



TRADE TIE WIRE TWISTER

FEATURES

- Smooth operating spiral spindle
- Reinforcing ring to prevent unnecessary wear when hook end returns
- Soft grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T230231	9341231020605	12" / 310mm	1	6





PRO TIE WIRE TWISTER



FEATURES

- OXGRIP handle
- Wear resistant bronze sleeve
- Leather re-coil 'stopper'
- Accurately machined spiral spindle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230231	9341231010705	12" / 310mm	1	6

PRO NARROW HEAD END CUTTING NIPPER



FEATURES

- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.2mm / Hardness (Jaw) 61 HRC – OX-P230325
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-P230328

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230325	9341231010743	10" / 250mm	1	6
OX-P230328	9341231013560	11" / 280mm	1	6

PRO WIDE HEAD END CUTTING NIPPER



FEATURES

- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.8mm / Hardness (Jaw) 60 HRC

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230420	9341231010750	8" / 200mm	1	6

ULTIMATE NARROW HEAD END CUTTING NIPPER



FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230325
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230328

Product Code	Barcode	Size	Order Qty	Box Qty
OX-U230325	9341231034923	10" / 250mm	1	6
OX-U230328	9341231034930	11" / 280mm	1	6



ULTIMATE WIDE HEAD END CUTTING NIPPER

FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.8mm / Hardness (Jaw) 60 HRC



Product Code	Barcode	Size	Order Qty	Box Qty
OX-U230420	9341231034954	8" / 200mm	1	6

PRO BOLT CUTTERS

FEATURES

- Heat treated alloy jaws - fully adjustable and replaceable
- Rated to cut HRC40



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230118	9341231021343	18" / 450mm	1	4
OX-P230124	9341231021350	24" / 600mm	1	4
OX-P230130	9341231021367	30" / 750mm	1	4
OX-P230136	9341231021374	36" / 900mm	1	4
OX-P230142	9341231021381	42" / 1050mm	1	4

PRO FORGED BOLT CUTTERS

FEATURES

- Alloy steel blade
- Drop forged handle
- Rated to cut HRC40



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230530	9341231024351	30" / 750mm	1	4
OX-P230536	9341231024368	36" / 900mm	1	4

TRADE REBAR BENDER / CUTTER

FEATURES

- Jaws made of high carbon alloy tool steel - HRC54
- Cuts and bends grade 60 rebar
- Can be bolted to the floor
- Bends 90° and 180°
- Heavy duty
- Max cut 19mm Ø



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T230613	9341231000119	52" / 1320mm	1	1



TRADE CONCRETERS SHOVEL - HAMMERTONE



FEATURES

- 'D' grip handle
- All steel, pressed and welded construction with a hammertone finish
- Head size: 250 x 300mm
- Length: 1040mm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T281307	9341231016660	1040mm	1	5

TRADE LIGHTWEIGHT EXTRUSION RAKE



FEATURES

- Lightweight for ease of use
- Extruded rake plate
- 45 degree edge angle
- 1500mm long handle with soft grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T016301	9341231024443	4" x 20" / 100 x 500mm	1	4

PRO ALUMINUM CONCRETE RAKE



FEATURES

- 1500mm long handle with soft grip
- Braced for additional strength
- Aluminum construction - powder coated
- 45 degree edge angle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016302	9341231024450	4" x 20" / 100 x 500mm	1	4




PRO ALUMINUM CONCRETE RAKE – WITH HOOK

FEATURES

- Braced for additional strength
- With 8mm diameter hook for lifting rebar
- 1500mm long handle with soft grip
- 45 degree edge angle
- Powder coated handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016303	9341231024467	4" x 20" / 100 x 500mm	1	4



PRO STRAIGHT EDGE


FEATURES

- High quality extruded aluminum
- Easy to clean powder coated finish
- Fluted profile - easy to grip extrusion design

Product Code	Barcode	Size (W x H x L)	Order Qty	Box Qty
OX-P021618	9341231000409	20 x 70 x 1800mm	1	4
OX-P021621	9341231000416	20 x 70 x 2100mm	1	4
OX-P021624	9341231000423	20 x 70 x 2400mm	1	4
OX-P021627	9341231000430	20 x 70 x 2700mm	1	4
OX-P021630	9341231000447	20 x 70 x 3000mm	1	4



End view





PRO CLAMPED HANDLE SCREED

FEATURES

- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P021412	9341231000188	48" / 1200mm	1	4
OX-P021415	9341231000195	60" / 1500mm	1	4
OX-P021418	9341231000201	72" / 1800mm	1	4
OX-P021421	9341231000218	84" / 2100mm	1	4
OX-P021424	9341231000225	96" / 2400mm	1	4
OX-P021427	9341231000232	108" / 2700mm	1	4
OX-P021430	9341231000249	120" / 3000mm	1	4

PRO CLAMPED HANDLE SCREED WITH VIAL

FEATURES

- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm
- Built in vial for easy levelling



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P021312	9341231000973	48" / 1200mm	1	4
OX-P021318	9341231000997	72" / 1800mm	1	4
OX-P021324	9341231001017	96" / 2400mm	1	4
OX-P021330	9341231001031	120" / 3000mm	1	4

PRO ALUMINUM BULLFLOAT

FEATURES

- Heavy duty structural alloy
- Easy to clean powder coated finish
- Extruded ribs for extra strength



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016606	9341231000928	6" x 24" / 150 x 600mm	1	4
OX-P016609	9341231000935	6" x 36" / 150 x 900mm	1	4
OX-P016612	9341231000942	6" x 48" / 150 x 1200mm	1	4



PRO ALUMINUM BULLFLOAT – MILL FINISH

FEATURES

- Heavy duty structural alloy
- Mill finish for perfect finishing
- Extruded ribs for extra strength

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016409	9341231024498	6" x 36" / 150 x 900mm	1	4
OX-P016412	9341231024504	6" x 48" / 150 x 1200mm	1	4



PRO TELESCOPIC HANDLE

FEATURES

- Powder coated finish
- Fluted profile
- H.D.P.E screw-lock fitting
- "T" section "Twist Stop" extrusion design
- High quality extruded aluminum
- Comes with universal adaptor included

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016524	9341231000829	1300 - 2400mm	1	4
OX-P016550	9341231000836	2700 - 5000mm	1	4



PRO TELESCOPIC HANDLE PARTS

FEATURES

- Suits OX-P016524 and OX-P016550

Product Code	Barcode	Description	Order Qty	Box Qty
OX-P019710	9341231013591	Replacement Quick Release Pin	1	12
OX-P409901	9341231015854	Telescopic Handle Adaptor	1	12




PRO CLIP TOGETHER HANDLE

FEATURES

- High quality extruded aluminum
- Snap together for fast tool changes

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P019020	9341231024573	72" / 1800mm	1	4





PRO CLIP TOGETHER HANDLE ADAPTORS



FEATURES

- High quality extruded aluminum
- Available to suit all major manufacturers

Product Code	Barcode	Description	Order Qty	Box Qty
OX-P019102	9341231024597	OX Female Fitting	1	6

PRO NARROW GROOVER



FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm
Depth 3/8" 10mm (OX-P014210), 3/4" 19mm (OX-P014219)

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014210	9341231011269	3" x 7" / 75 x 180mm	1	6
OX-P014219	9341231011276	3" x 7" / 75 x 180mm	1	6

PRO MEDIUM GROOVER



FEATURES

- High grade stainless steel blade
- Reversible OXGrip handle
- Groove: Width 5/8" - 5/16" 15-8mm
Depth 3/8" 10mm (OX-P404910), 1" 25mm (OX-P404925)

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P404910	9341231004643	4½" x 7" / 3/8" / 10mm	1	6
OX-P404925	9341231004667	4½" x 7" / 1" / 25mm	1	6

PRO WIDE GROOVER



FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm
Depth 1/2" 12mm (OX-P014312), 25/32" 20mm (OX-P014320)

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014312	9341231011283	6" x 7" / 155 x 180mm	1	6
OX-P014320	9341231011290	6" x 7" / 155 x 180mm	1	6



PRO NARROW EDGER

FEATURES

- High grade stainless steel blade
- Riveted handle support
- Reversible OXGRIP handle
- Blade size: 3" x 7" / 75 x 180mm

Product Code	Barcode	Radius / Depth	Order Qty	Box Qty
OX-P014406	9341231011092	6mm, 12mm	1	6
OX-P014410	9341231011108	10mm, 19mm	1	6



PRO MEDIUM EDGER

FEATURES

- High grade stainless steel blade
- Riveted handle support
- Reversible OXGRIP handle
- Blade size: 4" x 7" / 100 x 180mm

Product Code	Barcode	Radius / Depth	Order Qty	Box Qty
OX-P014506	9341231011115	6mm, 14mm	1	6
OX-P014510	9341231011122	10mm, 14mm	1	6
OX-P014519	9341231011139	19mm, 19mm	1	6



PRO WIDE EDGER

FEATURES

- High grade stainless steel blade
- Riveted handle support
- Reversible OXGRIP handle
- Blade size: 5" x 7½" / 130 x 190mm

Product Code	Barcode	Radius / Depth	Order Qty	Box Qty
OX-P014812	9341231011146	12mm, 22mm	1	6
OX-P014820	9341231011153	20mm, 22mm	1	6
OX-P014825	9341231011160	25mm, 22mm	1	6



PRO EXTRA WIDE EDGER

FEATURES

- High grade stainless steel blade
- Riveted handle support
- Reversible OXGRIP handle
- Blade size: 5¾" x 8½" / 145 x 215mm

Product Code	Barcode	Radius / Depth	Order Qty	Box Qty
OX-P014910	9341231011306	10mm, 12mm	1	6
OX-P014916	9341231011313	16mm, 16mm	1	6





PRO TIMBER FLOAT



FEATURES

- OXGRIP 'High lift' handle design
- High quality hardwood blade
- Special timber screws to prevent 'backing out'

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P012212	9341231013034	4½" x 12" / 112 x 300mm	1	6
OX-P012215	9341231013461	4½" x 15" / 112 x 380mm	1	6

PRO SPINNER FLOAT



FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014112	9341231021206	4¾" x 11½" / 120 x 290mm	1	6
OX-P014114	9341231021213	5¾" x 8" / 145 x 215mm	1	6

PRO ALL SIDES UP FLOAT



FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013910	9341231020452	4" x 11½" / 100 x 290mm	1	6
OX-P013916	9341231020469	6¼" x 8¼" / 160 x 210mm	1	6

PRO ALL SIDES UP FLOAT



FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013938	9341231020476	6" x 15" / 150 x 380mm	1	6

PRO MAGNESIUM FLOAT – OXGRIP HANDLE



FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P017012	9341231024900	3" x 12" / 80 x 300mm	1	6
OX-P017016	9341231011030	3" x 16" / 80 x 400mm	1	6
OX-P017020	9341231011047	3" x 20" / 80 x 500mm	1	6



PRO MAGNESIUM FLOAT – ROUNDED ENDS

FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Fully rounded ends helps prevent float marks

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P400416	9341231024917	3" x 16" / 80 x 400mm	1	6



PRO MAGNESIUM FLOAT – WIDE BLADE

FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Wide blade wears longer

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P400517	9341231024924	3½" x 16" / 90 x 400mm	1	6



TRADE POINTED FINISHING TROWEL

FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017309	9341231010446	4" x 14" / 100 x 355mm	1	6
OX-T017301	9341231010453	4¾" x 14" / 115 x 450mm	1	6
OX-T017391	9341231010460	4½" x 16" / 115 x 405mm	1	6
OX-T017392	9341231010477	4½" x 17¾" / 120 x 356mm	1	6



PRO POINTED FINISHING TROWEL

FEATURES

- High grade stainless steel blade
- Heavy duty aluminum shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014609	9341231011214	4" x 14" / 100 x 355mm	1	6
OX-P014601	9341231011207	4¾" x 14" / 120 x 356mm	1	6
OX-P014691	9341231011238	4½" x 16" / 115 x 405mm	1	6
OX-P014692	9341231011245	4½" x 17¾" / 115 x 450mm	1	6
OX-P014693	9341231011252	4½" x 19½" / 115 x 500mm	1	6
OX-P014665	9341231011221	4½" x 24" / 115 x 600mm	1	6





PRO POINTED FLOORING TROWEL

FEATURES

- DURAGRIP handle with soft grip
- High grade and flexible stainless steel blade
- Heavy duty fully riveted aluminum shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P018716	5060242334320	4½" x 16" / 115 x 405mm	1	6
OX-P018718	5060242334337	4½" x 18" / 115 x 450mm	1	6

PRO POOL TROWEL – FLEXIBLE

FEATURES

- Heavy duty aluminum shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P015712	9341231013744	4" x 11¾" / 100 x 300mm	1	6
OX-P015714	9341231013751	4" x 14" / 100 x 356mm	1	6
OX-P015716	9341231015311	4" x 16" / 100 x 406mm	1	6
OX-P015718	9341231013768	4" x 18" / 100 x 457mm	1	6

PRO POOL TROWEL – RIGID

FEATURES

- Heavy duty aluminum shank
- OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P015814	9341231015328	4" x 14" / 100 x 356mm	1	6
OX-P015816	9341231015335	4" x 16" / 100 x 406mm	1	6
OX-P015818	9341231013782	4⅓" x 17¾" / 110 x 450mm	1	6



PRO SQUARE FINISHING TROWEL

FEATURES

- Heavy duty aluminum shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014702	9341231013799	4¾" x 11" / 120 x 280mm	1	6
OX-P014773	9341231013805	4¾" x 14" / 120 x 356mm	1	6

PRO CEMENT FINISHING TROWEL

FEATURES

- DURAGRIP handle with soft grip
- High grade and flexible stainless steel blade
- Heavy duty fully riveted aluminum shank
- Stainless steel rivets for holding the blade, shank and handle together for unsurpassed strength



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P018814	5060242334306	4¾" x 14" / 120 x 356mm	1	6
OX-P018816	5060242334313	4½" x 16" / 115 x 405mm	1	6

PRO FIXED BRACKET WALKING TROWEL

FEATURES

- Complete with fixed bracket
- High grade stainless steel



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402760	9341231034374	4¾" x 24" / 120 x 600mm	1	4
OX-P402790	9341231034381	4¾" x 36" / 120 x 900mm	1	4

PRO ROTATING BRACKET WALKING TROWEL

FEATURES

- Complete with fresno bracket
- High grade stainless steel



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402860	9341231034398	4¾" x 24" / 120 x 600mm	1	4
OX-P402890	9341231034404	4¾" x 36" / 120 x 900mm	1	4



PRO TILT BRACKET WALKING TROWEL



FEATURES

- Complete with tilt bracket
- High grade stainless steel

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402960	9341231034411	4¾" x 24" / 120 x 600mm	1	4
OX-P402990	9341231034428	4¾" x 36" / 120 x 900mm	1	4

PRO HEAVY DUTY FLOOR SQUEEGEE HEAD



FEATURES HEAD ONLY

- Red neoprene - excellent resistance to salt acids, gasoline, fats, grease, etc.
- Rust resistant galvanised steel frame, etc.
- Splash guard and reinforced handle socket
- Parallel fitting: 25mm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P250575	9341231013904	29½" / 750mm	1	4

PRO TRADITIONAL FLOOR SQUEEGEE



FEATURES

- Hard rubber blade & pre-galvanised steel frame
- Tapered fitting
- Fitting: 27 - 20mm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P250691	9341231013911	36" / 910mm	1	4

PRO CONCRETE FINISHING BROOM



FEATURES

- Cast aluminum back
- Premium fibre bristles
- Complete with adaptor to suit telescopic handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P060390	9341231021497	36" / 900mm	1	4



PRO RUB BRICK

FEATURES

- Fluted silicone carbide
- Contoured one piece plastic handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P071008	9341231025181	8" x 3½" / 200 x 90mm	1	6



TRADE KNEELING BOARD

FEATURES

- One piece base - with built in extra grip handles
- One piece foam
- Firm foam for greater knee support

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T240300	9341231001284	350 x 480mm	1	10





PRO INDUSTRIAL CONCRETE SPRAYER

FEATURES

- Stainless steel heavy duty pump
- Stainless steel spray wand
- Stainless steel tank
- Flexible heavy duty chemical resistant hose
- Superior lock-on trigger assembly
- Ergonomic pump handle
- Genuine OX Seals equipped
- Wide mouth opening for easy filling & cleaning
- Holster for wand & nozzle storage
- Includes 13pc seal & repair kit

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P040713	9341231014413	13.2L	1	1





TRADE REPLACEMENT BLADES – STYLE 1 COMBINATION BLADE SET (4)

FEATURES

- Suitable for 34" machines
- 3/8" BSW threads
- Heat treated - for better wear
- Boxed for easy storage

Product Code	Barcode	No. of Threaded Holes	Size	Order Qty	Box Qty
OX-T181401	9341231000720	2	322 x 187mm	1	1

Suits: Master Finish 34" / Coates 34" / Cromellins 34" / Flextool 34"



TRADE REPLACEMENT BLADES – STYLE 2 COMBINATION BLADE SET (4)

FEATURES

- Suitable for 40" machines
- 3/8" BSW threads
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Order Qty	Box Qty
OX-T181402	9341231000737	3	375 x 202mm	1	1

Suits: OX-PT40 / Master Finish 40" / Cromellins 40" / Flextool 40"



TRADE REPLACEMENT BLADES – STYLE 3 COMBINATION BLADE SET (4)

FEATURES

- Suitable for 46" & 48" machines
- 5/16" UNC threads
- 12 x replacement square head bolts included
- Heat treated - for better wear

Product Code	Barcode	No. of Threaded Holes	Size	Order Qty	Box Qty
OX-T181403	9341231000744	6	450 x 187mm	1	1

Suits: OX-PT46 / Master Finish 48" / Flextool 46" / Wackers 46" / Bartell 46"



TRADE REPLACEMENT BLADES – STYLE 6 COMBINATION BLADE SET (4)

FEATURES

- Suitable for 34" & 36" machines
- 5/16" UNC threads
- 8 x replacement bolts

Product Code	Barcode	No. of Threaded Holes	Size	Order Qty	Box Qty
OX-T181406	9341231000775	3	355 x 187mm	1	1

Suits: OX-PT34 / Suits: OX-PT36 / Flextool 36" / Wackers 36" / Bartell 36" / Bartell 40"





Bricklaying Tools

Bricklaying is a highly skilled trade and is characterised by regional variations in both brick size / shape & laying techniques.

We have spent 4 years working on-site with bricklayers & liaising with training institutions around the world to ensure our products are second to none.

From the strength of the forged steel to the perfect weight & balance – these tools symbolize quality. Guaranteed better than the rest!







PRO BRICK TROWEL – NARROW LONDON



FEATURES

- Narrow shape for general masonry and bricklaying

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P404009	5060242338557	9" / 225mm	1	6
OX-P404010	5060242338564	10" / 250mm	1	6
OX-P404011	5060242338571	11" / 280mm	1	6

PRO BRICK TROWEL – WIDE LONDON



FEATURES

- Wide heel holds more mortar - popular for CMU and stone

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P404110	5060242338663	10" / 250mm	1	6
OX-P011111	5060242330643	11" / 280mm	1	6
OX-P011112	9341231013232	12" / 300mm	1	6

PRO BRICK TROWEL – PHILADELPHIA



FEATURES

- Solid forged steel blade for ultimate strength
- Precision tapered ground blade
- DURAGRIP handle with finger protection for extreme comfort
- Hard end handle for tapping in bricks
- Well balanced & perfect flexibility

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P011210	5060242330605	10" / 250mm	1	6
OX-P011211	5060242330612	11" / 280mm	1	6
OX-P011212	5060242330629	12" / 300mm	1	6

PRO TILE SETTERS / BUTTERING TROWEL



FEATURES

- OXGRIP handle with finger protection for extreme comfort
- Welded shank
- Flexible precision taper ground blade
- Wide heel 7" blade perfect for back buttering stone veneer and tile

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402307	5060359916822	7" / 178mm	1	6



PRO GAUGING TROWEL

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Well balanced & perfect flexibility
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P011407	5060242330261	7" / 180mm	1	6



PRO POINTING TROWEL - LONDON

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013604	5060242333712	4" / 102mm	1	6
OX-P013605	5060242330759	5" / 127mm	1	6
OX-P013606	5060242330308	6" / 152mm	1	6



PRO POINTING TROWEL - PHILADELPHIA

FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Straight welded shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P018504	5060242334269	4" / 102mm	1	6
OX-P018505	5060242334276	5" / 127mm	1	6
OX-P018506	5060242334283	6" / 152mm	1	6
OX-P018507	5060242338601	7" / 178mm	1	6





PRO BUCKET TROWEL – CARBON STEEL



FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013718	5060242330506	7" / 180mm	1	6

PRO BUCKET TROWEL – STAINLESS STEEL

Stainless Steel Shank



FEATURES

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty stainless steel shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P018418	5060242334290	7" / 180mm	1	6

TRADE BRICK TROWEL – LONDON



FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017428	5060242333217	11" / 280mm	1	12



TRADE BRICK TROWEL – PHILADELPHIA

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017528	5060242333224	11" / 280mm	1	12



TRADE GAUGING TROWEL – WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017718	5060242333248	7" / 180mm	1	12



TRADE POINTING TROWEL – WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017813	5060242333255	5" / 127mm	1	12
OX-T017915	5060242333262	6" / 152mm	1	12



TRADE BUCKET TROWEL – WOODEN HANDLE

FEATURES

- Quality carbon steel blade
- Tempered blade for strength
- Durable timber handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T017618	5060242333231	7" / 180mm	1	12





PRO TUCK POINTER



FEATURES

- One piece high quality carbon steel blade
- DURAGRIP handle with finger protection
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P011506	9341231013522	6 $\frac{3}{4}$ " x $\frac{1}{8}$ " / 6mm	1	12
OX-P011508	5060242335433	6 $\frac{3}{4}$ " x $\frac{1}{4}$ " / 8mm	1	12
OX-P011510	5060242330346	6 $\frac{3}{4}$ " x $\frac{3}{8}$ " / 10mm	1	12
OX-P011512	5060242330285	6 $\frac{3}{4}$ " x $\frac{1}{2}$ " / 12mm	1	12
OX-P011519	5060242335969	6 $\frac{3}{4}$ " x $\frac{3}{4}$ " / 19mm	1	12
OX-P011525	5060242335976	6 $\frac{3}{4}$ " x 1" / 25mm	1	12

PRO BRICK JOINTER



FEATURES

- For a professional finish to joints between bricks
- Heavy duty design
- High quality steel
- Sizes clearly engraved onto tool

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P031101	5060242330520	$\frac{1}{2}$ " x $\frac{5}{8}$ " / 13 x 16mm	1	6
OX-P031102	5060242330537	$\frac{3}{4}$ " x $\frac{7}{8}$ " / 19 x 22mm	1	6
OX-P031103	5060242330544	$\frac{5}{8}$ " x $\frac{3}{4}$ " / 16 x 19mm	1	6
OX-P031104	5060242330551	$\frac{3}{8}$ " x $\frac{1}{2}$ " / 10 x 13mm	1	6

PRO STEEL BRICK JOINTER



FEATURES

- OXGRIP handle
- High quality bright steel

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P030312	9341231013263	495 x 12mm	1	6

PRO FLEXIGLASS BRICK JOINTER



FEATURES

- OXGRIP handle
- One piece moulded acrylic
- Non stain acrylic for rolled joints
- Used for light coloured mortar - doesn't burn

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P030212	9341231022050	495 x 12mm	1	6



PRO POLY WHEEL ROLLER RAKER

FEATURES

- OXGRIP handle
- Adjustable rake depth
- Zinc plated
- Steel frame

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P030501	9341231020285	220 x 93mm	1	6



PRO BRICK JOINT RAKER

FEATURES

- Designed for clearing out mortar from between brickwork prior to pointing
- Strong aluminum handle contoured to fit the hand
- Two hardwearing wheels and replaceable point

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P031003	5060242330292	8½" x 3"	1	6



PRO GROUT BAG

FEATURES

- For grouting large joints and irregular joints such as natural stone
- Heavy duty vinyl
- Heat sealed seam
- Stainless steel tip is removable for easy cleaning

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P044001	5060359913135	21"	1	12



PRO LINE PIN

FEATURES

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges – drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100101	9341231013935	6" / 152mm	1	24



PRO LINE PINS – 2PK

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100102	5060242334009	6" / 152mm	1	12



PRO DUTCH PINS



FEATURES

- Semi-round swivel arm
- Solid forged and hardened
- Made from high quality steel
- Galvanised

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100715	9341231013621	100 x 150mm - 4 Pack	1	6

PRO DUTCH PIN - FIXED



FEATURES

- Semi-round fixed arm
- Solid forged and hardened
- Made from special high quality steel
- Galvanised

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100615	9341231013614	100 x 150mm - 4 Pack	1	6
OX-P100615B	9341231024350	100 x 150mm - 100 Pack	1	1



PRO NYLON BUILDERS LINE

FEATURES

- Masons line made of tough twisted nylon
- Cyan colour for high visibility
- Very high quality durable material

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P103510	5060242337932	105m / 350ft	1	12



PRO NYLON BRAIDED BUILDERS LINE

FEATURES

- Ultra tough braided nylon brickline
- Cyan colour for high visibility

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P104210	5060359916273	105m / 350ft	1	12



TRADE STRING LINE - 8 GAUGE

FEATURES

- Tough synthetic high tensile strength (42.8kg / 855 Tex)
- Ideal for layout work, brick and block laying
- Flexible plastic spool

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T102805	9341231013102	Fluoro Lime / 50m	1	12
OX-T102810	9341231013119	Fluoro Lime / 100m	1	12
OX-T102905	9341231013126	Fluoro Pink / 50m	1	12
OX-T102910	9341231013133	Fluoro Pink / 100m	1	12
OX-T103010	9341231013157	White / 100m	1	12



PRO RUBBER LINE BLOCK - SINGLE

FEATURES

- One piece rubber
- OXGRIP

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P101801	9341231001246	61 x 41 x 35mm	1	40



PRO RUBBERISED LINE BLOCK - PAIR

FEATURES

- One piece
- Rubberised OXGRIP

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P101502	9341231001239	75 x 65 x 57mm	1	20



TRADE PLASTIC LINE BLOCK - PAIR

FEATURES

- High impact plastic
- High visibility blue colour

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T101601	9341231011351	75 x 65 x 57mm	1	20





PRO BRICK CARRIER

FEATURES

- Holds 8 - 12 bricks
- Adjustable jaw capacity
- Heavy duty construction
- Comfort grip ergonomic handle


Product Code	Barcode	Size	Order Qty	Box Qty
OX-P171250	9341231038235	-	1	6
OX-P170350	9341231020254	400 - 500mm	1	6

PRO BRICK SPLITTER

FEATURES

- Convenient carry handle
- Single motion breaking action
- Auto levelling blade
- Single point fine adjustment
- Quick change, coarse adjustment pin
- Adjustable integral length stop gauge
- Three sided hard wearing replaceable blades
- Spring loaded support arms

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P190212	9341231022296	-	1	1





PRO PROFILE CLAMP

FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100307	9341231020216	178mm	1	6
OX-P100312	9341231020223	300mm	1	6

PRO INTERNAL PROFILE CLAMP

FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P102007	9341231013836	178mm	1	6
OX-P102012	9341231013843	300mm	1	6

PRO MORTAR SPIKE

FEATURES

- Solid steel & zinc plated
- New 'thread insert' threading system
- 'T' bolt thumb screw
- Thread length 80mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P102201	9341231013850	120 x 30mm	1	6

PRO SLIDING PROFILE CLAMP

FEATURES

- Zinc plated solid steel
- 'T' bolt thumb screw
- Thread length 80mm



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P101213	9341231021527	330mm	1	6

PRO DORI BLOCK WITH LOCK BOLT

FEATURES

- Genuine replacement part
- Zinc plated solid steel
- 'T' bolt thumb screw
- Can be clamped to the profile pole from either side
- Use with 40 & 50mm profile poles



Product Code	Barcode	Internal Size	Order Qty	Box Qty
OX-P100950	9341231022241	50 x 50mm	1	6



PRO HEAVY DUTY PROFILE POLE



FEATURES

- Durable galvanised steel
- Fine precise lines
- Reversible, two-sided markings
- Professionally marked with the latest technology automatic machine
- Profile size 40 x 40mm
- Number of courses 33

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P102432	9341231034060	2.83m	1	4

PRO PROFILE PROP



FEATURES

- Professional quality
- Steel heavy duty wing bolt
- High adjustable telescopic arm
- Galvanised steel construction
- Suits OX-P102432 (2 props per profile pole often used)

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P100501	9341231022289	-	1	4

PRO WIRE BRUSH WITH SCRAPER



FEATURES

- Professional grade wire brush
- 19 rows of wire brushes with built in scraper
- Designed specifically for masonry applications

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P061719	9341231038723	-	1	6

PRO UTILITY SCRUB BRUSH



FEATURES

- Quality smooth timber block
- White tampico fibre bristles
- Designed specifically for masonry applications

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P060908	9341231038693	8" / 200mm	1	6



PRO 5 ROW WATER BRUSH

FEATURES

- White tampico fibre bristles
- Bristles set securely into hardwood block
- Handle pinned and glued for secure attachment

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P060105	9341231013485	-	1	6



PRO ACID DECK BRUSH

FEATURES

- Quality smooth timber block
- White coco fibre bristles
- Designed specifically for masonry applications

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P061108	9341231038709	8" / 200mm	1	6



PRO ACID HAND BRUSH

FEATURES

- White tampico fibre bristles
- Quality smooth timber block
- Designed specifically for masonry applications

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P061408	9341231038716	8" / 200mm	1	6



PRO 3 KNOT ROOF BRUSH

FEATURES

- Use to apply roof tar & heavy coatings
- Mixed blend of 80% natural hair and 20% synthetic hair
- Quality smooth timber block for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P061803	9341231038730	-	1	6





PRO COUNTER DUSTER, HORSEHAIR / POLY MIX



FEATURES

- Wood block for durability
- 80% natural hair and 20% synthetic hair for superior performance
- Used for cleanup of various surfaces

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P061908	9341231038730	8" / 200mm	1	6

TRADE 4 ROW WATER BRUSH, WHITE TAMPICO FIBRE



FEATURES

- Designed to minimize concrete sticking to its bristles
- Quality smooth timber block for durability
- White tampico fibre bristles

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T060304	9341231038686	-	1	6

TRADE BRICKIES BRUSH – DYED COCO FIBRE



FEATURES

- Quality smooth timber block
- Black dyed coco fibre bristles

Product Code	Barcode	Bristle Area	Order Qty	Box Qty
OX-T060701	9341231022463	70 x 300mm	1	6

TRADE BRICKIES BRUSH – POLY FIBRE



FEATURES

- Quality smooth timber block
- Black poly fibre bristles

Product Code	Barcode	Bristle Area	Order Qty	Box Qty
OX-T060601	9341231022456	70 x 300mm	1	6



Plastering & Drywall Tools

No trade is as demanding on the design of its tools as the plastering trade. Many tools look the same, but the OX Range has been tried and tested by tradesmen and offers unmatched quality.

OX tools do what you want them to do, over and over again.

A tough, durable design for the professional plasterer!





PRO PLASTERERS TROWEL – CARBON STEEL



FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered carbon steel blade
- Lightweight aluminum shank
- Handle set for perfect balance
- Fully riveted shank
- DURAGRIP handle for ultimate comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010911	5060242330575	4¾" x 11" / 120 x 280mm	1	6
OX-P010914	5060242330582	4¾" x 14" / 120 x 356mm	1	6

PRO PLASTERERS TROWEL – STAINLESS STEEL



FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminum shank
- Handle set for perfect balance
- Fully riveted shank
- DURAGRIP handle for ultimate comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P011008	9341231021138	3" x 8" / 75 x 200mm	1	6
OX-P011011	5060242330322	4½" x 11" / 114 x 280mm	1	6
OX-P011014	5060242330339	5" x 14" / 127 x 356mm	1	6
OX-P011016	9341231021169	4" x 16" / 100 x 406mm	1	6
OX-P011018	5060242330568	5" x 18" / 127 x 457mm	1	6

PRO SMALL TROWEL



FEATURES

- Stainless steel properly shaped & tempered
- Fully riveted shank
- Lightweight but very strong aluminum shank
- DURAGRIP handle for ultimate comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013808	5060242333699	3" x 8" / 75 x 200mm	1	6



PRO RED TEXTURE FINISHING TROWEL

FEATURES

- Red PVC blade
- Ergonomic OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P408511	9341231015847	130 x 280mm	1	6



TRADE FINISHING TROWEL

FEATURES

- Carbon steel blade
- Aluminum shank
- Ergonomic rubber grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T010911	9341231022807	115 x 280mm	1	6
OX-T010914	9341231022814	120 x 356mm	1	6



PRO ULTRAFLEX FINISHING TROWEL

FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P530111	5060359916310	11" / 280 x 110mm	1	1
OX-P530114	5060359916327	14" / 355 x 110mm	1	1
OX-P530116	5060359916334	16" / 405 x 110mm	1	1
OX-P530118	5060359916341	18" / 455 x 110mm	1	1



PRO ULTRAFLEX SMALL TROWEL

FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P532608	5060530351558	8" / 200 x 80mm	1	1





PRO SEMI FLEX STAINLESS STEEL TROWEL



FEATURES

- New semi flexible trowel for a perfect finish, also suitable for laying on
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.4 mm semi flexible stainless steel blade with rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P532514	5060530351565	14" / 355 x 125mm	1	1
OX-P532516	5060530351572	16" / 405 x 125mm	1	1

PRO SEMI FLEX PLASTIC TROWEL



FEATURES

- Lightweight semi flexible plastic blade finishing trowel
- Removable metal shank
- Replaceable blade system
- Ergonomic soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P532414	5060530351435	14" / 355 x 138mm	1	1
OX-P532416	5060530351442	16" / 405 x 138mm	1	1
OX-P532418	5060530351459	18" / 455 x 138mm	1	1
OX-P532420	5060530351466	20" / 508 x 138mm	1	1

Pack of 2 replacement plastic finishing blades

- Lightweight rounded corner blades for the perfect finish



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P532714	5060530351602	14" / 355 x 138mm	1	6
OX-P532716	5060530351619	16" / 405 x 138mm	1	6
OX-P532718	5060530351626	18" / 455 x 138mm	1	6
OX-P532720	5060530351633	20" / 508 x 138mm	1	6

TRADE PLASTIC FINISHING TROWEL

FEATURES

- Ultra flexible plastic blade for the perfect finish
- Comfortable soft grip handle
- Fantastic value for money

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T531714	5060359919601	14" / 355 x 138mm	1	6
OX-T531716	5060359919618	16" / 405 x 138mm	1	6
OX-T531718	5060359919625	18" / 455 x 138mm	1	6





PRO SPEEDSKIM – ST (PLASTERING & RENDERING)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Flattening, finishing & ruling off
- Compatible with all gypsum based plasters (hand and spray applied), traditional sand & cement renders and insulated rendering systems
- Complete with integral blade guard



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P530945	5060359919243	18" / 450mm	1	4
OX-P530960	5060359919250	24" / 600mm	1	4
OX-P530990	5060359919267	36" / 900mm	1	4
OX-P530912	5060359919274	48" / 1200mm	1	4
OX-P530918	5060359919281	72" / 1800mm	1	4

Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P531245	5060359919373	18" / 450mm	1	4
OX-P531260	5060359919380	24" / 600mm	1	4
OX-P531290	5060359919397	36" / 900mm	1	4
OX-P531212	5060359919403	48" / 1200mm	1	4
OX-P531218	5060359919410	72" / 1800mm	1	4



PRO SPEEDSKIM – POLE ATTACHMENT

FEATURES

- Fully compatible with all standard professional 'threaded' extension poles
- Constructed from 'tough glass filled' nylon
- Compatible with all sizes of Speedskim



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P531501	5060359919502	-	1	12





PRO SPEEDSKIM – SF (FINE FINISHING & DRYWALL)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Ultra-fine 0.3mm stainless steel blade
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), jointing systems and compounds
- Complete with integral blade guard

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P531030	5060359919298	12" / 300mm	1	4
OX-P531045	5060359919304	18" / 450mm	1	4
OX-P531060	5060359919311	24" / 600mm	1	4
OX-P531090	5060359919328	36" / 900mm	1	4
OX-P531012	5060359919335	48" / 1200mm	1	4

Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P531330	5060359919427	12" / 300mm	1	4
OX-P531345	5060359919434	18" / 450mm	1	4
OX-P531360	5060359919441	24" / 600mm	1	4
OX-P531390	5060359919458	36" / 900mm	1	4
OX-P531312	5060359919465	48" / 1200mm	1	4



Display stand available to order
OXPOS-SPEEDSKIM

Covered by world patents, registered designs & pending applications.



PRO SPEEDSKIM – PF (FINE FINISHING & DRYWALL)



FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Thin 1mm lightweight plastic blade for an excellent finish
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), jointing systems and compounds
- Complete with integral blade guard

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P532945	5060530351855	18" / 450mm	1	4
OX-P532960	5060530351862	24" / 600mm	1	4
OX-P532990	5060530351879	36" / 900mm	1	4
OX-P532912	5060530352159	48" / 1200mm	1	4

Replacement blade

- Complete with integral blade guard and spare end caps

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P533045	5060530351886	18" / 450mm	1	4
OX-P533060	5060530351893	24" / 600mm	1	4
OX-P533090	5060530351909	36" / 900mm	1	4
OX-P533012	5060530352166	48" / 1200mm	1	4



Display stand available to order
OXPOS-SPEEDSKIM

WHAT DOES THE TRADE SAY?

“Essential bit of kit. One of the greatest innovations in the last 30 years”

I’ve said it before and say it again.
I wouldn’t be without mine”

“Only got mine 3 weeks ago makes life so much easier”

“Would be lost without mine now”

“Fantastic tool to use, makes a hard day lighter”

“Been plastering 42 years, sceptical at first, wouldn’t be without one now, great piece of kit”

“Absolutely tremendous piece of gear. Wouldn’t be without one now. Weighs next to nothing too”



PRO MARGIN TROWEL



FEATURES

- High quality carbon steel
- Flat rectangular blade
- OXGRIP handle with finger protection for extreme comfort
- Precision tapered ground blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013405	5060242333705	5" x 2" / 125 x 50mm	1	12
OX-P013406	5060359913371	6" x 2" / 150 x 50mm	1	12
OX-P013408	5060242339745	8" x 2" / 200 x 50mm	1	12

TRADE MARGIN TROWEL



FEATURES

- Flat rectangular blade
- Soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T013406	5060242339738	6" x 2" / 150 x 50mm	1	12

PRO PLASTER SCOOP



FEATURES

- OXGRIP handle
- Heavy duty galvanized pan - for longevity
- Bracket hang hook - for putting on the side of a bucket

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010718	9341231011368	7" / 180mm	1	6

TRADE PLASTER SCOOP



FEATURES

- Economical plastic construction
- Sturdy grip to withstand heavy loads
- Lightweight
- Made in Europe

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T530217	9341231016028	7" / 180mm	1	6



PRO STAINLESS STEEL MUD PAN

FEATURES

- Heavy duty, rust resistant stainless steel design
- Smooth finish is leak proof and won't catch knives
- Bottom of pan is contoured for easy scooping and clean up
- Heli-Arc welded corners are smooth and seamless preventing mud from collecting



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P530812	5060359919021	12" / 300mm	1	6
OX-P530814	5060359919212	14" / 350mm	1	6

TRADE PLASTIC MUD PAN

FEATURES

- Built in, rust resistant steel blades are angled to make wiping knives easier
- Long lasting, durable, and impact resistant design
- Plastic pan designed to withstand variations in temperature




Product Code	Barcode	Size	Order Qty	Box Qty
OX-T530712	5060359919014	12" / 300mm	1	6

PRO ALUMINUM HAWK

FEATURES

- OXGRIP handle
- High quality, lightweight and tempered aluminum blade mounted with 8 rivets for extra strength
- Surface of blade machined to prevent mortar from sliding off and aluminum from bowing or bending



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010512	9341231010811	12" x 12" / 300 x 300mm	1	6
OX-P010513	5060242330377	13" x 13" / 330 x 330mm	1	6

TRADE ALUMINUM HAWK

FEATURES

- OXGRIP handle
- High quality, lightweight and tempered aluminum blade mounted with 6 rivets for extra strength



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T010513	9341231038242	13" x 13" / 330 x 330mm	1	6



PRO DRYWALL INTERNAL CORNER TROWEL



FEATURES

- Flexible stainless steel blade
- Strong aluminum mounting
- Flexes for perfect 90° corners
- Curved corners to eliminate lines in plaster
- DURAGRIP handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013001	5060242330490	4" x 5" / 102 x 127mm	1	6

PRO DRYWALL EXTERNAL CORNER TROWEL



FEATURES

- Flexible stainless steel blade
- 90° radius
- DURAGRIP handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013105	5060242333682	4" x 5" / 100 x 125mm	1	6

PRO BUCKET TROWEL – CARBON STEEL



FEATURES

- DURAGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013718	5060242330506	7" / 180mm	1	6

PRO BUCKET TROWEL – STAINLESS STEEL



FEATURES

- DURAGRIP handle with finger protection
- High quality stainless steel
- Heavy duty stainless steel shank
- Soft grip handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P018418	5060242334290	7" / 180mm	1	6



PRO MIXM8 MIXING PADDLE

FEATURES

- GUARANTEED – Faster mix even using a cordless drill (min 18V)
- GUARANTEED – Less effort and smoother final mix
- Long life and easy clean
- Edge to edge mixing - no need to stop and stir
- 10mm shaft version fits a standard chuck and can be used with a standard 18v cordless drill - no need for power on site when mixing
- Far less strenuous - no more chasing your mix around, just hold the MixM8 in the centre of the bucket and let the blades do the work

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P121910	5060359915443	3/8" / 10mm Hex	1	6
OX-P122014	5060359915450	14mm M14	1	6



Available with 14mm threaded end for a 2 handed mixer

PRO SDS PLUS – M14 (F) ADAPTOR

FEATURES

- Converts M14 thread to a SDS Plus fitting
- Enables quick and easy conversion of M14 threaded paddle to be used with SDS drill

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P122101	5060359918604	For 14mm M14	1	25



Display stand available to order
[OXPOS-MIXM8](#)



PRO MIXING PADDLE – HEX SHAFT




FEATURES

- Positive ribbon
- General purpose use on low to medium viscosity materials
- Hex shaft
- Chrome plated
- Durable, high quality steel

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P120308	9341231010842	80 x 400mm	1	6
OX-P120310	5060242337758	100 x 600mm	1	6
OX-P120312	9341231010859	120 x 600mm	1	6

PRO MIXING PADDLE - DUAL FIN




FEATURES

- Chrome plated
- For mixing paint, tile glue, grout etc. - multi purpose use on low to high viscosity materials

Product Code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size	Order Qty	Box Qty
OX-P120809	9341231010927	8	5 - 15	85 x 500mm	1	6

PRO MIXING PADDLE – HELICAL WITH RIM




FEATURES

- Chrome plated
- For mixing tile glue, grout etc. - use on high viscosity materials

Product Code	Barcode	Drive HEX-mm (Male)	Batch Size kg	Size	Order Qty	Box Qty
OX-P120609	9341231010897	8	5 - 15	90 x 500mm	1	6
OX-P120612	9341231010903	10	20 - 30	120 x 600mm	1	6

PRO MIXING PADDLE – POSITIVE HELIX



FEATURES

- Chrome plated
- For mixing acrylic render without grit, thick paint - use on high viscosity materials

Product Code	Barcode	Drive	Batch Size kg	Size	Order Qty	Box Qty
OX-P120535	9341231010880	M14	25 - 40	135 x 650mm	1	6




PRO MIXING PADDLE – NEGATIVE HELIX

FEATURES

- Chrome plated
- For mixing acrylic render with grit, thick paint etc.
- use on medium viscosity materials

Product Code	Barcode	Drive	Batch Size kg	Size	Order Qty	Box Qty
OX-P120435	9341231010866	M14	25 - 40	135 x 650mm	1	6



PRO EGG BEATER MIXER - HEX SHAFT

FEATURES

- 7/16" Steel hex shaft
- 28" overall length
- Mixes thin set grout and all concrete based products
- Easily cleaned

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P121710	5060359913128	28" / 710mm	1	6



PRO SCORE & SNAP KNIFE

FEATURES

- All steel
- Chrome plated
- Double sided tungsten tipped

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P220102	9341231011764	220mm	1	6



PRO SMALL TOOL

FEATURES

- High quality carbon steel
- One piece drop forged
- Precision ground & tempered

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010113	5060242330452	1/2" / 13mm	1	6
OX-P010116	5060242330469	5/8" / 16mm	1	6
OX-P010119	5060242330476	3/4" / 19mm	1	6
OX-P010125	5060242330483	1" / 25mm	1	6





PRO TAPING KNIFE



FEATURES

- High quality flexible stainless steel blade
- DURAGRIP soft handle for extreme comfort
- Strong aluminum back

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013320	9341231001192	8" / 200mm	1	6
OX-P013325	9341231010781	10" / 250mm	1	6
OX-P013330	9341231010798	12" / 300mm	1	6

PRO TAPING KNIFE - STAINLESS STEEL



FEATURES

- High quality flexible stainless steel blade
- OXGRIP soft handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P530308	5060359917003	8" / 200mm	1	6
OX-P530310	5060359917010	10" / 250mm	1	6
OX-P530312	5060359917027	12" / 300mm	1	6
OX-P530314	5060530351473	14" / 350mm	1	6

PRO TAPING KNIFE - BLUE STEEL



FEATURES

- Flexible blue steel blade
- OXGRIP soft handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P530408	5060359917034	8" / 200mm	1	6
OX-P530410	5060359917041	10" / 250mm	1	6
OX-P530412	5060359917058	12" / 300mm	1	6
OX-P530414	5060530351480	14" / 350mm	1	6



PRO JOINT KNIFE

FEATURES

- Flexible stainless steel blade
- Built in hammer end
- DURAGRIP soft handle for extreme comfort

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P013203	5060242330438	1¼" / 32mm	1	6
OX-P013205	5060242330421	2" / 50mm	1	6
OX-P013207	5060242330414	3" / 76mm	1	6
OX-P013210	5060242330407	4" / 102mm	1	6
OX-P013212	5060242330391	5" / 127mm	1	6
OX-P013215	5060242330384	6" / 152mm	1	6



PRO HARLING TROWEL

FEATURES

- DURAGRIP handle with finger protection
- Used to throw pebbles onto the mortar when pebble dashing

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P0110106	5060242334580	6½" x 6½" / 165 x 165mm	1	6



PRO TELESCOPIC UNIVERSAL POLE

FEATURES

- Heavy duty lightweight telescopic pole
- Universal steel thread
- Unique double locking mechanism for extra stability
- Rubber hand grip for ultimate comfort
- Double extension up to 3500mm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P071601	5060359916969	1350 - 3500mm	1	6





PRO HAND SANDER



FEATURES

- Soft grip handle
- Lightweight durable design
- Fast changing sandpaper design
- Bonded foam pad

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P070701	5060242337949	240 x 80mm	1	6

PRO DRYWALL SCARIFIER



FEATURES

- High quality scarifier for the preparation of drywall surfaces to help keying of plaster
- Duragrip soft handle for extreme comfort
- Heat treated tines fitted in strong aluminum back

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P051630	5060359914149	12" / 300mm	1	6

TRADE RENDER SCRAPER



FEATURES

- Heavy duty 2 component handle
- Galvanised metal spiked base plate
- Used for keying and scraping render surfaces

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T051425	5060359913869	250 x 130mm	1	6

TRADE FEATHER EDGE



FEATURES

- Combined feather edge & straight edge
- Mill finished aluminum construction
- Very light and maneuverable
- Printed scale for ruling

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T024812	5060242338649	48" / 1200mm	1	4
OX-T024818	5060242338656	72" / 1800mm	1	4



PRO POLYMER SPONGE FLOAT

FEATURES

- One piece HDPS material
- Ergonomic handle
- Special 'fine cell' sponge

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016411	5060242330360	4¾" x 12" / 120 x 300mm	1	6



PRO PERFORATED SPONGE FLOAT

FEATURES

- Zinc plated perforated blade - easy to clean
- Special "fine cell" sponge
- OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010830	9341231020339	130 x 300mm	1	6



PRO PS RUBBER SPONGE FLOAT

FEATURES

- One piece moulded handle + blade
- Soft - Long life "sponge-rubber" material
- Made in the EU

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P014014	9341231010316	140 x 280mm	1	6





PRO GREEN TEXTURE FLOAT



FEATURES

- Course green plastic foam
- Excellent for sand surfaces
- One piece moulded handle and blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P407921	9341231015281	8¼" x 5½" / 210 x 140mm	1	6

PRO POLYURETHANE PLASTERERS FLOAT



FEATURES

- Lightweight sturdy construction
- Non-absorbent pattern face

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016811	5060242330735	11" x 4½" / 280 x 110mm	1	6
OX-P016815	5060242330728	14" x 6" / 350 x 150mm	1	6

PRO POLYURETHANE PLASTERERS HAWK



FEATURES

- Lightweight sturdy construction

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P016933	5060242330742	13" x 13" / 330 x 330mm	1	6

PRO RECTANGULAR POLYURETHANE FLOAT



FEATURES

- High quality polyurethane
- One piece moulded
- Made in the EU

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P010214	9341231001826	140 x 280mm	1	6
OX-P010218	9341231001833	180 x 320mm	1	6



PRO RECTANGULAR PLASTIC FLOAT

FEATURES

- High strength ABS plastic
- Diamond patterned base

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P012127	9341231001796	180 x 270mm	1	6
OX-P012135	9341231010767	270 x 350mm	1	6



PRO RECTANGULAR POLYSTYRENE FLOAT

FEATURES

- High quality polystyrene
- One piece moulded

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P012814	9341231020308	140 x 260mm	1	6
OX-P012818	9341231020315	180 x 320mm	1	6



PRO YELLOW SPONGE FLOAT

FEATURES

- Ideal for sandy surfaces
- Fine cell foam pad specially bonded to an aluminum backing plate
- 1" thick foam sponge
- OXGRIP handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402414	9341231032622	140 x 280mm	1	6

- Replacement sponge
- 6 sponges per pack

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P402514	9341231032639	140 x 280mm	1	6





PRO MOULDED RUBBER FLOAT



FEATURES

- OXGRIP handle for ultimate comfort
- Non-marring plastic back plate
- Moulded black sponge rubber
- Very dense texture

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P142009	5060359913081	9" x 4"	1	6

TRADE WEEPHOLE CLEANER



FEATURES

- Stainless steel
- Bottle opener hole – for convenience
- Template for accurate weephole

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T030401	9341231001277	75 & 50mm	1	6

TRADE TYROLEAN SPLATTER MACHINE



FEATURES

- Brass plated design
- Removable cover for easy access
- Ergonomic plastic handle
- Adjustable tension rod

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T044501	9341231031175	-	1	6

TRADE TEXTURE GUN – SQUARE



FEATURES

- Ideal for applying masonry coatings - cement render, and concrete re-surfacing products
- With airflow regulator and 45° elbow
- Operating pressure bar 3.0 - 4.0
- Air volume usage 0.623 CBM / min

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T040308	9341231013607	8L	1	4



Tiling Tools

OX tiling tools are designed to meet the high expectations of the professional tiler and clearly carry the quality and design represented by the OX brand.





PRO STAINLESS STEEL NOTCH TROWEL

FEATURES

- High quality tempered stainless steel blade
- Aluminum heavy duty shank
- OXGRIP handle for perfect balance and extra comfort
- Size: 11" x 4¾"

Product Code	Barcode	Notch Size	Notch Type	Order Qty	Box Qty
OX-P405841	5060359912961	¼" x ¼" x ¼"	Square	1	6
OX-P405842	5060359912947	¼" x ⅜" x ¼"	Square	1	6
OX-P405860	5060359912954	½" x ½" x ½"	Square	1	6
OX-P405940	5060359912930	¼" x ⅜"	'V'	1	6
OX-P405950	5060359912923	⅝" x ¼" x ⅛"	'V'	1	6



TRADE NOTCH TROWEL

FEATURES

- Carbon steel blade
- Aluminum heavy duty shank
- Soft grip handle for comfort
- Size: 11" x 4¾"

Product Code	Barcode	Notch Size	Notch Type	Order Qty	Box Qty
OX-T406041	5060359912916	¼" x ¼" x ¼"	Square	1	6
OX-T406042	5060359912893	¼" x ⅜" x ¼"	Square	1	6
OX-T406060	5060359912909	½" x ½" x ½"	Square	1	6
OX-T406140	5060359912886	¼" x ⅜"	'V'	1	6
OX-T406150	5060359912879	⅝" x ¼" x ⅛"	'V'	1	6



PRO CALIFORNIA TROWEL

FEATURES

- High quality tempered stainless steel blade
- Aluminum heavy duty shank
- OXGRIP handle for perfect balance and extra comfort
- Unique alternating notch pattern for more consistent mortar bed
- Reduces mortar voids and need to back butter tile

Product Code	Barcode	Trowel Size	Order Qty	Box Qty
OX-P408101	9341231015427	11" x 4¾"	1	6





PRO EPOXY FLOAT

FEATURES

- OXGRIP handle for perfect balance and extra comfort
- Hard, green rubber designed not to melt from epoxy
- Non-marring plastic back plate

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P141909	5060359913074	9" x 4"	1	6



PRO SUPER FLEXIBLE STONE FLOAT

FEATURES

- OXGRIP handle for perfect balance and extra comfort
- Non-marring plastic back plate
- Super flexible soft pad designed specifically for textured tile and natural stone

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P142609	5060359914552	9" x 4"	1	6



PRO GROUT FLOAT

FEATURES

- OXGRIP handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P141609	5060359913050	9" x 4"	1	6



PRO TAPERED GROUT FLOAT

FEATURES

- OXGRIP handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Tapered from 3 to 4 inches wide
- Offset handle – great for under toe kicks

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P141711	5060359913043	11" x 3"	1	6





PRO XL GROUT FLOAT



FEATURES

- OXGRIP handle for perfect balance and extra comfort
- 3mm gum rubber face
- Black closed cell rubber pad
- 2 square and 2 round corners
- Non-marring plastic back plate
- Larger size – moves more grout for large jobs

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P141812	5060359913067	12" x 4"	1	6

TRADE RED EURO WEDGES



FEATURES

- Strong & durable plastic tile wedges
- 500 pieces per bag

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T160605	9341231029264	1¼" x ¼" x ⅜"	1	10



TRADE SMALL WHITE WEDGES

FEATURES

- Strong & durable plastic tile wedges
- 500 pieces per bag

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T161001	5060242339639	⅝" x ½" x ⅛"	1	10

TRADE HORSESHOE SHIMS



FEATURES

- Strong & durable solid plastic horseshoe shaped shims
- 1000 pieces per box

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T161111	5060530350346	⅛" (Blue)	1	1
OX-T161121	5060530350353	⅛" (Red)	1	1
OX-T161131	5060530350360	⅜" (Orange)	1	1
OX-T161141	5060530350377	¼" (Black)	1	1



TRADE TILE SPACER - HARD CROSS

FEATURES

- Hard plastic - does not compress
- 1/16" is solid, 1/8" and larger are hollow allowing thin set through
- Can be used as leave in spacers



Product Code	Barcode	Size	Packaging	Order Qty	Box Qty
OX-T161210	5060242339578	1/16"	Bag - 500 pcs	1	10
OX-T161211	5060242339585	1/16"	Bucket - 1000 pcs	1	10
OX-T161220	5060242339516	1/8"	Bag - 500 pcs	1	10
OX-T161221	5060242339523	1/8"	Bucket - 1000 pcs	1	10
OX-T161230	5060242339493	3/16"	Bag - 500 pcs	1	10
OX-T161231	5060242339509	3/16"	Bucket - 1000 pcs	1	10

TRADE TILE SPACER - HARD 'T'

FEATURES

- Hard plastic - does not compress
- 1/16" is solid, 1/8" and larger are hollow allowing thin set through
- Can be used as leave in spacers



Product Code	Barcode	Size	Packaging	Order Qty	Box Qty
OX-T161310	5060242339691	1/16"	Bag - 250 pcs	1	10
OX-T161320	5060242339592	1/8"	Bag - 500 pcs	1	10
OX-T161321	5060242339608	1/8"	Bucket - 1000 pcs	1	10
OX-T161330	5060242339653	3/16"	Bag - 500 pcs	1	10

TRADE TILE SPACER - LONG SOFT CROSS

FEATURES

- Flexible yet not compressible for ease of installation
- Precision moulded for accuracy



Product Code	Barcode	Size	Packaging	Order Qty	Box Qty
OX-T161520	5060242339530	1/8"	Bag - 500 pcs	1	10
OX-T161521	5060242339547	1/8"	Bucket - 1000 pcs	1	10
OX-T161530	5060242339554	3/16"	Bag - 500 pcs	1	10
OX-T161531	5060242339561	3/16"	Bucket - 1000 pcs	1	10
OX-T161540	5060242339721	1/4"	Bag - 250 pcs	1	10

TRADE TILE SPACER - SOFT 'T'

FEATURES

- Flexible yet not compressible for ease of installation
- Precision moulded for accuracy



Product Code	Barcode	Size	Packaging	Order Qty	Box Qty
OX-T161620	5060242339660	1/8"	Bag - 250 pcs	1	10
OX-T161630	5060242339714	3/16"	Bag - 250 pcs	1	10



TRADE SUCTION LIFTER



FEATURES

- Convenient one hand use
- Approximate load capacity: 40 lbs.

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T171101	5060242334566	4 ⁵ / ₈ "	1	6

PRO XL HYDRO SPONGE



FEATURES

- Premium quality hydrophiliated polyester foam has tremendous water holding capacity
- Professional extra large sponge for grouting and general clean up
- Rounded edges minimize digging into grout

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P140902	5060359912985	7 ³ / ₈ " x 5 ¹ / ₄ " x 2 ¹ / ₄ "	1	25

PRO SCRUB PAD - WHITE



FEATURES

- Fine grit replacement pad

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P141201	5060359913111	10" x 5"	1	25

PRO GROUT REMOVER



FEATURES

- Includes two blades - tungsten carbide grit and steel saw tooth
- Ergonomic body and grip – with blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P130201	9341231029899	-	1	6



PRO HEAVY DUTY SCRAPER

FEATURES

- Chrome plated shaft
- Triple screw blade clamp
- Power weighed OXGRIP end
- Size: 450mm



Product Code	Barcode	Blade Size	Order Qty	Box Qty
OX-P050105	9341231029912	5" / 127mm	1	6

- Replacement blades - 10 pack
- Made from high quality carbon steel
- Suits OX-P050105

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P059905	9341231029929	127 x 19 x 1mm	1	6




PRO 7 PIECE TILERS SET – COMPLETE TILERS LEVEL SET

FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m
- 2 Vials: 300mm x 1, 400mm x 1, 600mm x 1, 800mm x 1, 1000mm x 1
- 3 Vials: 1200mm x 1, 2000mm x 1

Product Code	Barcode	Content	Order Qty	Box Qty
OX-P21SET7	9341231034152	7 pieces	1	1





PRO PUMP UP SUCTION LIFTER – PLASTIC HANDLE

FEATURES

- Plastic workings
- Pump action suction activation
- Grips on to any smooth flat surface
- Sturdy steel construction with high carrying capacity for heavy loads
- Max lift capacity 100kg



Product Code	Barcode	Cup Size	Order Qty	Box Qty
OX-P170808	9341231029981	8" / 200mm	1	4

PRO PUMP UP SUCTION LIFTER – BRASS HANDLE

FEATURES

- Brass workings
- Pump action suction activation
- Grips on to any smooth flat surface
- Sturdy steel construction with high carrying capacity for heavy loads
- Max lift capacity 150kg



Product Code	Barcode	Cup Size	Order Qty	Box Qty
OX-P170708	9341231029998	8" / 200mm	1	4



TRADE TILE WASH KIT

FEATURES

- Ergonomic handgrip
- Triple roller system
- Swivel castors for easy maneuverability
- Large 24L container made of impact resistant plastic

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T140424	9341231040320	24L	1	6





Striking Tools

OX HAMMERS ARE FULL OF FEATURES TO MAKE THEM PERFECTLY BALANCED AND BUILT TO LAST.

Shock absorbing ergonomically designed handles reduce hand fatigue and vibration. The quality of the steel, the balance and comfort grip handles mean they are perfect for tradesmen who want the job done right, first time every time.







PRO CLAW HAMMER

FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P080116	5060242337994	16oz / 450g	1	4
OX-P080120	9328217003401	20oz / 560g	1	4
OX-P080124	5060242338007	24oz / 680g	1	4



PRO STRAIGHT CLAW HAMMER

FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P082920	5060242338502	20oz / 560g	1	4



PRO FRAMING HAMMER – SMOOTH FACE

FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P082322	5060242338458	22oz / 624g	1	4
OX-P082328	5060242338014	28oz / 790g	1	4



PRO FRAMING HAMMER – MILLED FACE

FEATURES

- Straight claw hammer designed for frame work
- Long handle for greater impact
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P083422	5060242338519	22oz / 624g	1	4
OX-P083428	5060242338533	28oz / 790g	1	4




PRO CALIFORNIA FRAMING HAMMER

FEATURES

- Unique head design – excellent balance for faster strike
- Genuine American hickory handle
- Forged solid steel head
- Milled face
- New improved handle design for superior balance

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P083318	9341231015908	18oz / 510g	1	4
OX-P083322	9341231012006	22oz / 624g	1	4





PRO FIBREGLASS CLAW HAMMER



FEATURES

- Fibreglass shaft with an injection moulded grip
- Non-slip grip with shock reduction
- Precision balanced

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P081616	5060242337581	16oz / 450g	1	4
OX-P081620	5060242337451	20oz / 570g	1	4

TRADE FIBREGLASS CLAW HAMMER



FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T080920	9341231013669	20oz / 560g	1	4

TRADE CLAW HAMMER



FEATURES

- Heat treated carbon steel head
- Polished head with laser marked weight
- Textured grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T082820	5060242338090	20oz / 570g	1	4

PRO DRYWALL HAMMER



FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P082614	5060242338038	14oz / 400g	1	4



PRO BRICK HAMMER

FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P082424	5060242338021	24oz / 680g	1	4



TRADE BRICK HAMMER

FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip
- Head weight 24oz

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T081024	9341231013638	24oz / 680g	1	4



PRO CLUB HAMMER

FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P082703	5060242338045	3lb / 1.3kg	1	4
OX-P082704	5060242338052	4lb / 1.8kg	1	4



TRADE FIBREGLASS CLUB HAMMER

FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T081302	5060242332234	2.5lb / 1.1kg	1	4
OX-T081303	9341231013645	3lb / 1.3kg	1	4
OX-T081304	5060242332241	4lb / 1.8kg	1	4





PRO HICKORY HANDLE CLUB HAMMER



FEATURES

- Hardened high quality steel
- Genuine hickory handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P081102	5060242332395	2.5lb / 1.1kg	1	4
OX-P081104	5060242332401	4lb / 1.8kg	1	4

TRADE FIBREGLASS DEMOLITION HAMMER



FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T082004	9341231013676	4lb / 1.8kg	1	4

TRADE FIBREGLASS SLEDGE HAMMER



FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Ergonomic tough rubber grip collar

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T081507	5060242332258	7lb / 3.2kg	1	4
OX-T081510	5060242332265	10lb / 4.5kg	1	4
OX-T081512	9341231013720	12lb / 5.4kg	1	4
OX-T081514	5060242332272	14lb / 6.3kg	1	4

PRO HICKORY HANDLE SLEDGE HAMMER



FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Fitted with steel wedges

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P080207	9341231001925	7lb / 3.2kg	1	4
OX-P080210	9341231001932	10lb / 4.5kg	1	4
OX-P080214	9341231001949	14lb / 6.3kg	1	4



PRO ONE PIECE RUBBER MALLET

FEATURES

- White non marking rubber
- Steel reinforcement core
- Comfortable grip
- One piece moulded rubber

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P080610	9341231011733	35oz / 1000g	1	6



PRO DEADBLOW MALLET

FEATURES

- Durable one piece moulded construction
- Shot filled head eliminates rebound

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P085248	9341231015274	48oz / 1361g	1	6



TRADE COMBINATION RUBBER MALLET

FEATURES

- Standard black face for general work
- Semi hard white face that will not mark or discolour surfaces
- Strong & light fibreglass handle
- Comfortable grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T081916	5060242337420	16oz / 450g	1	6
OX-T081924	5060242337437	24oz / 680g	1	6
OX-T081932	5060242337444	32oz / 907g	1	6



PRO WHITE RUBBER MALLET

FEATURES

- Quality, durable rubber mallet

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P081832	5060242332333	32oz / 907g	1	6



PRO SINGLE ENDED SCUTCH HAMMER

FEATURES

- Hickory handle
- High quality drop forged steel head
- Head weight 28oz

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P080528	9341231001901	28oz / 790g	1	6





Cutting Tools

Tradesmen demand a lot from their cutting tools. Our utility knives and saws are designed for ease of use, so that you can change blades without extra tools, cut faster, cut longer and cut hours off your day!



PRO FIXED BLADE FOLDING KNIFE



FEATURES

- Very compact foldable design
- Blade storage in handle - complete with 2 blades
- Very fast blade change
- Non-slip grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P221301	5060242339349	-	1	12



PRO RETRACTABLE FOLDING KNIFE

FEATURES

- Retractable blade knife with easy folding mechanism
- Blade storage in handle - complete with 2 blades
- Instant blade change
- Non-slip grip

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P223501	5060359914736	-	1	12



PRO HEAVY DUTY UTILITY KNIFE

FEATURES

- Quick blade changing - accepts most standard utility blades
- Firm grip handle
- Magnetic tip
- Storage for blade dispenser - 10 blades included

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P220310	5060242335259	-	1	12



PRO SOFT GRIP UTILITY KNIFE

FEATURES

- Flip out blade storage cartridge in the back of the handle for extra blades
- Quick blade change – push the button
- Ergonomic grip for ease of use
- Dual cutting position

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P220801	9341231032370	-	1	12



TRADE HEAVY DUTY RETRACTABLE KNIFE

FEATURES

- Heavy duty knife with tough metal construction
- Accepts most standard utility blades
- Blade storage in handle
- Retractable blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T222701	5060359914460	-	1	12





TRADE RETRACTABLE UTILITY KNIFE



FEATURES

- Tough metal construction
- Accepts most standard utility blades
- Blade storage in handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T220601	5060242335853	-	1	12

PRO HEAVY DUTY KNIFE BLADES



FEATURES

- General purpose heavy duty blades in dispenser
- High quality SK2 steel
- Extra flexible and durable

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P222010	5060242332159	10 Pack	1	20
OX-P222110	5060242332364	100 Pack	1	6

TRADE SNAP OFF KNIFE



FEATURES

- High quality fantastic value 18mm snap off blade knife
- Supplied with 2 spare blades stored within the handle
- Premium grade steel and tempered

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T223818	5060359916914	18mm	1	12

TRADE SNAP OFF KNIFE



FEATURES

- Display box of 24 pieces
- 18mm snap off blade
- Auto lock feature
- Rubber grip
- Removable end cap to use to snap blades

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T224018-24	9341231016032	18mm	1	4



PRO SNAP OFF KNIFE BLADES

FEATURES

- Premium grade steel and tempered for the optimum balance of hardness and pliability
- Comes in sturdy plastic storage container of 10 blades

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P223910	5060359916921	18mm - 10 Pack	1	20



PRO HOOKED KNIFE BLADES

FEATURES

- Hooked heavy duty blades in dispenser
- High quality SK2 steel
- Extra flexible & durable

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P222510	5060242339042	10 Pack	1	20
OX-P222610	5060242339059	100 Pack	1	6



PRO HEAVY DUTY SCRAPER

FEATURES

- Heavy duty chrome plated solid steel handle
- Cushion grip
- Solid steel hammer end cap
- The heaviest duty scraper on the market today

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P051218	5060359913173	5" / 127mm	1	6

Replacement blade pack

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P051310	5060359913289	10 Pack	1	20



PRO STRAIGHT TIN SNIPS

FEATURES

- Hardened steel for durability and clean cut
- Non-slip comfort grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P223010	5060242335846	10" / 250mm	1	6





PRO SNIPS

FEATURES

- 7" / 185mm durable ultra sharp snips
- Ideal for all industrial applications including wire netting, light gauge aluminum, carpet, leather, Kevlar®, and many other items
- Ideal knife replacement tool

Product Code	Barcode	Cut Direction	Order Qty	Box Qty
OX-P233001	5060359914804	Straight	1	6



Display box available to order
[OXPOS-PROSNIPS](#)



Comfort grip
ergonomical
designed handles

Stainless steel serrated edge blades
for increased cutting capacity





PRO AVIATION SNIPS

FEATURES

- Heat treated alloy jaws
- Fully adjustable and replaceable jaws
- Rated to cut HRC49
- Max cut 1.5mm mild steel / 0.9 stainless steel

Product Code	Barcode	Cut Direction	Order Qty	Box Qty
OX-P231001	9341231032448	Left (red)	1	6
OX-P231002	9341231032455	Right (green)	1	6
OX-P231003	9341231032462	Straight (yellow)	1	6



PRO HEAVY DUTY AVIATION SNIPS

FEATURES

- Extra heavy duty heat treated alloy jaws
- Extra sharp long life serrated jaws for fast accurate cutting
- Ergonomic and comfortable soft grip handles
- Internal one handed auto release system

Product Code	Barcode	Cut Direction	Order Qty	Box Qty
OX-P232801	5060359914583	Left (red)	1	6
OX-P232802	5060359914590	Right (green)	1	6
OX-P232803	5060359914606	Straight (yellow)	1	6



PRO BOLT CUTTERS

FEATURES

- Heat treated alloy jaws - fully adjustable and replaceable
- Rated to cut HRC40

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P230118	9341231021343	18" / 450mm	1	4
OX-P230124	9341231021350	24" / 600mm	1	4
OX-P230130	9341231021367	30" / 750mm	1	4
OX-P230136	9341231021374	36" / 900mm	1	4
OX-P230142	9341231021381	42" / 1050mm	1	4



PRO MASONRY SAW

FEATURES

- 750mm carbide tipped
- 34 tungsten carbide tipped teeth
- Suitable for lightweight concrete

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P133034	9341231020209	30" / 750mm	1	4





Cutting Tools



PRO HAND SAW

FEATURES

- Ultimate ergonomic soft grip handle for extreme comfort and increased power
- Triple ground and impulse hardened teeth for aggressive cutting and longer life
- Improved stability for faster cutting
- Integral 45 and 90 degree angles built into handle
- Suitable for universal cutting
- 8 teeth per inch, 1mm blade thickness

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P133250	5060359914095	20" / 500mm	1	6
OX-P133255	5060359914101	22" / 550mm	1	6

TRADE HAND SAW

FEATURES

- 20" / 500mm trade handsaw
- Dual angle, 8tpi teeth for superior cutting performance
- High quality 65MN steel blade
- OX ergo fit handle



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T130950	9341231016646	20" / 500mm	1	6

PRO JAB SAW WITH HOLSTER

FEATURES

- Professional metal heavy duty jab saw with ergonomic soft grip handle
- Hardened & tempered blade for aggressive cutting – triple ground teeth
- Sharp point for piercing board
- Supplied with heavy duty holster for safe storage when not in use
- Fast cutting for drywall, wood & plastic



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P133116	5060359913661	6½" / 165mm	1	6



PRO JAB SAW

FEATURES

- Sharpened chisel point tip for easy puncturing of drywall and fast starting of cuts
- Tempered steel blade for long life
- Designed to cut 50% faster than traditional jab saws
- OXGRIP handle, ergonomically designed
- Offset teeth for cutting in both directions
- Double ground, deep cut tooth design for extremely fast and aggressive cutting
- No need to drill pilot holes



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P133516	5060359918734	6" / 150mm	1	6

TRADE JAB SAW WITH HOLSTER

FEATURES

- Supplied with protective holster for safety when not in use
- Hardened & tempered steel blade for increased life
- 8 teeth per inch
- Non-slip ergonomic handle
- Excellent for wood, plastic & drywall



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T131516	5060242338717	6½" / 165mm	1	6

TRADE FIBRO CUTTER

FEATURES

- Steel handles
- Ergonomic handle design
- Easy to use
- Clean cut



Product Code	Barcode	Capacity	Order Qty	Box Qty
OX-T230401	9341231013010	3/8" / 10mm	1	6

PRO HIGH TENSION HACKSAW

FEATURES

- Quick change blade design - 40,000 PSI / 200kg high blade tension
- Bi grip rubber handle
- Blade in either 45° / 90° cut position
- No tools needed to change blade



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P130730	5060242331640	12" / 300mm	1	6



PRO MINI HACKSAW



FEATURES

- Bi grip rubber handle
- 6 Blade angle settings
- Industrial strength hacksaw

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P130815	5060242331657	6" / 150mm	1	6

PRO 12" HACKSAW BLADES



FEATURES

- Cuts aluminum, iron, copper, carbon steel and hard plastic
- Pack of 4 blades

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P131324	5060242331886	24 TPI - 4 Pack	1	20

PRO 6" HACKSAW BLADES



FEATURES

- Cuts aluminum, iron, copper, carbon steel and hard plastic
- Pack of 10 blades

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P131424	5060242331893	24 TPI - 10 Pack	1	20




Demolition Tools

The OX demolition range is a very impressive line up.

The handles are shaped and sized to provide comfort in the hand with shock absorbing technology.

The materials and construction are of the highest quality to stand up to an unbelievable amount of force. Only heavy use can really demonstrate the power and resistance of these tools.





Demolition Tools



PRO CLAW BAR

FEATURES

- Unique hammer head
- Multi functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P083010	5060242339981	10" / 250mm	1	6
OX-P083012	5060242338069	12" / 300mm	1	6

Display box available to order
[OXPOS-CLAWBAR](#)



PRO MOULDING BAR

FEATURES

- Unique hammer head
- Multi functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P083110	5060242338076	10" / 250mm	1	6



PRO ELECTRICIANS CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & trimming of wood, wallboard & masonry

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092002	5060242334573	2 1/4" x 10"	1	6



PRO FLOOR CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting, prying & ripping of nails & hardwood flooring

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092103	5060242334542	3" x 11"	1	6



PRO COLD CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & shaping iron, steel, aluminum, copper, brass, nuts & bolts

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092401	5060242334566	1" x 12"	1	6



PRO BRICK CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of bricks & masonry

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092303	5060242334511	3" x 8½"	1	6
OX-P092304	5060242334528	4" x 8½"	1	6



PRO CONCRETE CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of concrete

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092501	5060242334535	¾" x 12"	1	6



PRO HANDY BAR

FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P093015	5060242338083	16" / 390mm	1	6



PRO HEAVY DUTY PRY BAR

FEATURES

- Powder coated finish all steel
- Hardened steel claw
- Ideal for prying formwork

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P092856	9341231025846	56" / 1425mm	1	4





Demolition Tools



PRO HEAVY DUTY WRECKING BAR

FEATURES

- Forged high carbon steel for incredible strength
- Slotted claw for pulling & prying nails
- Impressive powder coated finish
- Extremely heavy duty

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P083524	5060242335235	24" / 600mm	1	6



TRADE WRECKING BAR

FEATURES

- Solid steel wrecking bar
- Forged high carbon steel - one piece

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T091018	5060242330810	18" / 450mm	1	6
OX-T091024	5060242330827	24" / 600mm	1	6
OX-T091030	5060242331503	30" / 750mm	1	6
OX-T091036	5060242330834	36" / 900mm	1	6



TRADE COLD CHISEL

FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- For cutting & shaping metal

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T090110	5060242330858	1" x 10" / 25 x 250mm	1	6
OX-T090112	5060242330865	1" x 12" / 25 x 300mm	1	6
OX-T090118	5060242330872	1" x 18" / 25 x 450mm	1	6
OX-T091206	5060242331442	½" x 6" / 13 x 150mm	1	6
OX-T091208	5060242331459	¾" x 8" / 20 x 200mm	1	6
OX-T091210	5060242331466	¾" x 10" / 20 x 250mm	1	6
OX-T091212	5060242331473	¾" x 12" / 20 x 300mm	1	6
OX-T091218	5060242331480	¾" x 18" / 20 x 450mm	1	6



TRADE PLUGGING CHISEL

FEATURES

- Steel plugging chisel
- One piece forged steel for ultimate strength

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T091106	5060242330995	230 x 6mm	1	6



TRADE BRICK BOLSTER

FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T090902	5060242338441	2¼" / 57mm	1	6
OX-T090903	5060242330889	3" / 75mm	1	6
OX-T090904	5060242330896	4" / 100mm	1	6



TRADE BRICK BOLSTER WITH GUARD

FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- Protection hand guard

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T090502	5060242331497	2¼" / 57mm	1	6
OX-T090503	5060242330933	3" / 75mm	1	6
OX-T090504	5060242330940	4" / 100mm	1	6
OX-T090945	5060242332227	4½" / 115mm	1	8



TRADE DOUBLE ENDED SCUTCH HAMMER

FEATURES

- Hardened high quality steel
- Takes OX scutch combs in both ends, designed for dressing bricks and masonry
- Extremely strong fibreglass handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T085028	5060359914156	28oz / 790g	1	6




PRO SCUTCH COMBS HOLDERS

FEATURES

- For detachable stone dressing combs
- Heavy duty high carbon steel
- Hardened & tempered for durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P090310	9341231020759	8" x 1" / 200 x 25mm	1	6
OX-P090315	9341231020766	8" x 1½" / 200 x 38mm	1	6



PRO SCUTCH COMBS

FEATURES

- To fit into a scutch comb holder
- For preparation of surface prior to re-rendering
- Pack of 4

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P080725	9341231010712	25mm - 4 Pack	1	10
OX-P080738	9341231010729	38mm - 4 Pack	1	10





Plumbing & Electrical Tools

The performance, service life and ergonomics of our tools are guided by the need to meet the high expectations of professional users.

That is why we use particularly high quality materials and modern production technology.



PRO ULTRA WIDE JAW ADJUSTABLE WRENCH

FEATURES

- Ultra wide jaw opening
- Very slim head for access into tight spaces
- Precision hardened for durability
- Soft grip handle
- Measurement scale on jaw



Product Code	Barcode	Size	Jaw	Order Qty	Box Qty
OX-P324606	5060242337512	6" / 152mm	34mm	1	6
OX-P324608	5060242337529	8" / 200mm	36mm	1	6
OX-P324610	5060242337536	10" / 250mm	50mm	1	6
OX-P324612	5060242337543	12" / 300mm	60mm	1	6



PRO SLIM JAW ADJUSTABLE WRENCH

FEATURES

- Ultra slim head for easy accessibility in the most confined spaces
- Double ended with a fixed jaw at one end for nuts, bars, screws etc
- Precision hardened construction
- Measurement scale on jaw

Product Code	Barcode	Size	Jaw	Order Qty	Box Qty
OX-P560208	5060359918932	8" / 200mm	32mm	1	6



PRO WATERPUMP PLIERS

FEATURES

- Adjustable width jaw for grasping & turning
- Tough chrome vanadium steel

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P325825	5060328040732	10" / 250mm	1	6



PRO COPPER PIPE CUTTER

FEATURES

- Automatic copper pipe cutter in 15 & 22mm
- Fast clean cutting
- Ideal for use in confined spaces

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P448515	5060359914675	15mm	1	6
OX-P448522	5060359914651	22mm	1	6



PRO RATCHET COPPER PIPE CUTTER

FEATURES

- Unique ratchet action copper pipe cutter in 15 & 22mm
- Internal cutting mechanism with ergonomic surround which fits comfortably in the hand
- Fast clean cutting

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P449615	5060359915801	15mm	1	6
OX-P449622	5060359915818	22mm	1	6





PRO ADJUSTABLE TUBE CUTTER

FEATURES

- Heavy duty telescopic tube cutter
- Smooth and accurate telescopic adjustment
- Cuts tubes from 6 – 35mm
- Cuts copper, brass, aluminum and thin walled steel tubes
- Integral deburring tool



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P448635	5060359914668	3 - 35mm	1	6

PRO PVC PIPE CUTTER

FEATURES

- V Shape blade for immediate penetration
- Exceptionally sharp stainless steel blade
- Cuts through any MUPVC / PVC pipe effortlessly without kinking or shattering



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P449542	5060359915795	16 - 42mm	1	6

PRO OLIVE REMOVAL TOOL

FEATURES

- Heavy duty olive removal tool
- Removes an olive from copper pipe without damaging the pipe
- Dipped handles for comfort and grip



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P440015	5060359917751	15mm	1	6
OX-P440022	5060359918772	22mm	1	6



PRO COMBINATION PLIERS

FEATURES

- Used for gripping, twisting & cutting
- Induction hardened chrome steel
- Hardened edges

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P321318	5060242337673	7" / 180mm	1	6



PRO LONG NOSE PLIERS

FEATURES

- Long nose design
- Used for grasping or bending & cutting
- Induction hardened chrome steel
- Hardened cutting edges

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P321620	5060242337703	8" / 200mm	1	6



PRO DIAGONAL CUTTING PLIERS

FEATURES

- Used for cutting with pivot design
- Induction hardened chrome steel
- Hardened edges

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P321416	5060242337680	6" / 160mm	1	6





Site Tools & Accessories

OX offers a premium range of site tools to cater for every need.

Our extensive range of shovels are manufactured to withstand the heat, the cold and the building site. Don't settle for something inferior.





PRO RATCHET TIE DOWN - 4 PACK

FEATURES

- 25mm x 4m polyester webbing
- Vinyl coated 'S' hooks at each end
- Lashing capacity 250kg
- Breaking strength 500kg
- Pack of four straps



Product Code	Barcode	Lashing Capacity	Order Qty	Box Qty
OX-P200904	9341231024139	250kg	1	6

PRO RATCHET TIE DOWN - SINGLE

FEATURES

- 50mm x 9m blue polyester strap
- Double locking mechanism
- 2 protective sleeves
- Lashing capacity 2500kg
- Breaking strength 5000kg



Product Code	Barcode	Lashing Capacity	Order Qty	Box Qty
OX-P201109	9341231011078	2500kg	1	6

PRO SAW HORSE

FEATURES

- Durable and sturdy saw horse set
- Solid bamboo benchtop 800mm length
- Lockable legs
- Locking pin



Product Code	Barcode	Size (Height)	Order Qty	Box Qty
OX-P335675	9341231034466	30" / 750mm - 2 Pack	1	1
OX-P335690	9341231016325	36" / 900mm	1	1



PRO HEAVY DUTY SEALANT GUN

FEATURES



- Heavy duty professional sealant gun, built for ultimate power and durability
- High thrust trigger action with adjustable screw
- Dipped handles for user comfort
- Riveted and reinforce cradle style frame
- Silent mechanism — plastic bushing reduces the notorious caulk gun squeak
- Dripless mechanism pulls back the push rod ensuring caulk does not continue to flow
- Rubber over molded ergonomic grip designed for all day use
- Built in poker to easily start the caulking
- Ergonomically designed handles coated in rubber keeps wrist in a natural comfortable and balance position, providing years of service
- Silent squeeze mechanism prevents squeaking when trigger is activated - dual plates thrust mechanism ensures sufficient pressure

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P044410	5060359918871	10oz / 310ml	1	6





PRO HEAVY DUTY SEALANT GUN

FEATURES

- Dripless mechanism pulls back the push rod ensuring caulk does not continue to flow
- Rubber over molded ergonomic grip designed for all day use
- Built in poker to easily start the caulking
- Ergonomically designed handles coated in rubber keeps wrist in a natural comfortable and balance position, providing years of service
- Silent squeeze mechanism prevents squeaking when trigger is activated - dual plates thrust mechanism ensures sufficient pressure



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P044429	5060359918888	29oz / 856ml	1	6

PRO STANDARD SEALANT GUN

FEATURES

- Professional sealant gun with highly durable construction
- Free flowing action and quick release trigger
- Built in nozzle cleaning pin
- Tempered steel rod and plate
- High quality steel push rod that produces a 7:1 thrust ratio
- High quality steel tube designed for standard 10oz caulk
- Ergonomically designed handles for all day use
- Built in poker to easily start the caulking
- Dripless mechanism pulls back the push rod ensuring caulk does not continue to flow



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P041810	5060359918895	10oz / 310ml	1	6

PRO TUBULAR SEALANT GUN

FEATURES

- Quick release lever
- Suits 600mm bulk cartridges
- Aluminum tube

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P040215	9341231007361	15" / 380mm	1	6





TRADE TUBULAR SEALANT GUN

FEATURES

- Heavy duty construction
- Robust operation
- Aluminum tube



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T040215	9341231025815	15" / 380mm	1	6

PRO SEALANT GUN REPLACEMENT PART

FEATURES

- Genuine OX sealant gun part
- Suits OX pro sealant gun




Product Code	Barcode	Part	Order Qty	Box Qty
OX-P049801	9341231011702	Nozzle - 6 Pack	1	12

TRADE FLOOR SCRAPER

FEATURES

- All steel construction & spring steel blade



Product Code	Barcode	Blade Size	Order Qty	Box Qty
OX-T050508	9341231011856	8" / 204mm	1	6
OX-T050512	9341231011863	12" / 300mm	1	6
OX-T050514	9341231011870	14" / 350mm	1	6
OX-T050520	9341231033759	20" / 500mm	1	6

- Replacement spring steel blade

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-T059408	9341231033766	OX-T050508	1	12
OX-T059412	9341231033773	OX-T050512	1	12
OX-T059414	9341231033780	OX-T050514	1	12
OX-T059420	9341231033797	OX-T050520	1	12



PRO ALL STEEL FLOOR SCRAPER

FEATURES

- All steel construction
- Spring steel blade
- T-Grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P050208	9341231001765	8" / 204mm	1	6



PRO FLOOR SCRAPER

FEATURES

- All steel head with hardwood handle
- Braced for extra strength
- Spring steel blade

Product Code	Barcode	Blade Width	Order Qty	Box Qty
OX-P050314	9341231013041	14" / 356mm	1	6



- Replacement spring steel blade

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-P059714	9341231021954	OX-P050314	1	12

PRO HEAVY DUTY FLOOR SCRAPER

FEATURES

- All steel construction
- Spring steel blade
- Trapezoid blade
- T-Grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P050408	9341231021473	8" / 200mm	1	6

- Replacement spring steel blade

Product Code	Barcode	Suits	Order Qty	Box Qty
OX-P059608	9341231021480	OX-P050408	1	12





TRADE SQUARE MOUTH SHOVEL



FEATURES

- 'D' grip handle
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

Product Code	Barcode	Length	Order Qty	Box Qty
OX-T280107	9341231000089	1040mm	1	5
OX-T280109	9341231000072	1200mm	1	5

TRADE SQUARE MOUTH SHOVEL



FEATURES

- Long handle – rubber grip
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

Product Code	Barcode	Length	Order Qty	Box Qty
OX-T280212	9341231000096	1500mm	1	5

TRADE CONCRETTERS SHOVEL - HAMMERTONE




FEATURES

- 'D' grip handle
- All steel, pressed and welded construction with a hammertone finish
- Head size: 250 x 300mm
- Length: 1040mm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T281307	9341231016660	1040mm	1	5

TRADE SOLID FORGED TAPER MOUTH SHOVEL



FEATURES

- All steel taper mouth shovel
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T280301	5060135479862	-	1	5



TRADE SOLID FORGED TRENCHING SHOVEL

FEATURES

- All steel trenching shovel
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T280401	5060242333101	-	1	5



TRADE SOLID FORGED SQUARE MOUTH SHOVEL

FEATURES

- All steel square mouth shovel
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T280701	5060242333507	-	1	5




TRADE SOLID FORGED DRAINING SHOVEL

FEATURES

- All steel draining shovel
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T280601	506242333521	-	1	5



TRADE SOLID FORGED CABLE LAYING SHOVEL

FEATURES

- All steel cable laying shovel
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T280501	5060242333514	-	1	5






TRADE SOLID FORGED TREADED DIGGING SPADE

FEATURES

- All steel solid forged treaded digging spade
- Solid forged blade

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T281101	5060359913395	-	1	5



TRADE SOLID FORGED 4 PRONG FORK

FEATURES

- Solid forged 4 prong fork
- Steel shaft

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T281001	5060242337550	-	1	5



PRO MINI ROUND POINT SHOVEL

FEATURES

- Compact round point mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P283401	5060359916938	-	1	5



PRO MINI SQUARE MOUTH SHOVEL

FEATURES

- Compact square mouth mini shovel, ideal for use in confined spaces
- Strong steel blade and lightweight fibreglass reinforced shaft
- Comfortable soft grip handle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P283501	5060359916945	-	1	5



PRO WATER BOTTLE

FEATURES

- Heavy duty water supply tank
- Portable water tank for sawing and drilling equipment

Product Code	Barcode	Size	Order Qty	Box Qty
OX15L	5060135479510	15L	1	1



PRO HEAVY DUTY WATER BOTTLE

FEATURES

- Heavy duty carry handle
- Protected hose connection, prevents damage or breakage during use
- Robust polythene casing
- 4m transparent hose for extra working length
- Strong and stable base protects the bottom of the bottle and gives extra stability in use
- Very heavy duty water supply tank
- Portable water tank for sawing and drilling equipment

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P10L	5060359917393	10L	1	1



PRO TOUGH XL WIPES - 80 PACK

FEATURES

- Heavy duty double sided wipes ideal for aggressive cleaning with one side and smooth wiping and soaking up with the other!
- Extra large wipes - 20% better value
- Anti-bacterial - kills 99.99% of germs!
- Added Aloe Vera - keeps skin healthy
- Double sided - abrasive side & smooth side for dual action
- Removes: oil, adhesive, paint, silicone, glue, sealant, grime, pu foam, plaster & cement

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P350580	5060359916792	80 Pack	1	12



Tool Storage

Like you, we take our work seriously and believe that every detail has to be designed and manufactured with great care to ensure our products really work and also look good.

If you are looking for hardwearing, functional tool storage solutions to cope with the most extreme work conditions – OX has what you need!

Extremely tough construction

Extra heavy duty steel handle with moulded grip

Multiple use tool compartments

Straps for securing levels and longer items



Waterproof rubberised base moulded to the fabric

Handsaw compartment



PRO OPEN TOOL TOTE BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Heavy duty steel handle with rubber grip
- Open structure for quick and easy tool access
- Multiple use tool compartments
- Waterproof base moulded to fabric



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P262618	5060242338618	460 x 250 x 290mm	1	4

PRO ROUND TOP TOOL BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Multiple use tool compartments
- Waterproof base moulded to fabric



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P261747	5060242333767	470 x 280 x 350mm	1	4

PRO SUPER OPEN MOUTH TOOL BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Strong rubber grip handle and padded shoulder strap
- Multiple use tool compartments
- Waterproof base moulded to fabric



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P261645	5060242333750	450 x 310 x 260mm	1	4

PRO CONTRACTORS APRON

FEATURES

- Denier fabric – tough construction for extreme durability
- Multiple sized tool compartments and pouches
- Replaceable and interchangeable pouches for maximum versatility
- Intergrated metal hammer loop
- Padded shoulder strap for safety and comfort



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P260801	5060242339004	900 x 710 x 220mm	1	4



OUTBACK

LEATHER GEAR

by **OX**
UNLEASH THE POWER

OX-P263604

FEATURES

- Top Grain Oil Tanned Saddle Leather
- Heavy Duty Rivet Reinforcement
- Belt Tunnel Reinforcement
- Layout Designed For Perfect Rhythm
- 3" Wide Tool Belt





PRO 2" TOOL BELT, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Fits waist size 29" - 46"
- Reinforced stitching for durability



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263313	9341231038884	Large	1	6

PRO TAPE MEASURE POUCH, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Fits 2" wide tool belt
- Fits 16 ft, 25 ft, & 35 ft tape measures



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263403	9341231018145	-	1	6

PRO UTILITY KNIFE POUCH, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Fits 2" wide tool belt
- Fits utility knives, aviation snips and similar sized tools



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263404	9341231018152	-	1	6

PRO DRILL / IMPACT DRIVER HOLSTER, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Fits 2" wide tool belt
- Fits most popular cordless drills and impact drivers



Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263405	9341231018169	-	1	6



PRO 4 PIECE FRAMERS RIG, OIL TANNED LEATHER



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Belt tunnel reinforcement
- Fits waist size 29" - 46"
- 22 tool holders and pocket layout for perfect rhythm

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263604	9341231038365	-	1	3

PRO 4 PIECE DRYWALLERS RIG, OIL TANNED LEATHER



FEATURES

- Top grain oil tanned saddle leather
- 22 pockets for tool and fasteners storage
- Contrast stitching for additional durability
- Heavy duty rivet reinforcement
- Fits waist size 29" - 46"

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263804	9341231038761	-	1	3

PRO 10 POCKET TOOL / FASTENER POUCH, OIL TANNED LEATHER



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Belt tunnel reinforcement
- 10 tool holders and pockets

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263701	9341231038372	-	1	6

PRO 4 POCKET POUCH WITH DUAL HAMMER HOLDERS



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Belt tunnel reinforcement
- 4 tool holders and pockets

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263701D	9341231038761	-	1	6



PRO FASTENER BAG, OIL TANNED LEATHER, 3 POUCH

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Belt tunnel reinforcement
- 3 pouches for tools

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263503	9341231038358	-	1	6



PRO FRAMERS TOOL BAG, OIL TANNED LEATHER, 3 POUCH

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Belt tunnel reinforcement
- 3 pouches for tools and fasteners

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263203	9341231038327	-	1	6



PRO ELECTRICIANS POUCH, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Fits 3" wide tool belt
- Pockets designed for electricians tools

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263402	9341231018138	-	1	6



PRO DRYWALLERS TOOL POUCH, OIL TANNED LEATHER

FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- 12 tool holders and pockets

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263801	9341231038389	-	1	6





PRO 3" TOOL BELT, OIL TANNED LEATHER



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- 3" wide tool belt
- Perimeter stitching reinforcement

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P263301	9341231017612	26" - 34"	1	6
OX-P263303	9341231038334	29" - 46"	1	6
OX-P263305	9341231017629	46" - 54"	1	6

PRO HAMMER HOLDER, OIL TANNED LEATHER



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet steel hammer loop
- Perimeter stitching reinforcement
- Fits 3" wide belts

Product Code	Barcode	Order Qty	Box Qty
OX-P263401	9341231038341	1	6

PRO LEATHER TOOL POUCH WITH BELT, OIL TANNED LEATHER



FEATURES

- 2 large inverted pockets, 2 medium, 6 small pockets
- Heavy duty leather belt with roller buckle
- A leather type pocket, 2 metal hammer hangers
- Riveted for added strength

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P260701	9341231010545	36"	1	3
OX-P260702	9341231010552	40"	1	3

PRO LEATHER NAIL POUCH



FEATURES

- 1 large main pocket, 1 metal hammer hanger, 1 belt level inner pocket, 2 front nail tool pockets
- Riveted & belt slot

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P260705	9341231010583	-	1	6

PRO LEATHER TOOL BELT



FEATURES

- High quality leather
- Heavy duty oil tanned leather
- Double stitching
- Metal roller buckle

Product Code	Barcode	Size	Order Qty	Box Qty
OX-P260736	9341231010644	36" / 900mm	1	6
OX-P260740	9341231010651	40" / 1000mm	1	6



TRADE 12 POCKET APRON

FEATURES

- Heavy duty suede leather with rivet reinforced at stress points
- Double row stitching for added strength and durability
- Two large wide mouth main pockets
- Three medium size front pockets
- 6 small tool / pencil pockets
- 2" wide heavy duty webbing belt with a double tongue roller buckle



Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264312	9341231042140	-	1	3

TRADE 10 POCKET TOOL / FASTENER POUCH

FEATURES

- Heavy duty suede leather with rivet reinforced at stress points
- Double row stitching for added strength and durability
- Tunnel loop system fits up to 3" wide belt and reinforced at the edges for added durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264010	9341231042119	-	1	6



TRADE 8 POCKET TOOL / FASTENER POUCH

FEATURES

- Heavy duty suede leather with rivet reinforced at stress points
- Double row stitching for added strength and durability
- Tunnel loop system fits up to 3" wide belt and reinforced at the edges for added durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T263908	9341231042102	-	1	6



TRADE 4 POCKET FASTENER POUCH

FEATURES

- Heavy duty suede leather with rivet reinforced at stress points
- Double row stitching for added strength and durability
- Tunnel loop system fits up to 3" wide belt and reinforced at the edges for added durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264104	9341231042126	-	1	6





TRADE STEEL LOOP HAMMER HOLDER



FEATURES

- Top grain saddle leather
- Heavy duty rivet reinforcement
- Fits 3" wide tool belt
- Holds all types of hammers

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264901	9341231042171	-	1	6

TRADE PADDED NYLON BELT



FEATURES

- Top grain oil tanned saddle leather
- Heavy duty rivet reinforcement
- Perimeter stitching reinforcement
- 3" wide tool belt
- Fits waist size 29" - 46"

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264403	9341231042157	-	1	6

TRADE PADDED NYLON SUSPENDERS



FEATURES

- Padded suspender for added comfort while working
- Fully adjustable front and back
- Fits all sizes
- Heavy duty webbing for added strength and durability

Product Code	Barcode	Size	Order Qty	Box Qty
OX-T264501	9341231042164	-	1	6



SOFTSHELL JACKET

FEATURES

- 3 layer softshell for wind & water resistance and breathability to keep you comfortable in warm and cool conditions
- Specially designed for the ultimate comfort fit
- Nelson pocket for extra pocket space

Product Code	Barcode	Size
OX-W550103	5060359917782	Medium
OX-W550104	5060359917799	Large
OX-W550105	5060359917805	X Large



HOODIE

FEATURES

- Comfort band in the collar
- Durable stitching on all main seams
- Brushed inner fabric for warmth and comfort
- 80/20 cotton / poly mix
- Specially designed for the ultimate comfort fit

Product Code	Barcode	Size
OX-W550403	5060359918024	Medium
OX-W550404	5060359918031	Large
OX-W550405	5060359918048	X Large



Elasticated cuffs with thumb grips



Fur lined hood for ultimate warmth and comfort

RIPSTOP TROUSERS

FEATURES

- Ultra lightweight and extremely durable trousers
- Reinforced ripstop anti-tear / anti-rip fabric
- Elasticated high waistband for maximum flexibility when working
- Cordura reinforced kneepad, back & side pockets
- Advanced pocket formation for secure & comfortable tool storage
- 65% ripstop fabric polyester, 35% cotton



Product Code	Barcode	Size / Colour
OX-W550932	5060359918482	32" / Beige
OX-W550934	5060359918499	34" / Beige
OX-W550936	5060359918505	36" / Beige
OX-W550938	5060359918512	38" / Beige

Product Code	Barcode	Size / Colour
OX-W551132	5060530350438	32" / Graphite
OX-W551134	5060530350445	34" / Graphite
OX-W551136	5060530350452	36" / Graphite
OX-W551138	5060530350469	38" / Graphite



Cordura reinforced kneepad pocket



Elasticated high waistband for ultimate comfort and flexibility





Safety / PPE

If you are looking for hardwearing, functional Personal Protection Equipment to cope with the most extreme work conditions – OX has what you need.

Like you, we take our work seriously and believe that every detail has to be designed and manufactured with great care to ensure our products really work and also look good.

By controlling the entire chain, from design to production to the central warehouse, we can be sure that our products are of unmatched quality and consistency.

All OX safety products meet 'EN or CE standards' where applicable.

OX is known for a 'whatever it takes attitude'. Our products pass extensive network of quality checks. If we have failed somewhere in the chain, we will correct it. To us a failed product is the same as a broken trust.

Once you have tried OX Safety you will never leave it!





HEAD PROTECTION

STANDARD SAFETY HELMET

FEATURES

- Lightweight helmet designed for general use
- Shell is manufactured from UV stabilized high density polyethylene
- 6 point adjustable low density polyethylene harness
- Fully adjustable slip ratchet headband
- Conforms to EN397



White



Yellow



Blue

Product Code	Barcode	Colour	Order Qty	Box Qty
OX-S245001	5060242333835	White	1	10
OX-S245002	5060242333842	Yellow	1	10
OX-S245003	5060242333859	Blue	1	10



PREMIUM SAFETY HELMET

FEATURES

- Tough and functional helmet
- Shell is manufactured from UV stabilized high density polyethylene
- 6 point terylene harness with slip ratchet adjustment system
- Conforms to EN397



Product Code	Barcode	Colour	Order Qty	Box Qty
OX-S245501	5060242333866	White	1	10



Comfort fit



EAR PROTECTION

FOLDING COLLAPSIBLE EAR DEFENDERS

FEATURES

- Lightweight, foldable general purpose ear defender
- Large sound absorbing acoustic foam filled cups
- Adjustable cup height is designed for greater versatility
- SNR 29db
- Conforms to EN352-1

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248930	5060242334016	One size fits all	1	10



STANDARD EAR DEFENDERS

FEATURES

- Lightweight and robust protection
- Multiple position headband
- Large sound absorbing acoustic foam filled cups
- Non magnetic
- Can be worn overhead, behind neck or under chin
- SNR 25db
- Conforms to EN352-1

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S241801	5060242330186	One size fits all	1	10



PREMIUM EAR DEFENDERS

FEATURES

- Both durable and ultra lightweight
- Broad foam cushions
- High impact ABS cups (filled with absorbing foam)
- Padded headband
- Non magnetic
- Can be worn overhead, behind neck or under chin
- SNR 25db
- Conforms to EN352-1

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S241901	5060242331909	One size fits all	1	10





EAR PROTECTION



200
BOX



SNR 22db

DISPOSABLE EAR PLUGS

200 Pack

FEATURES

- Class 4 protection
- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum while maintaining aural contact
- SNR 22db
- Conforms to EN352-2

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246802	15060242334495	One size fits all	1	10



200
BOX

SNR 22db

DISPOSABLE CORDED EAR PLUGS

200 Pack

FEATURES

- Class 4 protection
- Soft energy absorbing foam which compresses and then expands for a perfect fit in the ear canal
- Easy insertion and removal – tapered to fit
- Reduces sound to the ear drum while maintaining aural contact
- Corded to avoid dropping or loss and are visible when in use
- SNR 22db
- Conforms to EN352-2

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246902	15060242334501	One size fits all	1	10





EYE PROTECTION

DIRECT VENT SAFETY GOGGLES

FEATURES

- Soft vinyl flanges around the goggles to ensure comfort and conformity to facial contours
- Tough polycarbonate clear UV resistant lens
- Top and side perforations allow optimum air flow
- Direct ventilation through the frame
- Compact lightweight construction
- Can be worn over prescription spectacles
- Conforms to EN166;1B



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S244601	5060242332074	One size fits all	1	10

INDIRECT VENT SAFETY GOGGLES

FEATURES

- Provides protection from liquid droplets or splashes, and large dust particles
- Tough polycarbonate clear UV resistant lens
- Indirect vents minimise lens misting
- Soft vinyl flanges around the head strap ensure comfort and conformity to facial contours
- Elasticated head strap
- Conforms to EN166:1B



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S244701	5060242333590	One size fits all	1	10



Prevents against liquid splash

DELUXE ANTI-MIST SAFETY GOGGLES

FEATURES

- Wide angle for improved visibility
- Polycarbonate anti-mist lens
- Wide elastic headband for added comfort
- Integral moulded vent for protection against dust, liquid splashes, moulton metal and hot solid protection
- Conforms to EN 166: 1B.3.4.9



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S245201	5060242333743	One size fits all	1	10



High quality



EYE PROTECTION



VISITOR SAFETY SPECTACLES

FEATURES

- A wrap around shield for protection against low energy and high speed impacts
- Wrap around panoramic vision
- Comfortable wide frame and integral brow shield gives improved all round protection
- Ultra light weight these spectacles can be worn over most prescription glasses
- Clear polycarbonate UV resistant construction
- Conforms to EN166;1F

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248301	5060242333989	One size fits all	1	10



PROFESSIONAL WRAP AROUND SAFETY GLASSES

FEATURES

- Soft flexible nose pad and rubber temple tips ensure comfortable fit and reduced slippage
- Dual cured lens provide uncompromised wide vision and protection
- Blocks 99.9% of UV radiation
- Conforms to EN166.1F

Product Code	Barcode	Colour	Order Qty	Box Qty
OX-S248101	5060242333729	Clear	1	10
OX-S248102	5060242333736	Smoked	1	10



High quality



Clear



Smoked





EYE PROTECTION

SAFETY GLASSES

FEATURES

- Sleek styling and lightweight design
- Padded temples ensure comfortable wear
- Polycarbonate lenses provide protection from impact and block harmful UV rays
- Conform to EN166
- Available with clear, smoked or blue mirror lenses

Product Code	Barcode	Colour	Order Qty	Box Qty
OX-S241701	5060242330698	Clear	1	12
OX-S241702	5060242330704	Smoked	1	12
OX-S241703	5060242330711	Blue Mirror	1	12





FACE PROTECTION



POLYCARBONATE FACE SHIELD

FEATURES

- A good all round lightweight brow guard with a polycarbonate face shield
- Provides unrestricted working vision and protection against medium energy flying particles and liquid splashes
- Adjustable head harness ensures comfortable fit and greater versatility
- Wheel ratchet adjustment for ease of use
- Size universal
- Conforms to EN166 3B, EN166 1B

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248701	5060242333996	One size fits all	1	10



Lightweight design



TWIN HALF MASK RESPIRATOR

FEATURES

- A general purpose half mask offering maximum protection and comfort
- Extra wide sealing surface to give unparalleled comfort and fit
- Low resistance exhalation valve
- Wide adjustable elastic strap for a perfect fit
- Low profile angular filter design for minimum visual impairment
- The Tradesman 2 is maintenance free
- semi disposable mask supplied complete with filter cartridges
- There is no need to keep COSHH records when using this mask
- The mask can be used until the filters expire or up to 28 days whichever occurs first
- Manufactured from hypo-allergenic, odour free, medical grade PVC
- Conforms to EN405

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S247801	5060242335228	One size fits all	1	10





BREATHING PROTECTION

S450 HALF MASK RESPIRATOR

FEATURES

- Professional twin cartridge half mask
- Unique low resistance exhalation valve for easy breathing
- Durable thermoplastic rubber mask for superior fit to most face shapes for extra comfort
- 4 point suspension harness with quick release buckles
- Reflective stripes on harness for increased visibility in low light environments
- Conforms to EN140:1998
- Replacement cartridges available to be purchased separately

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S481901	5060359915566	One size fits all	1	10



TWIN FILTER CARTRIDGES - P2, P3, ABEK1

FEATURES

- 2 packs of replaceable cartridges for the OX-S450 half mask
- P2 dust cartridges, P3 dust cartridges and ABEK1 gas & vapour cartridges

Product Code	Barcode	Type	Order Qty	Box Qty
OX-S482002	5060359915573	P2 Filter	1	10
OX-S482103	5060359915580	P3 Filter	1	10
OX-S483201	5060359917409	ABEK1 Filter	1	10

APPLICATIONS	P2	P3	ABEK1
	PARTICULATE PROTECTION ONLY		GAS & VAPOUR PROTECTION ONLY
	Medium Efficiency Dust	High Efficiency Dust	Low Capacity Gas/Vapour
CONCRETE & STONE CUTTING	Silica	✓	
	Concrete & Stone Cutting	✓	
	Plaster	✓	
PAINTING	Resins		✓
	Welding (Ferrous & Lead)	✓	✓
WOODS	Woods Hard	✓	✓
	Woods Soft	✓	✓
FIBRES	Asbestos Removal	✓	✓
	Fibres & Fibre Glass	✓	✓
PAINTING TASKS	Water Based	✓	✓
	Brush - Solvent Based		✓
	Manual Prep	✓	✓
	Powered Prep	✓	✓
MAINTENANCE	Chemical Paint Stripping		✓
	White Spirit		✓
	Chlorine		✓
	Glyphosate (Weed Killer) Brick Acid	✓	✓



P2 Filter

P3 Filter

ABEK1 Filter

*Wel (Workplace exposure Level)
- This table is for guidance purposes only. A proper risk assessment by qualified personnel should be carried out before selecting an appropriate filter cartridge.



BREATHING PROTECTION



FFP1 MOULDED CUP RESPIRATOR

Box 20

FEATURES

- Low breathing resistance with high filtration efficiency
- Adjustable nose piece and inner foam provides custom seal
- Maintenance free
- Conforms to EN149:2001+A1:2009
- Assigned protection factor of 4

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S240601	5060242331510	One size fits all	1	12



FFP1V MOULDED CUP RESPIRATOR

Box 10

FEATURES

- Low breathing resistance with high filtration efficiency
- Adjustable nose piece and inner foam provides custom seal
- Maintenance free
- Exhalation valve helps minimise moisture and heat build up
- EN149:2001+A1:2009
- Assigned protection factor of 4

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S240701	5060242331527	One size fits all	1	12



Mask type	Filtration Efficiency	Brick Dust	Concrete	Ferrous Metal Fumes	Fibre Glass	Lead Fumes	MDF Dust	Mineral Fibres	Plaster	Rockwool	Stone	Silica	Softwood Dust	Hardwood Dust
FFP1	78%	✓	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✗
FFP1V	78%	✓	✓	✗	✗	✗	✗	✗	✓	✓	✓	✗	✗	✓
FFP2	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP2V	92%	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✗	✗	✓
FFP3V	98%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



BREATHING PROTECTION

FFP2 MOULDED CUP RESPIRATOR

Box 20

FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- Complies to EN149:2001 + A1:2009
- Assigned protection factor of 10

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S240810	9341231000157	One size fits all	1	12



FFP2V MOULDED CUP RESPIRATOR

Box 10

FEATURES

- Large cup shape design for comfort fit
- Soft latex straps to minimise irritation
- Adjustable nose bridge with internal nose pad to relieve pressure
- One way exhalation valve helps minimise moisture and heat build up
- Assigned protection factor of 10

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S240910	9341231000164	One size fits all	1	12



FFP3V MOULDED CUP RESPIRATOR

Box 5

FEATURES

- Exhalation valve for extra comfort
- Low breathing resistance with high filtration efficiency
- Contoured facial seal and fully adjustable head strap
- Maintenance free
- Assigned protection factor of 20

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S241401	5060242330780	One size fits all	1	12





BREATHING PROTECTION

50
BOX



FFP2 FOLD FLAT RESPIRATOR

Box 50

FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Conforms to EN149:2001
- Low breathing resistance for increased comfort
- Adjustable nose clip and soft foam nosepiece
- Assigned protection factor of 10

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246301	5060242335389	One size fits all	1	8

25
BOX



FFP2V FOLD FLAT RESPIRATOR

Box 25

FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Conforms to EN149:2001
- Low breathing resistance for increased comfort
- One way exhalation valve helps minimise moisture and heat build up
- Adjustable nose clip and soft foam nosepiece
- Assigned protection factor of 10

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246401	5060242335396	One size fits all	1	8

20
BOX



FFP3V FOLD FLAT RESPIRATOR

Box 20

FEATURES

- Flat folding for easy storage, soft edges for comfort fit with minimum leakage
- Conforms to EN149:2001
- Low breathing resistance for increased comfort
- FFP3 valve & latex free rubber head straps
- Adjustable nose clip and soft foam nosepiece
- Assigned protection factor of 20

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246501	5060242337369	One size fits all	1	8



BODY PROTECTION

PPE SAFETY KIT

FEATURES

FFP3V Fold Flat Disposable Respirator

- Conforms to EN149:2001
- Folding design for easy storage
- Smooth lining for comfort and minimum leakage
- Exhalation valve for ease of breathing

Safety Goggles

- Indirect safety goggles
- Approved to BSEN166
- Indirect ventilation for protection against splashes

Corded Ear Plugs

- Approved to EN352-2/SNR37db
- Tapered ends for extra comfort

Latex Grip Gloves

- Seamless poly-cotton 10 gauge liner
- Open back for ventilation & ergonomic design that reduces hand fatigue
- Conforms to EN388 standards



Product Code	Barcode	Packaging	Order Qty	Box Qty
OX-S245305	5060242335426	Poly Bag	1	10

CONTAINS:

FFP3V Fold Flat Disposable Respirator (x1), Safety Goggles (x1), Corded ear plugs (1 pair), Latex Grip Gloves (1 pair)





Glove type	Abrasion Resistant EN388				Oil Resistant	Thermal/Cold Resistant	Scaffolding	Joinery	Bricklaying	Painting & Decorating	Inspection	Automotive	Plumbing	Electrics	General Assembly	Welding	Waterproof	Glass & Sheet Metal Handling
	4	2	2	1														
 <p>Nitrile Disposable OX-S482208 (M) OX-S482209 (L)</p>	N/A				X	X	X	X	X	W	✓	W	W	X	✓	X	W	X
 <p>Foam Latex - Waterproof OX-S483809 (L) OX-S483810 (XL)</p>	2	1	3	1	✓	X	W	W	W	✓	✓	✓	W	✓	W	X	W	X
 <p>Foam Latex Thermal - Waterproof OX-S483909 (L) OX-S483910 (XL)</p>	2	2	3	1	✓	W	W	✓	W	✓	✓	✓	W	✓	W	X	W	X
 <p>Thermal Latex Grip OX-S248609 (L) OX-S248610 (XL)</p>	2	2	3	1	X	W	W	W	W	✓	✓	✓	✓	✓	W	X	X	X
 <p>Latex Flex OX-S484209 (L) OX-S484210 (XL)</p>	2	1	3	1	X	X	W	W	W	W	W	✓	W	W	W	X	X	X
 <p>Pro Latex Grip OX-S246909 (L) OX-S246910 (XL)</p>	2	3	4	2	X	X	W	✓	W	✓	✓	✓	✓	✓	W	X	X	✓
 <p>Latex Grip OX-S241608 (M) OX-S241609 (L) OX-S241610 (XL) OX-S241611 (XXL)</p>	2	1	2	1	X	X	W	✓	W	✓	✓	✓	✓	✓	W	X	X	X
 <p>Cut 3 Foam Latex OX-S484109 (L) OX-S484110 (XL)</p>	3	4	3	3	X	X	W	W	W	W	W	W	W	✓	W	X	✓	✓
 <p>Cut 5 Foam Latex OX-S484009 (L) OX-S484010 (XL)</p>	2	5	4	2	X	X	W	✓	W	✓	✓	✓	✓	✓	✓	X	✓	W
 <p>PU Flex Cut 5 OX-S249209 (L) OX-S249210 (XL)</p>	4	5	4	3	X	X	W	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	W
 <p>Kevlar® Grip OX-S248809 (L) OX-S248810 (XL)</p>	3	5	4	4	X	X	W	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	W
 <p>PU Flex OX-S241108 (M) OX-S241109 (L) OX-S241110 (XL) OX-S241111 (XXL)</p>	4	1	3	1	X	X	✓	W	✓	W	W	W	W	W	W	X	X	X
 <p>White PU Flex Decorators OX-S484510 (XL)</p>	4	1	3	1	X	X	X	W	X	W	W	X	W	W	W	X	X	X
 <p>Nitrile Flex OX-S249009 (L) OX-S249010 (XL)</p>	4	1	2	2	W	X	✓	✓	✓	W	W	W	W	W	W	X	X	X
 <p>PVC Knitwrist OX-S245709 (L) OX-S245710 (XL)</p>	4	1	2	1	W	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	W	X
 <p>PVC Gauntlets OX-S246845 (XL)</p>	4	1	2	1	W	X	X	X	X	✓	W	X	W	X	✓	X	X	X
 <p>Welders Gauntlets OX-S248510 (XL)</p>	3	2	3	3	X	X	X	X	X	X	X	X	X	X	X	W	X	X



HAND PROTECTION

FOAM LATEX GLOVES – WATERPROOF FEATURES

- Fully dipped glove giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, parts assembly and general handling
- Conforms to EN388



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S483809	5060359917195	9 (Large)	1	120
OX-S483810	5060359917201	10 (X Large)	1	120

FOAM LATEX THERMAL GLOVES – WATERPROOF FEATURES

- Thermal glove for great warmth in cold external conditions, fully dipped giving complete water resistance and protection to skin from oily substances, anti-slip sandy coating, great for light metal fabrication, parts assembly and general handling
- Conforms to EN388



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S483909	5060359917218	9 (Large)	1	120
OX-S483910	5060359917225	10 (X Large)	1	120

THERMAL LATEX GRIP GLOVES FEATURES

- Features a warm acrylic 10 gauge liner so ideal for working in cold conditions
- Also suitable for more heavy outdoor tasks
- Conforms to EN388 standards



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248609	5060242334245	9 (Large)	1	120
OX-S248610	5060242334252	10 (X Large)	1	120

All OX Gloves are individually packed with hanging display packaging



HAND PROTECTION



LATEX FLEX GLOVES

FEATURES

- Very lightweight flexible glove, with superior grip for component handling, general assembly, electronics, light engineering works, joinery, plumbing, automotive and inspection.
- Conforms to EN388

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S484209	5060359917423	9 (Large)	1	120
OX-S484210	5060359917430	10 (X Large)	1	120



PRO LATEX GRIP GLOVES

FEATURES

- 10 gauge high grade cotton liner
- High quality natural latex coating for long life and excellent grip
- Offers protection against snags, punctures, abrasions and cuts
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246909	5060242337345	9 (Large)	1	120
OX-S246910	5060242337352	10 (X Large)	1	120



LATEX GRIP GLOVES

FEATURES

- Seamless poly-cotton 10 gauge liner
- Open back for ventilation and ergonomic design that reduces hand fatigue
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S241608	5060242335532	8 (Medium)	1	120
OX-S241609	5060242330162	9 (Large)	1	120
OX-S241610	5060242330179	10 (X Large)	1	120
OX-S241611	5060242335549	11 (XX Large)	1	120



HAND PROTECTION



120
BOX

CUT 3 FOAM LATEX GLOVES

FEATURES

- Cut level 3 anti-cut, anti-slip, waterproof, ultra comfortable glove for sheet metal handling, glass cutting, sharp small parts handling, general assembly
- Conforms to EN388

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S484109	5060359917256	9 (Large)	1	120
OX-S484110	5060359917263	10 (X Large)	1	120




120
BOX

CUT 5 FOAM LATEX GLOVES

FEATURES

- Cut level 5 anti-cut, anti-slip, waterproof, ultra comfortable glove for sheet metal handling, glass cutting, sharp small parts handling, general assembly
- Conforms to EN388

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S484009	5060359917232	9 (Large)	1	120
OX-S484010	5060359917249	10 (X Large)	1	120



120
BOX

PU FLEX CUT 5 GLOVES

FEATURES

- Combining cut resistance, comfort, dexterity and grip in a seamless PU palm dipped liner
- Conforms to EN388

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S249209	5060242334436	9 (Large)	1	120
OX-S249210	5060242334443	10 (X Large)	1	120

All OX Gloves are individually packed with hanging display packaging



HAND PROTECTION



120
BOX



KEVLAR® GRIP GLOVES

FEATURES

- Unbeatable tear and puncture resistance
- The enhanced cut resistant properties provide ultimate protection against sharp objects, cuts and abrasives
- The seamless 10 gauge machine knit Kevlar® glove with latex coating on palm and fingers is ideal for heavy duty tasks
- Conforms EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248809	5060242334603	9 (Large)	1	120
OX-S248810	5060242334610	10 (X Large)	1	120



120
BOX



PU FLEX GLOVES

FEATURES

- Suitable for lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm and finger coating which provides excellent dexterity
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S241108	5060242336508	8 (Medium)	1	120
OX-S241109	5060135479664	9 (Large)	1	120
OX-S241110	5060135479671	10 (X Large)	1	120
OX-S241111	5060242336515	11 (XX Large)	1	120



120
BOX



WHITE PU FLEX DECORATORS GLOVES

FEATURES

- Ideal glove for decorating and lighter duty applications
- The seamless 13 gauge knitted nylon liner has a PU palm & finger coating which provides excellent dexterity
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S484510	5060530350315	10 (X Large)	1	120



HAND PROTECTION



NITRILE FLEX GLOVES

FEATURES

- Nitrile dipped palm designed for extra abrasion resistance
- Oil repellent coating
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S249009	5060242335112	9 (Large)	1	120
OX-S249010	5060242335129	10 (X Large)	1	120

120
BOX



PVC KNITWRIST GLOVES

FEATURES

- Fully coated red PVC cotton glove to protect against oil, grease and most household chemicals
- Resistant to abrasion and tears
- Knitted wristband protects against dust and infiltration
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S245709	5060242333552	9 (Large)	1	120
OX-S245710	5060242333569	10 (X Large)	1	120

120
BOX



PVC GAUNTLETS

FEATURES

- 450mm length
- Fully coated red PVC gauntlet with soft comfortable cotton lining
- PVC coating has smooth finish for excellent abrasion resistance
- Longer length gives forearm protection for heavier oil and chemical handling applications
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246845	5060242337789	10 (X Large)	1	60

60
BOX

All OX Gloves are individually packed with hanging display packaging



HAND PROTECTION



WELDERS GAUNTLETS

FEATURES

- Constructed from cow split leather
- One piece back and full lined
- Conforms to EN388 standards

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S248510	5060242333668	10 (X Large)	1	60

TOUGH NITRILE DISPOSABLE GLOVES BOX 100

FEATURES

- 100 pack of powder free nitrile disposable gloves
- Ultra strong and flexible nitrile material for extra comfort and long life
- Textured palm for enhanced grip



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S482208	5060359915597	Medium	1	10
OX-S482209	5060359915603	Large	1	10

SAFETY POLYESTER LINED NITRILE GLOVE - 5 PACK

FEATURES

- 13 gauge polyester knit wrist with a smooth nitrile coated palm
- Made of high performance nitrile, provides outstanding combination of strength and grip
- Offers excellent dry grip by moving oils and liquids away from the glove surface. Prevents grease oil and water penetration
- Conforms to EN388 standards



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S484610	9341231017513	10 (X Large)	1	25



BODY PROTECTION

TRADE FOAM POCKET KNEEPAD

FEATURES

- Reinforced EVA foam
- Lightweight and hardwearing
- Pocket kneepad for workwear trousers



Product Code	Barcode	Size	Order Qty	Box Qty
OX-W551601	5060530351541	One size fits all	1	12

HEAVY DUTY SOFT GEL FILLED KNEE PADS

FEATURES

- Ergonomic shape for stability and comfort for use over long periods
- Anti compression air injected gel and foam EVA core for maximum cushioning
- Perforated neoprene lining to keep away moisture
- One size fits all
- Easy positioning of knee pad



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S246201	5060242338755	One size fits all	1	6

PRO SOFT GEL FILLED KNEE PAD

FEATURES

- Ultimate comfort for use over long periods
- Anti-compression air injected gel
- EVA form core gives maximum cushioning
- Perforated neoprene lining keeps away moisture
- One size fits all
- Easy positioning of knee pad



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S242006	9341231001161	One size fits all	1	6

TRADE DELUXE KNEE PAD

FEATURES

- Durable rubber face with foam liner
- One size fits all
- Quick release hook and loop fastening
- Double strap



Product Code	Barcode	Size	Order Qty	Box Qty
OX-S240102	9341231011740	One size fits all	1	6



BODY PROTECTION



Sizes:

	Chest girth	Body height
L	100-108cm	176-182cm
XL	108-116cm	182-188cm

PP DISPOSABLE COVERAL

FEATURES

- Single use coverall giving light protection from dirt and grease and dust
- 100% polypropylene
- Non woven coverall c/w elasticated wrists and ankles

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S243703	5060242332487	Large	1	10
OX-S243704	5060242332494	X Large	1	10

TYPE 5/6 DISPOSABLE COVERAL

FEATURES

- This is a lightweight micro porous coverall
- Elasticated hood, wrists and ankles
- Cost effective barrier to dust and particles and a limited splash and spray barrier
- Conforms to EN 13982 & EN13034

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S243603	5060242331695	Large	1	10
OX-S243604	5060242331701	X Large	1	10



WATERPROOF RAINSUIT

FEATURES

- Durable PVC jacket & over trousers
- Zip fastened jacket
- Concealed hood
- Elasticated inner cuffs
- Front pockets
- Ventilated back
- Trousers with elasticated waist & stud adjustable ankle width
- Fully taped seams

Product Code	Barcode	Size	Order Qty	Box Qty
OX-S249702	5060242338113	Black - Medium	1	10
OX-S249703	5060242338120	Black - Large	1	10
OX-S249704	5060242338137	Black - X Large	1	10



BODY PROTECTION

HI VISIBILITY VEST

FEATURES

- Made from 100% polyester
- Velcro front fastening and conforming reflective tape
- Conforms to EN471 Class 2

Product Code	Barcode	Colour / Size	Order Qty	Box Qty
OX-S242806	5060242330223	Yellow - Medium	1	10
OX-S242807	5060242330230	Yellow - Large	1	10
OX-S242808	5060242330247	Yellow - X Large	1	10



HEAVY DUTY WORK SOCKS

FEATURES

- Specifically designed and recommended for STS steel toe cap safety shoes and boots, this pair of men's socks has a hard wearing reinforced heel and toe for durability
- The triple padded toe protects from chaffing and blistering by steel toe caps
- With a fully cushioned foot, the cushioned sole of these chunky socks provide comfort against repetitive impact
- With a flat comfort toe seam and cuff your hardworking feet will be cared for with every step in this pair of regular length socks.

Product Code	Barcode	Size	Order Qty	Box Qty
OX-W551001	5060359918901	UK 6-11 (EU 39-45)	1	10





Diamond Blades

Diamond Blades





Product guarantees & safety

The concept of safety is fundamental to the philosophy of the OX range. It is interwoven into the very fibre of innovation, design and production from concept to after sales service.



EN13236
Blades conform to USA, European and Australian standards.



Full 'No Hassle' Guarantee
All OX products are backed by our full 'No hassle' guarantee – Ensuring confidence of distributors and their customers.



Diamond Innovation
Ongoing development provides increased performance on existing products and innovative new diamond solutions.



Safety
Products undergo rigorous safety and vibration testing at our research & development facility, and in the field.



Professional Builders Award
Professional builders coveted 'Top Product' Award was won by the OX-PU10 PROFESSIONAL diamond blade in 2006.



Ultimate Guarantee
Ultimate products undergo extreme testing – the OX-PU10 undergoes factory testing +80% more demanding than the requirements of EN13236.



Hand/Arm Vibration
OX products were among the first to be tested and certified safe for hand/arm vibration.



Extra Safe
Our safety policy is an integral part of our company ethos with policies incorporating ISO18001.



Staff
Staff safety and care is no afterthought. Our personal and individual approach is reflected in our attitude to customers and staff alike.



Environmental
Showing that we care: Manufacturing operations accredited to ISO 14001 environmental systems.

We have a responsibility. Quality control systems and environmental and safety management ensure that our care covers not only our products and our customers – but that our ethical guidelines address issues such as staff safety and care for the environment.



RECOMMENDATION GUIDE

For specific advice, call or email your OX representative.

APPLICATION GUIDE	TU10	TC10	TC15	TB10	TA10	PU10	PB10	PC15	PA10	UU10	UC10	UCT	UCTT	UGT
Aerated Concrete	👉	👍	👍	👍	👎	👉	👍	👍	👍	👍	👍	👎	👎	👎
Alumina	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Asphalt / Bitumen	👎	👎	👎	👍	👍	👍	👍	👎	👍	👎	👎	👎	👎	👎
Bluestone	👍	👎	👎	👎	👎	👍	👎	👍	👎	👍	👍	👎	👎	👎
Brick - Clay	👍	👎	👎	👎	👎	👍	👎	👎	👎	👍	👎	👎	👎	👎
Brick - Concrete	👉	👍	👍	👉	👉	👍	👍	👍	👉	👍	👉	👎	👎	👎
Brick - Lightweight	👉	👍	👍	👉	👎	👉	👉	👍	👎	👍	👍	👎	👎	👎
Brick - Refractory (Fire)	👉	👎	👎	👎	👎	👉	👎	👍	👎	👍	👍	👎	👎	👎
Cement - Pipe	👍	👍	👍	👉	👎	👍	👉	👍	👎	👍	👍	👎	👎	👎
Cement - Roof Tiles	👍	👍	👍	👉	👎	👍	👉	👍	👎	👍	👍	👎	👎	👎
Cement - Sheetting	👍	👉	👉	👎	👎	👍	👎	👉	👎	👍	👉	👎	👎	👎
Cement - Block	👍	👍	👍	👉	👎	👍	👉	👍	👎	👍	👍	👎	👎	👎
Cement Pipe - Steel Reinforced	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Ceramic Tiles - Fully Vitrified	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👍	👍	👉
Ceramic Tiles - General	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👍	👍	👉
Concrete - Cured	👉	👍	👍	👉	👎	👍	👉	👍	👎	👍	👍	👎	👎	👎
Concrete - Cured Reinforced	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Concrete - Green	👎	👎	👎	👉	👍	👎	👉	👎	👍	👎	👎	👎	👎	👎
Concrete - Lightweight	👉	👍	👍	👎	👎	👉	👎	👍	👎	👍	👍	👎	👎	👎
Demolition Work	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Engineered Stone	👎	👎	👍	👉	👎	👉	👉	👍	👎	👍	👍	👎	👎	👎
Fibre Cement Sheet	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Fibreglass	👉	👎	👎	👎	👎	👉	👎	👎	👎	👎	👎	👎	👎	👎
Glass (Tile & Mosaics)	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👉	👉	👍
Granite	👍	👎	👎	👎	👎	👍	👎	👉	👎	👉	👉	👎	👎	👎
Limestone	👍	👎	👎	👎	👎	👍	👎	👍	👎	👍	👍	👎	👎	👎
Marble	👉	👎	👎	👎	👎	👉	👎	👎	👎	👎	👎	👍	👍	👉
Mortar	👎	👎	👎	👍	👍	👎	👍	👎	👍	👎	👎	👎	👎	👎
Natural Stone	👍	👉	👉	👎	👎	👍	👎	👍	👎	👍	👍	👎	👎	👎
Porcelain	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👎	👍	👍	👉
Roof Tile - Cement	👉	👉	👉	👍	👎	👉	👍	👉	👎	👍	👉	👎	👎	👎
Roof Tile - Clay	👍	👉	👉	👎	👎	👍	👎	👍	👎	👍	👍	👎	👎	👎
Sandstone	👉	👉	👉	👉	👍	👉	👉	👉	👍	👉	👉	👎	👎	👎
Slate	👍	👎	👎	👉	👎	👍	👉	👍	👎	👉	👍	👎	👎	👎
Steel	👍	👎	👎	👎	👎	👍	👎	👎	👎	👎	👎	👎	👎	👎
Terracotta	👎	👎	👎	👎	👎	👉	👎	👎	👎	👍	👎	👎	👎	👎
Terrazzo	👎	👎	👎	👎	👎	👉	👎	👎	👎	👍	👎	👎	👎	👎
LEGEND				Will Cut Well		👍	Will Cut			👉	Will Not Cut			👎



World leading technology...



Only the finest quality of diamond is used in the production of OX products



State of the art laser technology for ultimate performance and safety




Blade cores are made of the highest quality steel, precision engineered, ground and hardened

What is 'wave' technology?


OX Tools developed the UU10 ULTIMATE UNIVERSAL DIAMOND BLADE with WAVE Technology to tackle the toughest materials on the jobsite. We LIVE THE TRADE and work closely with contractors to prove our technology.

We are committed to increasing productivity which in turns makes you more money. The WAVE technology increases the speed of cut, increases the life of the blade, reduces vibration and makes the cutting experience better!





Blade selection & presentation



Performance Classes

TRADE SERIES

Exceptional value for the price conscious buyer who wants something better.

PRO SERIES

The award winning, best selling superior blades – including the PU10 – the best all round builders blade on the market.

ULTIMATE SERIES

When nothing but the best will do. 'Ultimate' says it all.



Material Classes

U CLASS UNIVERSAL / HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks

C CLASS CONCRETE / GENERAL PURPOSE

Concrete & concrete
products
General purpose
Unabrasive products
Building products

B CLASS ABRASIVE / GENERAL PURPOSE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles

A CLASS ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks.

Logical separation of each different diamond blade into different material classes

QUALITY: **TRADE SERIES**

prefix: T



TU10



TC10/TC15



TB10



TA10

Very clear quality bands

QUALITY: **PRO SERIES**

prefix: P



PU10



PC15



PB10



PA10

QUALITY: **ULTIMATE SERIES**

prefix: U



UU10



UC10



UB10



UA10



THE BEST DIAMOND BLADES YOU CAN BUY AT THIS PRICE LEVEL.



TU10 TURBO

TRADE UNIVERSAL / HARD

CUTS EVERYTHING ON A CONSTRUCTION SITE!

Fast cutting universal blade, with 3/8" / 10mm segment. Features super fast turbo segment and cooling holes. CUTS IT ALL – GUARANTEED.

Applications include: concrete products, clay products, granite, engineering bricks, building products.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-TU10-4	9341231002007	4	7/8 - 5/8
OX-TU10-4.5	9341231002014	4½	7/8 - 5/8
OX-TU10-5	9341231002021	5	7/8 - 5/8
OX-TU10-6	9341231002038	6	7/8 - 5/8
OX-TU10-7	9341231002045	7	DM-7/8-5/8
OX-TU10-8	9341231002052	8	DM-7/8-5/8
OX-TU10-9	9341231002069	9	7/8 - 5/8
OX-TU10-10	9341231012013	10	DM-7/8-5/8
OX-TU10-12	9341231002076	12	1 - 20mm
OX-TU10-12-20	9341231012020	12	20mm
OX-TU10-14	9341231002083	14	1 - 20mm
OX-TU10-14-20	9341231012037	14	20mm



TC10

TRADE CONCRETE / GENERAL PURPOSE

The general purpose blade with 3/8" / 10mm segment. All round performance.

Applications include: building products, general purpose, curbs and slabs, concrete pavers and blocks, roof tiles.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-TC10-4	9341231002106	4	7/8 - 5/8
OX-TC10-4.5	9341231002113	4½	7/8 - 5/8
OX-TC10-5	9341231002120	5	7/8 - 5/8
OX-TC10-7	9341231002144	7	DM-7/8-5/8
OX-TC10-8	9341231002151	8	DM-7/8-5/8
OX-TC10-9	9341231002168	9	7/8 - 5/8
OX-TC10-10	9341231012044	10	DM-7/8-5/8
OX-TC10-12	9341231002175	12	1 - 20mm
OX-TC10-12-20	9341231012051	12	20mm
OX-TC10-14	9341231002182	14	1 - 20mm
OX-TC10-14-20	9341231012068	14	20mm
OX-TC10-16	9341231020346	16	1 - 20mm



TB10 TRADE ABRASIVE / GENERAL PURPOSE

Abrasive and general purpose blade with 3/8" / 10mm segment.
 Applications include: general and abrasive building products, concrete pavers, concrete roof tiles, hard asphalt, abrasive blocks.



Product Code	Barcode	Diameter (in)	Bore (in)
OX-TB10-4.5	9341231002212	4½	7/8 - 5/8
OX-TB10-5	9341231002229	5	7/8 - 5/8
OX-TB10-7	9341231002243	7	DM-7/8-5/8
OX-TB10-10	9341231012075	10	DM-7/8-5/8
OX-TB10-12	9341231002274	12	1 - 20mm
OX-TB10-14	9341231002281	14	1 - 20mm
OX-TB10-14-20	9341231012099	14	20mm
OX-TB10-16	9341231002298	16	1 - 20mm

TA10 TRADE ASPHALT

Asphalt blade with 3/8" / 10mm segment and wedge undercut protection.
 Applications include: asphalt and extremely abrasive materials, render.




Product Code	Barcode	Diameter (in)	Bore (in)
OX-TA10-12	9341231002304	12	1 - 20mm
OX-TA10-12-20	9341231012105	12	20mm
OX-TA10-14	9341231002311	14	1 - 20mm
OX-TA10-14-20	9341231012112	14	20mm



Simply the best value for money available – fantastic performance, revolutionary pricing.

BLADE PROFILE: PU10



CUTS EVERYTHING on a construction site!



PRO SERIES

The award winning, best selling PRO blades – including the PU10 – the best all round professional contractor blade on the market.

These are simply the best value for money blades available in this sector, giving performance you would associate with a professional product at a price that has revolutionised the market.

BLADE SELECTOR



UNIVERSAL / HARD
 Hard materials & metal
 Fast cutting universal
 Hard natural stone
 Clay products
 Engineering bricks



CONCRETE
 Concrete &
 concrete products
 General purpose
 Unabrasive products
 Building products

PU10

PC15



ABRASIVE
 Abrasive materials
 Concrete & asphalt
 Dual purpose
 Concrete products
 Concrete roof tiles



ASPHALT
 Asphalt & extremely
 abrasive products
 Stucco

PB10

PA10



PROFESSIONAL PERFORMANCE FROM THE BEST VALUE FOR MONEY BLADES AVAILABLE.



PU10 SUPERFAST

PRO UNIVERSAL / HARD

CUTS EVERYTHING ON A CONSTRUCTION SITE!
12mm SEGMENT HEIGHT

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.

Applications include: granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials. 1/2" / 12mm segment height.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PU10-4	9341231002335	4	7/8 - 5/8
OX-PU10-4.5	9341231002342	4½	7/8 - 5/8
OX-PU10-5	9341231002359	5	7/8 - 5/8
OX-PU10-6	9341231002366	6	7/8 - 5/8
OX-PU10-7	9341231002373	7	DM-7/8-5/8
OX-PU10-8	9341231002380	8	DM-7/8-5/8
OX-PU10-9	9341231002397	9	7/8 - 5/8
OX-PU10-10	9341231012129	10	DM-7/8-5/8
OX-PU10-12	9341231002403	12	1 - 20mm
OX-PU10-12-20	9341231012136	12	20mm
OX-PU10-14	9341231002410	14	1 - 20mm
OX-PU10-14-20	9341231012143	14	20mm



5/8" (15mm)
SEGMENT HEIGHT

PC15 SUPERCUT

PRO CONCRETE / GENERAL PURPOSE

Durable 'Cuts it all' general purpose and concrete products blade with 5/8" / 15mm segment and cooling holes.

Applications include: concrete curbs and slabs, concrete pavers, roof tiles, bricks, general building materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PC15-4	9341231002434	4	7/8 - 5/8
OX-PC15-4.5	9341231002441	4½	7/8 - 5/8
OX-PC15-5	9341231002458	5	7/8 - 5/8
OX-PC15-7	9341231002472	7	DM-7/8-5/8
OX-PC15-8	9341231002489	8	DM-7/8-5/8
OX-PC15-10	9341231012150	10	DM-7/8-5/8
OX-PC15-12	9341231002502	12	1 - 20mm
OX-PC15-12-20	9341231012167	12	20mm
OX-PC15-14	9341231002519	14	1 - 20mm
OX-PC15-14-20	9341231012174	14	20mm



PB10 ZEBRA PRO ABRASIVE / GENERAL PURPOSE



High performance dual purpose blade with 3/8" / 10mm segment.
 Applications include: abrasive building materials, concrete products, roof tiles, blocks, walk-behind saw concrete & dual concrete / asphalt.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PB10-4.5	9341231002540	4½	7/8 - 5/8
OX-PB10-5	9341231002557	5	7/8 - 5/8
OX-PB10-7	9341231002571	7	DM-7/8-5/8
OX-PB10-10	9341231012181	10	DM-7/8-5/8
OX-PB10-12	9341231002601	12	1 - 20mm
OX-PB10-12-20	9341231012198	12	20mm
OX-PB10-14	9341231002618	14	1 - 20mm
OX-PB10-14-20	9341231012204	14	20mm
OX-PB10-16	9341231012211	16	1 - 20mm

PA10 SHARK PRO ASPHALT



Undercut protected blade with 3/8" / 10mm segment.
 Applications include: asphalt and extremely abrasive products.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PA10-12	9341231002632	12	1 - 20mm
OX-PA10-12-20	9341231012228	12	20mm
OX-PA10-14	9341231002649	14	1 - 20mm
OX-PA10-14-20	9341231012235	14	20mm
OX-PA10-16	9341231002656	16	1 - 20mm



ULTIMATE SERIES Diamond Blades


The ultimate performance product. When only the best will do; ultimate says it all.

BLADE PROFILE: UU10

Fastest ever OX blade with the highest quality of diamond

Thinner double segment for ultimate speed of cut

Cooling holes



High quality, precision engineered and hardened steel core

Auto-array technology with diamonds placed in regular pattern



ULTIMATE SERIES

When we set out to create the ultimate range, the brief was that these blades needed to be better than anything else available on the market for performance, presentation and value. We believe we have excelled ourselves.

The Ultimate range stands apart from the crowd. It is a range of its own and has its own packaging, brochure and stands. Backed by every safety standard including EN13236. Guaranteed safe. Guaranteed to perform.

BLADE SELECTOR



UNIVERSAL / HARD
 Hard materials
 Fast cutting universal
 Hard natural stone
 Clay products
 Engineering bricks



CONCRETE
 Concrete &
 concrete products
 General purpose
 Unabrasive products
 Building products

UU10

UC10



ABRASIVE
 Abrasive materials
 Concrete & asphalt
 Dual purpose
 Concrete products
 Concrete roof tiles



ASPHALT
 Asphalt & extremely
 abrasive products
 Stucco

UB10

UA10

UU10 AUTO

ULTIMATE UNIVERSAL / HARD

New Auto-array technology allows the diamonds to be placed evenly to an exact specification. This produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone.

Applications include: hard natural stone, hard concrete, clay products & general building materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UU10-7	5060242335785	7	DM-7/8-5/8
OX-UU10-9	5060242335792	9	7/8 - 5/8
OX-UU10-10	9341231038778	10	DM-7/8-5/8
OX-UU10-12	5060242335808	12	1 - 20mm
OX-UU10-12-20	5060242336393	12	20mm
OX-UU10-14	5060242335815	14	1 - 20mm
OX-UU10-14-20	5060242336409	14	20mm
OX-UU10-16	5060242335822	16	1 - 20mm
OX-UU10-20	5060242339448	20	1 - 20mm





ULTIMATE SERIES Diamond Blades

THE ULTIMATE PERFORMANCE: BLADES DON'T COME BETTER THAN THIS.



UC10 CYCLONE ULTIMATE CONCRETE PRODUCTS

Blade with 3/8" / 10mm segment height. Featuring tear drop gullet design, cooling holes. Applications include: reinforced concrete, concrete products, natural stone, building materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UC10-4.5	9341231002779	4½	7/8 - 5/8
OX-UC10-5	9341231002786	5	7/8 - 5/8
OX-UC10-7	9341231002809	7	DM-7/8-5/8
OX-UC10-10	9341231012266	10	DM-7/8-5/8
OX-UC10-12	9341231002830	12	1 - 20mm
OX-UC10-12-20	9341231012273	12	20mm
OX-UC10-14	9341231002847	14	1 - 20mm
OX-UC10-14-20	9341231012280	14	20mm
OX-UC10-16	9341231002854	16	1 - 20mm



UB10 ZEBRA ULTIMATE ABRASIVE

Dual purpose blade with 3/8" / 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Applications include: dual purpose concrete & asphalt, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UB10-7	9341231002908	7	DM-7/8-5/8
OX-UB10-10	9341231012297	10	DM-7/8-5/8
OX-UB10-12	9341231002939	12	1 - 20mm
OX-UB10-12-20	9341231012303	12	20mm
OX-UB10-14	9341231012310	14	1 - 20mm
OX-UB10-14-20	9341231002946	14	20mm
OX-UB10-16	9341231002953	16	1 - 20mm



UA10 BLACK SHARK ULTIMATE ASPHALT

Asphalt blade with 3/8" / 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Applications include: asphalt & extremely abrasive products, stucco.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UA10-12	9341231002960	12	1 - 20mm
OX-UA10-14	9341231002977	14	1 - 20mm
OX-UA10-14-20	9341231012334	14	20mm
OX-UA10-16	9341231002984	16	1 - 20mm



The exciting TC15 general purpose blade!
 Taking world class technology to new heights
 extreme performance • extreme value

BLADE PROFILE: TC15



TC15 TRADE CONCRETE / GENERAL PURPOSE


Universal concrete blade with 5/8" / 15mm segment height. Combining excellent performance in speed of cut and life – this product provides an exceptional quality / price ratio.
 Applications include: concrete products, roof tiles, blocks, and all general building materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-TC15-14	5060242336300	14	1 - 20mm
OX-TC15-14-20	5060242337468	14	20mm





MPSS SUPERFAST SERIES





Angle Grinders & Demolition Saws

The blade that is...

GUARANTEED

To cut ALL masonry construction products!



SUPERFAST TURBO segment technology combines aggressive cutting ability with a fine, clean cut and no burning of the segments. Eliminating the possibility of single segment detachment.



Reinforced, extra secure, dual center flange and unique cool-fast design for a quieter, cooler and safer blade, with no distortion in the cut.



In use, the blade is semi-transparent and cuts out much of the vibration associated with conventional diamond tools.



Safety and vibration tested to meet and surpass relevant standards. Conforms with EN13236.



PRO SUPERFAST UNIVERSAL / HARD

Guaranteed to cut all masonry construction products. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.

Applications include: granite, natural stone, clay products, engineering bricks, concrete products, all building materials. Wear will increase on abrasive materials. 5/8" / 15mm segment height. Not recommended for reinforced concrete - use PU10 blade.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-MPSS-12	9341231003172	12	1 - 20mm
OX-MPSS-14	9341231003189	14	1 - 20mm
OX-MPSS-16	9341231003196	16	1 - 20mm

GUARANTEED TO CUT ALL MASONRY CONSTRUCTION PRODUCTS!




Diamond Blades

Walk-behind saws are more powerful machines than angle grinders and gas cut-off saws, and typically the substrate being cut is more demanding.

This is why – especially for concrete – we recommend dedicated walk-behind saw blades. We also have professional walk-behind saw blades up to 26" diameter.

WALK-BEHIND SAW BLADE PROFILE: UBF



Diamond Blades



PBF

PRO WALK-BEHIND SAW CONCRETE

High quality blade with 3/8" / 10mm segment.

Applications include: in-situ concrete, flint & limestone aggregate, reinforced concrete.



Product Code	Barcode	Diameter (in)	Bore (in)
OX-PBF-14	9341231012358	14	1
OX-PBF-16	9341231003745	16	1
OX-PBF-18	9341231003752	18	1
OX-PBF-20	9341231003769	20	1
OX-PBF-24	9341231003776	24	1
OX-PBF-26	9341231031212	26	1

PAF

PRO WALK-BEHIND SAW ASPHALT

High quality blade with 3/8" / 10mm segment and wedge undercut protection.

Applications include: asphalt and stucco.



Product Code	Barcode	Diameter (in)	Bore (in)
OX-PAF-14	9341231012365	14	1
OX-PAF-16	9341231003783	16	1
OX-PAF-18	9341231003790	18	1
OX-PAF-20	9341231003806	20	1

UBF

ULTIMATE WALK-BEHIND SAW CONCRETE

Very high quality long life blade with 3/8" / 10mm segment height, featuring 'wedge segment' undercut protection.

Applications include: concrete, flint & limestone aggregate, reinforced concrete.



Product Code	Barcode	Diameter (in)	Bore (in)
OX-UBF-14	9341231012396	14	1
OX-UBF-16	9341231003868	16	1
OX-UBF-18	9341231003875	18	1
OX-UBF-20	9341231003882	20	1
OX-UBF-24	9341231003899	24	1
OX-UBF-26	9341231031236	26	1

UAF

ULTIMATE WALK-BEHIND SAW ASPHALT

Asphalt blade with 3/8" / 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Applications include: asphalt, stucco, extremely abrasive new green concrete.



Product Code	Barcode	Diameter (in)	Bore (in)
OX-UAF-14	9341231012402	14	1
OX-UAF-16	9341231003905	16	1
OX-UAF-18	9341231003912	18	1
OX-UAF-20	9341231003929	20	1




ULTIMATE SERIES Diamond Blades

General purpose blade - brick, block, concrete, pavers, roof tiles
Pro Series - built for the toughest applications

**GENERAL PURPOSE BLADE
PROFILE: PC12**

1/2" / 12mm
segment height

Laser welded



**BEST
VALUE**



GET **3** 14" GENERAL PURPOSE
BLADES
FOR THE PRICE OF 2!

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PC12-14-3	5060530352005	14	1 - 20mm



UCDT & UCDA ULTIMATE DOUBLE ROW CUP GRINDER

Ultimate double row cup grinder for universal concrete, construction products and stone. Long life. Applications include: concrete, natural stone and construction products.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UCDT-4	9341231004933	4	7/8 - 5/8
OX-UCDT-4.5	9341231004957	4½	7/8 - 5/8
OX-UCDT-5	9341231004971	5	7/8 - 5/8
OX-UCDT-7	9341231005015	7	7/8 - 5/8
OX-UCDA-4	9341231004858	4	5/8 - 11
OX-UCDA-4.5	9341231030000	4½	5/8 - 11
OX-UCDA-5	5060242336416	5	5/8 - 11
OX-UCDA-7	5060242335525	7	5/8 - 11



UCGB & UCGC ULTIMATE TURBO CUP GRINDER

Extremely versatile wide turbo. Fast cutting, long life. Applications include: concrete and natural stone.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UCGB-4	9341231005039	4	7/8 - 5/8
OX-UCGC-4	9341231024436	4	5/8 - 11
OX-UCGC-6	9341231026034	6	5/8 - 11



UCGS & UCGSA ULTIMATE SPIRAL CUP GRINDER

Ultimate spiral cup grinder for universal concrete construction products and stone. Applications include: concrete, natural stone and construction products.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UCGS-4.5	9341231006579	4½	7/8 - 5/8
OX-UCGS-5	9341231006593	5	7/8 - 5/8
OX-UCGSA-4	9341231006562	4	5/8 - 11
OX-UCGSA-4.5	9341231006586	4½	5/8 - 11
OX-UCGSA-5	9341231006609	5	5/8 - 11
OX-UCGSA-7	9341231006623	7	5/8 - 11





Diamond Blades



TMR TRADE TUCK POINTING

1/4" wide segment blade. Fantastic value for money product.
Applications include: mortar raking, brick raking, abrasive materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-TMR-4.5	9341231003981	4½	7/8 - 5/8
OX-TMR-5	9341231003998	5	7/8 - 5/8



PMR PRO TUCK POINTING

High quality 1/4" wide segment blade. The market leader – a great product to use.
Fast cut / long life.
Applications include: mortar raking, abrasive materials.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PMR-4.5	9341231004018	4½	7/8 - 5/8
OX-PMR-5	9341231004025	5	7/8 - 5/8



PCTP PRO SUPERFAST SANDWICH TUCK POINTING

1/4" wide blade. For use on an angle grinder. Turbo segment for extremely fast cut. 1/2" / 12mm segment for long life.
Applications include: tuck pointing, masonry, concrete.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PCTP-4.5	9341231006784	4½	7/8 - 5/8
OX-PCTP-5	9341231006791	5	7/8 - 5/8



PDTP PRO SANDWICH DOUBLE TUCK POINTING

¼" wide blade. Faster cutting and longer life. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-PDTP-4.5	5060242336447	4½	7/8 - 5/8
OX-PDTP-5	5060242336454	5	7/8 - 5/8



PTTP PRO SANDWICH DOUBLE TURBO TUCK POINTING

¼" wide blade. Faster cutting and longer life. For use on an angle grinder.
Applications include: tuck pointing, masonry, concrete.


Product Code	Barcode	Diameter (in)	Bore (in)
OX-PTTP-4.5	5060242336485	4½	7/8 - 5/8
OX-PTTP-5	5060242336492	5	7/8 - 5/8



UCCB ULTIMATE CRACK CHASER – BORE HUB

Segmented crack chaser with 12.7mm segment height.
Applications include: concrete, asphalt.


Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-UCCB-4	9341231015342	4	7/8 - 5/8	.375
OX-UCCB-4.5	9341231015359	4½	7/8 - 5/8	.375



UCCT ULTIMATE CRACK CHASER – THREADED HUB

Segmented crack chaser with 12.7mm segment height.
Applications include: concrete, asphalt.

Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-UCCT-4.5	9341231015373	4½	5/8 - 11	.375






Diamond Blades

Tiling is a big thing in today's world, and the last few years have seen a massive increase in the use of natural stone and man-made ceramics in commercial and domestic situations. For cutting ceramics, a smooth continuous rim diamond blade is used to give a fine clean cut – where a segmented blade could cause chipping. Our ceramic tile cutting blades are available in the PRO and ULTIMATE ranges, with our flagship ultimate UCT blade 'guaranteed to cut all tiles' and super-thin turbo UCTT for the hardest of porcelains.

TILING BLADE PROFILE: UCT





PCT

PROFESSIONAL CERAMICS

Continuous professional blade for cutting ceramic tiles.
Applications include: ceramic and medium hard natural stone tiles.

Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-PCT-4.5	9341231004186	4½	7/8 - 5/8	.080
OX-PCT-7	9341231004216	7	7/8 - 5/8	.080
OX-PCT-10	9341231012440	10	7/8 - 5/8	.080



UCT

ULTIMATE - CUTS ALL TILES - GUARANTEED!

Featuring 3/8" / 10mm continuous rim, fine cut, high concentration, s-slot cool cutting, s-detensio silencing. Cuts all tiles – guaranteed!
Applications include: ceramic tiles, natural stone, porcelain, granite, marble.

Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-UCT-4	9341231004278	4	7/8 - 5/8	.048
OX-UCT-4.5	9341231004285	4½	7/8 - 5/8	.048
OX-UCT-5	9341231004292	5	7/8 - 5/8	.048
OX-UCT-7	9341231004315	7	7/8 - 5/8	.048
OX-UCT-8	9341231004322	8	7/8 - 5/8	.048
OX-UCT-10	9341231004346	10	5/8	.048
OX-UCT-10-1	9341231012464	10	1	.048
OX-UCT-12	9341231004353	12	1	.060
OX-UCT-14	9341231004360	14	1	.060



UCTT

ULTIMATE FINE TURBO PORCELAIN

Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-UCTT-4	9341231004377	4	7/8 - 5/8	.060
OX-UCTT-4.5	9341231004384	4½	7/8 - 5/8	.060
OX-UCTT-5	9341231004391	5	7/8 - 5/8	.060
OX-UCTT-7	9341231004414	7	7/8 - 5/8	.070
OX-UCTT-10	5060242337383	10	7/8 - 5/8	.070






INTRODUCING...

the new Ultimate UGT cutting blade!

Super fine diamond matrix designed specifically for cutting glass tile and mosaic.

GUARANTEED NOT TO CHIP MATERIALS

GLASS TILE AND MOSAIC BLADE



UGT

ULTIMATE GLASS TILE AND MOSAIC

Product Code	Barcode	Diameter (in)	Bore (in)	Width (in)
OX-UGT-4	9341231006715	4	5/8	.060
OX-UGT-7	9341231006722	7	5/8	.060
OX-UGT-10	9341231006739	10	5/8	.060



WORLD LEADING TECHNOLOGY –
the UMB / USB / UMC series

The new way to cut ALL metals...FAST!

BLADE PROFILE: UMB



BLADE SELECTOR

HANDHELD SAWS
Cuts ALL Metals
(with vacuum brazed center)



UMB

ANGLE GRINDERS & HANDHELD SAWS
ALL Metals



USB

CHOP SAWS
ALL Metals



UMC



ULTIMATE SERIES Diamond Blades



UMB

DUCTILE IRON BLADE

Suitable for hand held saws. Cuts ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, rubber, fibre cement board, hardie board siding. Vacuum brazed centerplate for side clearance & protection.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UMB-12	9341231031090	12	1 - 20mm
OX-UMB-12-20	5060242337499	12	20mm
OX-UMB-14	9341231031106	14	1 - 20mm
OX-UMB-14-20	5060242337505	14	20mm



USB

SUPER ABRASIVE BLADE

Suitable for angle grinders & hand held saws. Cuts ductile iron pipe, cast iron, rebar, steel, fiberglass, plastic pipe, rubber, fibre cement board, hardie board siding.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-USB-4	9341231024238	4	7/8 - 5/8
OX-USB-4.5	9341231024245	4½	7/8 - 5/8
OX-USB-5	9341231024252	5	7/8 - 5/8
OX-USB-7	9341231024276	7	DM-7/8-5/8
OX-USB-9	9341231024283	9	7/8 - 5/8
OX-USB-12	9341231024290	12	1 - 20mm
OX-USB-12-20	5060242337475	12	20mm
OX-USB-14	9341231024306	14	1 - 20mm
OX-USB-14-20	5060242337482	14	20mm
OX-USB-16	9341231024313	16	1 - 20mm



UMC

CHOP SAW METAL CUTTING BLADE

Suitable for chop saws. Cuts stainless steel, rebar, iron, ductile iron pipe, threaded rod, plastic, fiberglass, rubber, fibre cement board, hardie board siding.

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UMC-14	9341231030895	14	1




The OX Ultimate Karbite is a saw blade made up of carbide clusters welded to a reduced noise and vibration centerplate which can cut equally well in either direction, and can rip through many products which cannot be cut using a diamond blade or chainsaw. Available in 12" / 300mm & 14" / 350mm for use on gas cut-off saw and 4½" / 115mm for angle grinders.

For a blade that's got some bite, the Karbite gives a remarkably even cut in many products from wood to plastic, tree roots to rubber and is not put off by nails or screws! As it is bi-directional, the Karbite does not need to be sharpened – simply turn it round and carry on cutting.

DEMOLITION / RESCUE BLADE PROFILE: KARBITE

Bi-directional –
does not need
to be sharpened

What does the
Karbite blade cut?



- Tree roots & soil
- Wooden boards & planks
- Fence panels
- Railway sleepers
- Small trees & branches
- Thin sheet metal
- Scaffold boards
- Wooden / plastic pallets
- Plywood
- Chipboard
- Nails & screws
- PE & PP plastics
- Flashing
- Decking
- Rubber
- Abrasive blocks
- Tar & mastic
- Flat roofing

UKB

ULTIMATE MULTI PURPOSE BLADE

Product Code	Barcode	Diameter (in)	Bore (in)
OX-UKB-4.5	9341231005138	4½	7/8 - 5/8
OX-UKB-12	9341231005169	12	1 - 20mm
OX-UKB-12-20	9341231012488	12	20mm
OX-UKB-14	9341231012501	14	1 - 20mm
OX-UKB-14-20	9341231012495	14	20mm





Core Bit Drilling

With a wealth of experience in all types of diamond core drilling, OX has the most complete range of products available in the market today.

NO.1 FOR DRY CORE DRILLING

OX: the home of dry core drills.



ULTIMATE SPEED
The fastest



NO.1 FOR WET CORE DRILLING

The professional choice for the professional contractor. UWC wet concrete drills have been tested and proven in the most demanding aggregates in the world.



NO.1 FOR TILE DRILLING

PDD tile drilling revolution. Quite simply, exactly what the market has been asking for. Fast, easy to use, and completely trouble free.



With the TTD cores for occasional users, and the PDD cores for professional users – OX has the answers.



extreme performance, extreme safety, extreme value

DRY CORE USAGE GUIDE



SAFETY PRECAUTIONS FOR DRILLING

MOST GENERAL BUILDING MATERIALS SUCH AS FACING BRICK, CONCRETE BLOCK, ETC.

WARNING

- Do not attempt to drill concrete or other hard products, except with designated core bit (ask supplier for information).
- If drill overheats, stop use immediately, and contact your supplier for information.
- Do not drill into loose material as this can cause segment detachment.
- Minimum motor size – 850 Watts.

DRILLING METHOD

- Pre-drill 3/8" pilot hole.
- Insert guide rod into core bit.
- Using rotary action (no hammer), drill hole, regularly withdrawing bit to clear dust build-up.

SAFETY

- Use correct safety wear, including gloves and safety goggles / glasses.
- When drilling, use steady pressure. Do not force the core.
- Ensure equipment does not overheat. Stop regularly if cooling breaks are required.
- Check core bit frequently for damage to diamond tips. If this occurs, stop use immediately.

PLEASE NOTE

- If blunting occurs, core bit can be resharpened by running in a soft, abrasive material such as mortar, sandstone, or soft concrete block.


GENERAL GUIDE TO SPEED SETTINGS FOR DRY CORES

Dry Core Drilling Speeds

Diameter	Recommended RPM
1-1/2"	1,200
2"	1,150
2-1/2"	1,100
3"	1,050
3-5/8"	1,050
4-1/4"	1,000
4-1/2"	950
5"	950
6"	900
6-1/4"	850
6-1/2"	800
7"	800



ACCESSORY OPTIONS





Core Bit Drilling

UDCS

ULTIMATE UNSLOTTED DRY CORE



The UDCS is the core that cuts the products which many other products claim to, but in reality do not. With excellent life and fast speed on all construction products, the UDCS excels in hard materials that many cores will not touch! It cuts almost anything, even hard concrete & natural stone. With the aid of dust extraction or water feed down the center of the core – something that this core is ideally suited to – the UDCS has even drilled hard, reinforced London flint concrete! The zenith of achievement by any dry cores standards. Applications include: bricks, concrete blocks, general building materials. Fitting: 5/8" - 11 Length: 10"

Product Code	Barcode	Diameter (in)	Length (in)	Fitting
OX-UDCS-22	9341231005558	3/4"	10"	5/8" - 11
OX-UDCS-28	9341231005565	1"	10"	5/8" - 11
OX-UDCS-32	9341231005572	1 1/4"	10"	5/8" - 11
OX-UDCS-38	9341231005589	1 1/2"	10"	5/8" - 11
OX-UDCS-48	9341231005596	1 3/4"	10"	5/8" - 11
OX-UDCS-52	9341231005602	2"	10"	5/8" - 11
OX-UDCS-65	9341231005619	2 1/2"	10"	5/8" - 11
OX-UDCS-78	9341231005626	3"	10"	5/8" - 11
OX-UDCS-91	9341231005633	3 1/2"	10"	5/8" - 11
OX-UDCS-102	9341231005640	4"	10"	5/8" - 11
OX-UDCS-117	9341231005664	4 1/2"	10"	5/8" - 11
OX-UDCS-127	9341231005671	5"	10"	5/8" - 11
OX-UDCS-152	9341231005695	6"	10"	5/8" - 11

Dry Core Accessories

OX dry core accessories are manufactured from the highest grade steel to ensure that they can withstand the toughest use. Zinc plating enhances the visual appearance and protects against rust without leaving oil deposits. The most complete range of accessories to cover all machinery options and personal preferences.

ADAPTORS

With 5/8" – 11 male fitting to suit UDCS cores.

Product Code	Barcode	Description
OX-JX01	9341231012518	HEX ADAPTOR ONLY
OX-JS01	9341231012532	SDS (PLUS) ADAPTOR ONLY
OX-JM01	9341231012556	SDS MAX ADAPTOR ONLY

PILOTS & DRIFTS

Product Code	Barcode	Description
OX-JB13	9341231012655	1/2" A TAPER DRILL 8 1/4" & DRIFT KEY

Core Bit Drilling



UWC

ULTIMATE WET CORE

Ultimate wet diamond core drill for professional hand held and rig mounted use. 14" drilling length. 10mm segment height. Applications include: flint and limestone aggregate concrete, reinforced concrete, universal building products. Laser welded segments.

Product Code	Barcode	Diameter (in)	Length (in)	Fitting
OX-UWC-1	5060242335983	1"	14"	1¼" - 7
OX-UWC-1.5	5060242336027	1½"	14"	1¼" - 7
OX-UWC-2	5060242336065	2"	14"	1¼" - 7
OX-UWC-2.5	5060242336089	2½"	14"	1¼" - 7
OX-UWC-3	5060242336102	3"	14"	1¼" - 7
OX-UWC-3.5	5060242336126	3½"	14"	1¼" - 7
OX-UWC-4	5060242336133	4"	14"	1¼" - 7
OX-UWC-4.5	5060242336157	4½"	14"	1¼" - 7
OX-UWC-5	5060242336164	5"	14"	1¼" - 7
OX-UWC-6	5060242336188	6"	14"	1¼" - 7
OX-UWC-7	5060242336218	7"	14"	1¼" - 7
OX-UWC-8	5060242336225	8"	14"	1¼" - 7



PDD

PROFESSIONAL DIAMOND DRILL

Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection. Quick change 6.3 standard hex shank. Precision drilling. Applications include: GUARANTEED TO DRILL ALL TILES, porcelain, ceramics, granite, glass, quarry, everything!

Product Code	Barcode	Diameter (in)
OX-PDD-05	9341231007170	3/16"
OX-PDD-06	9341231007187	¼"
OX-PDD-08	9341231007200	5/16"
OX-PDD-10	9341231007224	3/8"
OX-PDD-12	9341231007231	½"
OX-PDD-25	9341231007262	1"
OX-PDD-35	9341231007279	1 3/8"



TTD

TRADE DIAMOND HOLESAW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck.

Product Code	Barcode	Diameter (in)
OX-TTD-06	9341231006319	¼"
OX-TTD-08	9341231006326	5/16"
OX-TTD-10	9341231006333	3/8"
OX-TTD-15	9341231012778	5/8"
OX-TTD-20	9341231006364	1 3/16"
OX-TTD-25	9341231012785	1"
OX-TTD-30	9341231006395	1 3/16"
OX-TTD-35	9341231012792	1 3/8"
OX-TTD-40	9341231012808	1 9/16"
OX-TTD-45	9341231012815	1 3/4"
OX-TTD-50	9341231012822	2"
OX-TTD-55	9341231012839	2 3/16"
OX-TTD-60	9341231012846	2 3/8"
OX-TTD-65	9341231012853	2 9/16"
OX-TTD-70	9341231012860	2 3/4"
OX-TTD-80	9341231012884	3 1/8"





RECOMMENDATION GUIDE *For specific advice, refer to your supplier*



Highly recommended



Occasional use



Recommended (not continuous use)



Not recommended

CONSTRUCTION BLADES

BLADE REFERENCE	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
	Exposed steel and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and flint aggregate reinforced concrete, hard, unabrasive concrete products	Curbs and slabs, medium hard bricks, yorkstone, concrete pavers	Concrete roof tiles, sandstone, abrasive concrete pavers	Asphalt, green concrete, render, stucco
TU10	✓	✓✓✓	✓✓	✓✓	✓	✗
TC10	✗	✓	✓✓	✓✓✓	✓✓	✗
TC15	✗	✓	✓✓	✓✓✓	✓✓	✗
TB10	✗	✗	✓✓	✓✓✓	✓✓✓	✓✓
TA10	✗	✗	✗	✗	✓✓	✓✓✓
PU10	✓✓	✓✓✓	✓✓	✓✓✓	✓	✗
PC15	✗	✗	✓✓✓	✓✓✓	✓✓	✗
PB10	✗	✗	✓✓	✓✓✓	✓✓✓	✓✓
PA10	✗	✗	✗	✗	✓	✓✓✓
UU10	✗	✓✓✓	✓✓✓	✓✓	✓	✗
UC10	✗	✓✓	✓✓✓	✓✓✓	✓	✗
UB10	✗	✗	✓✓	✓✓✓	✓✓✓	✓✓
UA10	✗	✗	✗	✗	✓	✓✓✓
TMR	✗	✗	✗	✓	✓✓	✓✓✓
PMR	✗	✗	✗	✓	✓✓	✓✓✓
PDTP	✗	✗	✓	✓✓✓	✓✓✓	✓✓
PTTP	✗	✓✓✓	✓✓✓	✓✓✓	✓	✓
PCTP	✗	✗	✓✓✓	✓✓✓	✓✓✓	✓

BLADE REFERENCE	CERAMIC & STONE BLADES / SPECIALIST BLADES
PCT PROFESSIONAL	Continuous rim; ceramic tiles
UCT ULTIMATE	Continuous rim; s-slots; GUARANTEED TO CUT ALL TILES
UCTT ULTIMATE	Fine turbo rim; porcelain, granite, hard natural stone and ceramics
UGT ULTIMATE	Glass tile and mosaics
UKB ULTIMATE	Wood, metal, plastic, rubber
UMB ULTIMATE	Ductile iron pipe, cast iron, rebar, steel, fibreglass, plastic pipe, concrete
USB ULTIMATE	Ductile iron pipe, cast iron, rebar, steel, fibreglass, plastic pipe, concrete
UMC ULTIMATE	Stainless steel, rebar, iron, ductile iron pipe, threaded rod, plastic, fibreglass, rubber, concrete



Diamond Blade Trouble Shooting Guide





How to choose the blade

How to choose the right diamond blade

1. The Price

Which is the most important factor to you? The initial price of the blade or the price per cut? For smaller jobs, or occasional use, a low priced blade of our Trade quality may be preferable. For larger jobs, or regular use, a higher priced blade will actually be less expensive to use because it will deliver the lowest cost per cut. We recommend Professional quality or Ultimate quality. For really big jobs, the lowest possible cost per foot is usually much more important than the initial price. You may choose Professional or Ultimate quality. OX has a grading system to help you identify the different performance level of blades.

2. The type and horsepower of saw

What kind of saw or grinder is being used? What is the horsepower? What is the RPM? masonry saw, concrete saw, high speed saw, small power hand saw, angle grinder, floor grinder? Blades should be matched with the saw and horsepower for best results from blade and saw. Diamond blade manufacturers design products to be run at specific speeds. Blades that are to be used on high speed cut-off saws have to be rated at higher RPMs. All OX handheld saw blades are rated at the appropriate, higher RPMs.

3. The material to be cut

Correctly identifying the material you're going to cut is the most important factor in choosing a blade. It directly affects the cutting speed and life of the blade. Most materials will fall into the following categories: hard, medium hard, medium soft, soft. For example in masonry, hard would be granite or quarry tile. In concrete it would be cured concrete with hard aggregate. Soft would be light weight block or asphalt. When cutting hard materials, choose a softer matrix. The softer bond will release the diamond chips at the point of maximum utilisation without the danger of holding the diamond long enough to be exposed to heat at the cutting point. If the overexposed diamond is not sloughed off in time, it will glaze over and stop cutting. The glazed-over surface will stop the entire sloughing off process and the blade will stop cutting because there are no new diamond chips being exposed at the cutting edge. The diamond blade will be useless even though the segment has not been completely utilized. When cutting soft materials, select a harder matrix that will hold the diamond chips longer so they can be more productive. If you use a soft bond with soft concrete, the bonding matrix will release the diamond chips before they have reached maximum utilisation and good diamond cutting chips will be lost prematurely. The blade will still cut adequately but productivity will be poor. You have to consider the amount and size of steel reinforcing. Blades have low efficiency in cutting steel bar.

Most diamond blades cut a RANGE of materials for maximum performance of cutting and life. The material should be matched to the blade as closely as possible. As a general rule, determine the material which will be cut most often, or the material for which blade performance is most important.

4. Wet or dry cutting

Choosing wet or dry cutting may be a matter of user preference or job requirement. When using a electric hand tool such as a angle grinder, it is not safe to use water because of the electrical power source. For concrete saws wet cutting is usually preferred because you can cut deeper when using water as a coolant. For tile and masonry saws, either wet or dry cutting can be used. For high speed hand held petrol saws, dry blades are more popular, but they are often used wet to control dust. Wet blades MUST be used with water. Dry blades may be used either dry or wet as the job or equipment allows.

5. The importance of segment height

Total segment heights may be misleading because of non-diamond bearing segment bases necessary for the laser welding or sintering process. But the higher segment last longer. If you want to save on the total cost for larger jobs you would choose longer segment height. You can choose proper segment height according to the job size.

6. Variables affect performance

Many other factors affect the blade's performance and consequent value. Consider the diamond size, concentration and quality, the hardness of the bond, the cutting power of the saw, and how well the blade spec is matched to the material being cut.



This is how a diamond blade works

What is a diamond blade?

A diamond blade is composed of two fundamental elements: a steel plate and a diamond-impregnated segment. The latter may have a number of appearances: the segmented rim, the continuous rim, the castellated rim, or the integral segment, which means that the segment is fully integrated into the core blade.



Segmented rim

Turbo segmented rim


Semi continuous rim

Continuous rim

The steel plate is of very high quality, treated, hardened steel. Slots separate the segments which contribute to the cooling of the blade during sawing by allowing the water (wet cutting) or the air (dry cutting) to flow between the segments. They also allow the blade a certain amount of flexibility during cutting. The segments contain a mixture of diamonds and metal powder. During the manufacturing process, the metal powder and diamond mixture is compressed at a very high temperature in order to obtain a solid metal alloy which holds the diamonds. The segment or rim is slightly wider than the steel blade to allow the attacking edge to penetrate the material without the steel blade rubbing against it.

In a diamond tool properly suited to the material to be cut, the equilibrium between the work of the diamond and the abrasion-resistance of the bond is optimum; the diamond is held in place until it is destroyed and new crystals appear.

It is in this equilibrium that all the quality of the diamond tool resides. A blade intended for cutting hard, dense (less abrasive) materials requires a softer metal matrix. This wears out more rapidly, by replacing the worn diamonds relatively quickly so that the blade continues to cut. A blade intended for cutting soft, abrasive materials must have a hard, abrasion-resistant blade in order to retain the diamonds longer.






This is how a diamond blade works

How does a diamond blade work?

A diamond blade does not cut but works by milling. During the sharpening process performed at the factory, individual diamond crystals are exposed on the face and sides of the segment and it is these that do the milling work. The metal matrix holds each diamond in place. During the work, each diamond is supported by a comet's tail which strengthens the supporting action of the bond immediately "behind" the diamond crystals.



The diamonds exposed in this way cut into the material reducing it to fine powder.



During cutting, the exposed diamonds may crack or break (all the more rapidly, the harder and denser the material)



Simultaneously, the material starts to wear out the metal matrix in the segments by abrasion, which allows the gradual release of new diamonds.

The Price

Determine what is most important to you: the purchase price of the tool or the cost per cut. For less important jobs or for occasional use, a cheaper tool may be the right choice. For more important jobs or for regular use, a more expensive tool with a low cost per cut (per square meter) is preferable as it provides better results and performance.

Material to be cut

The correct identification of the material you are going to cut is the most important factor when choosing a tool. The material has a direct influence on the cutting speed and the service life of the tool. Throughout the catalog you will find tables explaining the various applications of the diamond tools; these should help you choose the most appropriate tool for your work.

Dry or wet cutting?

This choice may depend on the user's preference or on some particular constraint associated with the work to be done. For concrete saws, wet cutting is preferable as it allows deeper cuts and prolongs the service life of the blade. For tile and masonry saws, dry- or wet-cutting tools may be used equally well. For general purpose site saws, dry-cutting tools are most frequently used. Wet cutting is used primarily to limit the amount of dust. If you experience problems with wobbling when using a high-power handheld machine cutting dry, try wet cutting. This will cool down the blade and solve the problem. Some diamond blades and drill bits, must be used together with water. Dry-cutting tools may be used with or without water, depending on the machine and the material to be cut.



A guide to diamond blades

Introduction

Specialist tools such as the OX product range require a similarly specialist support service. Our far ranging experience encompasses thousands of diamond tools and our qualified staff can assist your selection from our comprehensive product list to reach rapid solutions to your specific application problems.

This booklet has been designed to assist in the careful use of our diamond blades so as to ensure their longevity and safety of use.

OX recommendations of speeds

DRY CUTTING

Ø	RPM	maximum peripheral m/Sec
105mm / 4"	15300	80
115mm / 4.5"	13300	80
125mm / 5"	12300	80
150mm / 6"	10200	80
180mm / 7"	8500	80
205mm / 8"	7650	80
230mm / 9"	6650	80
300mm / 12"	6360	100
350mm / 14"	5450	100
450mm / 18"	3400	80

FOR USE ON FLOOR MACHINERY – WET CUTTING

Ø	RPM	maximum peripheral m/Sec
350mm / 14"	2450	45
450mm / 18"	1900	45
600mm / 24"	1440	45

Operating Instructions

Important

Before using your OX diamond blade, please read these instructions carefully and ensure they are observed.

1. Check the center bore diameter of the blade corresponds to the spindle diameter of the machine.
2. Check for wear of the blade flanges and machine spindle. Worn parts must be changed before remounting a blade.
3. Mount the blade carefully, ensuring it is correctly positioned and seated on the spindle. Securely tighten the flanges with the fixing bolt or nut.
4. Rotate the blade by hand to check it is running concentric and does not foul any guarding.
5. If the initial cutting is on hard dense materials such as quarry tiles, engineering bricks, etc., predressing the blade will help to produce and maintain a good cutting speed. This is done by making several shallow cuts on a coarse abrasive material such as sandstone. On most materials the cutting speed will remain constant throughout the life of the blade. If however, the cutting speed slows appreciably, redressing will restore it.
6. Tilting or twisting of the saw should be avoided during the cutting operation as this will exert pressure and stress on the steel center. Stress and side pressure can cause damage to the steel center and segments.
7. Overfeeding is when attempts are made to force the blade to penetrate faster than it will naturally accept. Overfeeding causes rapid heat generation which in turn has a major adverse effect on the diamond segments. Over-heating and therefore overfeeding must be avoided.
8. Blades up to 300mm diameter are primarily designed for dry cutting but can also be used wet. They will penetrate steel reinforcing embedded in concrete but are not suitable for cutting bare metals of any kind.
9. If any problems are encountered, your supplier should be contacted immediately.



A guide to diamond blades

Receipt, handling & storage of diamond blades

Before mounting or use, each item should be individually examined to see if it has any sign of damage or defect. Any damaged items, or any giving rise to doubt, should not be used.

Handling

Any sudden shock loading – such as dropping, spanner slip during mounting and similar events – may cause damage which is difficult to detect. All items should be carefully examined and if any doubt exists, they should not be used. Large or heavy saws should not be rolled on their periphery.

Storage

OX diamond products are expensive and valuable and for this reason, in addition to safety requirements, all wheels should be stored in the packing in which they are supplied or in suitable racks, bins or compartmented drawers.

Mounting

The person who mounts diamond products on to the machine should be a trained and competent person. Such products should only be mounted on the machine for which they are intended. The wheel should fit freely on the spindle and should not require force to mount it on the spindle. Wheels, saws, backplates and flanges must be free from burrs and foreign matter, and must run free in all true respects.

Bushings

These should be sufficient width in relation to blade width and flange recess depth to prevent the possibility of them becoming detached from the effective part of the bore. Blade fitted with bushings must not have the bush projecting beyond the side of the blade. Flanges must clamp on the blade hub and not on the bush. BLOTTERS should not be used on metal blades.

Flanges

All flange surfaces which come into contact with the blade must be true and free from burrs and foreign matter. Where two flanges are used (the rear flange being fixed to the machine spindle) they must be of equal diameter, have equal bearing surfaces properly recessed or undercut. Where single flanges are used in conjunction with securing bolts or devices, the flange must be flat and not recessed, with the surface bearing on to the blade and fixed to the machine spindle. Clamping nuts should be tightened sufficiently to hold the blade securely but not excessively to cause damage to the blade.

CAUTION: a newly mounted blade and a blade being re-mounted should run free for a short time before it is used and everyone should stand clear. The working or cutting surface of the blade must run true. To make sure, with the power switched off, turn the blade by hand, using a dial test indicator, or similar instrument.

Protection devices

Safety guards

These serve two purposes: firstly to avoid as far as possible operators coming into contact with a rotating blade, saw etc., and secondly, to contain the blade fragments should it burst or portions become detached. A blade should always be used with a guard secured in position and properly adjusted.

Safety goggles

As the cutting operation causes flying particles, eye protection is of the utmost importance. Therefore YOU MUST wear goggles when using any sawing machine. Goggles should be approved to BSEN166 Grade 1.

Protective clothing

Protective clothing – safety aprons, gloves, gauntlets or face masks – should be worn as required by the nature of the cutting operation. Well-designed protective clothing will allow the operator to work more efficiently and safely.

Operating precautions – Training of operators

Machine operators should be trained in the safe use of cutting machines and blades.

Dust extraction

To prevent excessive dust whilst diamond cutting, dust exhaust systems are now available to attach to the angle grinder. These systems are designed to ensure that the maximum level of dust in the atmosphere does not exceed the recommended limits.



Diamond Blade Troubleshooting Guide

LOSS OF TENSION




CAUSES

1. Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.
2. Inadequate water is supplied to the blade.
3. Bad spindle bearings, worm mounting arbor, or misaligned shaft.
4. Loss of power, resulting from loose drive belts or improper voltage.

REMEDIES

1. Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.
2. Make sure water hoses are clean and free from any blockages. Approximately nine liters of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 liters per minute are required.
3. Replace defective parts.
4. See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

BLADE WOBBLER




1. Blade retainer on some makes of saws have a 'cupped' shape allowing the reducer ring to offset. Even just a slight offset causes increasing wobble as the RPM's increase.
2. Shaft bearings are worn.
3. Blade is too hard for material being cut.
4. Blade has become dull as a result of being used on too hard a material.
5. Blade does not cut material it was specified for.
6. Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

1. Repair the saw.
2. Select the proper blade specification for the material being cut. Consult blade recommendation chart.
3. Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.
4. First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.
5. Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.



Diamond Blade Troubleshooting Guide

SEGMENT LOSS



CAUSES

1. On masonry saws, the material is not held firmly, which causes the blade to twist or jam in the cut and loosen the segment.
2. Overheating is due to inadequate supply of water or complete loss of water. This is usually accompanied by discolorations which appear on the steel center near the area of segment loss.
3. Steel center is worn thin as a result of undercutting by abrasive fines generated during cutting. The steel center (blank) wears to a knife edge, weakens and causes a segment to be separated.
4. Defective blade collars cause the blade to flutter in the cut or fail to adequately support the blade in perfect alignment.
5. Blade is too hard for material being cut, causing excessive dullness and segment separation due to impact or fatigue. This can also cause frictional heat that can melt the braze when insufficient water is supplied to the blade.
6. Blade is cutting out of round resulting in a pounding impact.
7. Improper blade tension causes high pressure on the segments and subsequent failure of the brazed joint.

REMEDIES

1. Hold the material firmly against the backstop.
2. Provide adequate water flow to both sides of the blade. Look for line blockages. On concrete saws, temporary complete loss of water can result from equipment running over the water feed hoses.
3. Use sufficient water to flush fines out of the cut. If generated fines are highly abrasive, blades with undercut protection.
4. Clean foreign material from the blade clamping disc surfaces, or replace clamping discs if they are under manufacturer's recommended diameter.
5. Use the proper blade specifications for the material being cut.
6. Replace worn bearing, realign blade shaft, or replace worn spindle.
7. Make sure the running speed of equipment is specified when ordering blades. On concrete saws, the spindle speed should be checked with a tachometer to ensure that each diameter blade is running at the recommended cutting speed and blade-tensioned speed.

DISTORTED CENTER STEEL



1. Inadequate tightening of the blade on concrete saw mounting shaft. This causes drive pin to force its way through blade blank.
2. Dropping saw head with mounted blade particularly on concrete saws. Also dropping objects on unmounted blade distorts blade blanks.

1. Tighten clamping nut securely.
2. Avoid dropping the blade. Protect blade from abuse and handle with care.



Diamond Blade Troubleshooting Guide

UNEVEN SEGMENT 	CAUSES <ol style="list-style-type: none">1. Insufficient water, generally to one side of the blade, reduces side clearance and does not flush out fines.2. Equipment defects cause the segment to wear unevenly.3. Saw head is misaligned.	REMEDIES <ol style="list-style-type: none">1. Flush out the water system. Make certain that water is adequately and evenly distributed to both side of the blade.2. Replace bad bearings, worn or misaligned spindle. On concrete saws, the engine must run smoothly to prevent harmonic vibrations which cause the blade to pound on a regular cycle basis.3. Check saw head alignment for squareness both vertically and horizontally.
CRACKS IN SEGMENTS 	<ol style="list-style-type: none">1. The blade is too hard for the material being cut.	<ol style="list-style-type: none">1. Use blade with a softer bond.
CRACKS IN STEEL CENTER 	<ol style="list-style-type: none">1. Blade flutters in a cut as a result2. Blade specification is too hard for material being cut.3. Forcing blade in operation.4. Twisting blade in cut.	<ol style="list-style-type: none">1. Tighten the blade clamping disc nut. Be sure that the blade is running at the properly tensioned speed and that the drive pin is functioning properly.2. Use softer blade bond to eliminate stresses which create cracks.3. Allow blade to cut freely without bouncing.4. Ensure blade is kept in straight line do not force around corners.



Diamond Blade Troubleshooting Guide

SHORT LIFE



CAUSES

1. Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.
2. Inadequate water is supplied to the blade.
3. Bad spindle bearings, worm mounting arbor, or misaligned shaft.
4. Loss of power, resulting from loose drive belts or improper voltage.

REMEDIES

1. Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.
2. Make sure water hoses are clean and free from any blockages. Approximately nine liters of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 liters per minute are required.
3. Replace defective parts.
4. See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

BLADE WILL NOT CUT




1. Blade is too hard for material being cut.
2. Blade has become dull as a result of being used on too hard a material.
3. Blade does not cut material it was specified for.
4. Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

1. Select the proper blade specification for the material being cut. Consult blade recommendation chart.
2. Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.
3. First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.
4. Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.



Diamond Blade Troubleshooting Guide

BLADE BORE OUT-OF-ROUND	CAUSES	REMEDIES
 UNDERCUTTING STEEL Center 	<ol style="list-style-type: none">1. Blade collar is not properly tightened, permitting blade to either rotate or vibrate on shaft.2. Blade collars are worn or dirty not allowing proper blade clamping.3. Blade is not properly mounted. <ol style="list-style-type: none">1. Abrading or wearing away of the steel center faster than the diamond segment is due to highly abrasive fines generated during cutting.	<ol style="list-style-type: none">1. Tighten the spindle nut with a spanner to make certain that the blade is adequately secured to prevent rotation on shaft.2. Clean blade collars, making sure they are not worn. Tighten arbor nut properly.3. Make certain the blade is mounted on the proper shaft diameter before tightening arbor nut. On concrete saws, make certain the pin hole slides over arbor drive pin. Never depend on the drive pin to actually drive the blade. A drive pin is simply a safety measure to prevent the blade from spinning on its spindle should the nut become loose. <ol style="list-style-type: none">1. Use as much water as possible to flush out fines generated during cutting or use blades with undercut protection. NOTE: Blades with undercut protection are not always the final answer to eliminating undercutting. There must still be taken to provide sufficient water to the steel center are immediately adjacent to the segment. This is especially important when making deep cuts.
BLADE WORN OUT-OF-ROUND 	<ol style="list-style-type: none">1. Shaft bearings on masonry or concrete saws are worn, causing the blade to run eccentrically and wear out-of-round.2. Engine is not properly tuned on concrete saws, causing surges in blade rotation.3. Blade spindle hole is damaged from previous mistmounting.4. Blade mounting spindle is worn. A groove may have been scoured on the mounting spindle as a result of previous blades spinning on the arbor. When a new blade is placed on such a worn spindle, it seats improperly and runs eccentrically.5. Blade slips on arbor shaft.6. Bond is too hard for material causing machine to 'pound' at regular intervals, wearing one half of the blade more than the other half.	<ol style="list-style-type: none">1. Install new blade shaft bearings or blade shaft, as required.2. Tune engine according to saw manufacturer's manual.3. For large diameter blades it may be possible to rebraze segments to a new center.4. Replace worn shaft or spindle bushing.5. On a masonry saw, tighten the blade collar. On a concrete saw, make certain that the drive pin is functioning.6. Use proper blade specification.



A guide to diamond blades

Dry cutting

1. **DO** clean the flanges before mounting the blade and check both plates are the same diameter.
2. **DO** ensure generally that the flange diameters are at least 1/3 of the diameter of the blade.
3. **DO** ensure that the arrow on the blade corresponds with the direction of rotation of the machine spindle.
4. **DO** ensure that the blade is in balance and running true. A blade which is out of balance means increased wear and even possible destruction of the saw. Ensure that the blade is concentric to within 0.15mm.
5. **DO** ensure that the machine bearings and spindle are not worn – or the blade life will be reduced.
6. **DO** use the blade with a gentle reciprocating motion – especially when cutting hard materials, and cut in the direction of the arrow.
7. **DO** avoid tilting the blade when cutting.
8. **DO** use the correct bond for material to be cut.
9. **DO** only use machines which have an approved safety guard.
10. **DO** remove the diamond blade from the machine during transit to prevent accidental damage.
11. **DO** inspect blades frequently to detect cracks or undercutting of the steel center and segments which could lead to segment loss.

DO ALWAYS WEAR PROTECTIVE GOGGLES, INDUSTRIAL GLOVES, FACE MASKS AND THE CORRECT CLOTHES e.g. LEATHER APRONS).

12. **DON'T** apply pressure and force your diamond blade through the cut. The weight of the machine will suffice. INCREASED PRESSURE MEANS INCREASED WEAR.
13. **DON'T** let excessive heat be generated at the cutting edge of the blade.
14. **DON'T** use your blade on metals or other unsuitable materials. If you have any doubt please contact OX Tools USA.

Wet cutting


In addition to the recommendations for Dry Cutting please adhere to the following additional procedures for Wet Cutting.

1. **DO** ensure adequate water supply to both sides of the blade.
2. **DO** ensure that the blade cuts parallel to the wheel axis.
3. **DO** follow the manufacturer's recommended pulley sizes and operating speeds for specific blade diameters.
4. **DO** tighten drive belts to ensure full available power.
5. **DO** use drive pin if fitted to the machine.

6. **DON'T** force blade on shaft or mount blade on undersized spindle.
7. **DON'T** use paper washers to pack out the clamp plates.
8. **DON'T** force the machine so that the blade rides up out of the cut.
9. **DON'T** operate machine with damaged or open blade guard.



Troubleshooting



Improving your expertise

A diamond segment is like a 'living being'. Its performances at a certain time will tremendously depend on how it has been used previously. Here are some basic facts about the diamonds of the cutting edge:

Microscope view of a diamond segment's cutting edge: visible diamonds are not all 'active'. Some are just starting to appear, some are worn out.

The diamond is active and it is still intact. Its edges are well exposed and it is properly maintained in the metal bond thanks to the 'comet tail'.





In this case, the diamond is wearing out on its exposed edge. This is good as it remains aggressive.

On this picture, the exposed edges are getting rounded, which is bad because it will reduce the global cutting performance of the segment. This will happen when the diamonds are not subject to a sufficient pressure.

In the extreme case, a lack of pressure on the diamonds will lead to them polishing. At this point, the tool is not cutting anymore.

This 'broken flat' diamond is not active anymore. This is generally due to an excess of specific pressure (too low RPMs or too high feeding pressure).

Another possible effect of a too high specific pressure or of an 'unadapted tool for the job' is the 'sunked' diamonds. The diamond is simply pushed in the (too soft) bond.





OX LARGE DISPLAY STAND



OXPOS - TOOL1

The perfect option for stocking a complete range of OX products. Complete with hooks and header.
Dimensions: 100CM x 220CM x 50CM


OXPOS - TOOL2 (stand not shown)

Dimensions: 125CM x 200CM x 50CM



OXPOS - LOW/SINGLE/DOUBLEXT

Compact low gondola stand with double sided kit available for extra flexibility.
Dimensions: 103CM x 151CM x 52/98.5CM





OX MULTI PRODUCT DISPLAY STAND (4 SIDED)



Also for storing products inside the stand



OXPOS - MULTI

Versatile display option for stocking a wide range of OX products with 4 sides and the ability to move easily.

Dimensions: W: 66CM x H: 178CM x D: 66CM

OX TRIANGLE DISPLAY STAND (2 SIDED)



OXPOS - TRIANGLE

Compact display for stocking a wide range of products, whilst taking up minimal space. Ideal for against a wall.

Dimensions: W: 81CM x H: 170CM x D: 52CM



OXPOS-BOLSTER

Dimensions:

W: 48CM x H: 45CM x D: 44CM



OXPOS-LEVEL1

Dimensions:
W: 36.5CM x H: 46CM
x D: 26CM
(measurements do not include any levels)



OXPOS-TRADELEVEL

Dimensions:
W: 37.5CM x H: 36.5CM
x D: 40CM



OXPOS-SHOVEL

Dimensions
W: 87CM x H: 172CM x D: 87CM



OXPOS-STACKBOX

Dimensions:
W: 34CM x H: 41CM
x D: 46CM



OXPOS-MINISHOVEL

Dimensions:
W: 38CM x H: 89CM
x D: 42CM



OXPOS-CTU1

Dimensions:
W: 47CM x H: 54CM
x D: 18CM



OXPOS-CTU2

Dimensions:
W: 47CM x H: 80CM
x D: 18CM



Terms and Conditions

1. INTERPRETATION

- (a) 'Contract' means the standard trading terms and conditions of sale (which applies to each and every Quotation and/or Order) and includes any Quotation and Order
- (b) 'Forge Products Inc.' means Forge Products Inc.
- (c) 'Customer' means the entity to which 'Forge Products Inc.' enters into a Contract for the sale of Goods.
- (d) 'Goods' means the goods described in the Quotation or Order and includes replacement goods.
- (e) 'Order' means a written or verbal order from the Customer to Forge Products Inc..
- (f) 'Quotation' means a written or verbal quotation provided by Forge Products Inc. to the Customer.

2. ORDERS

- (a) Orders for Goods will be binding upon Forge Products Inc. and the Customer. However, Forge Products Inc. reserves the right to accept orders in whole or in part.
- (b) Once Forge Products Inc. has accepted an Order, the customer may not alter or modify the Order without the prior written consent of Forge Products Inc..
- (c) 15% Re-stocking fee applies to all returned products providing they are in re-saleable condition.

3. PRICES

- (a) All prices contained in the Quotation and/or Order will be exclusive of taxes. All prices are in Canadian Dollar (CAD) and subject to alteration without notice. All invoices are in Canadian Dollar (CAD) and must be settled in Canadian Dollar (CAD).
- (b) Any order placed with a value of under \$50.00 will not be processed. This minimum invoice value does not apply to back-orders.
- (c) Orders with an invoice value of over \$500.00 will be shipped free in-store
- (d) Orders with an invoice value of under \$500.00 will be charged a freight charge.

4. PAYMENT AND CREDIT TERMS

- (a) Unless otherwise agreed in writing, the payment due date is strictly twenty-five, (25) days from the end of the month in which the Goods are purchased.
- (b) Accounts with overdue balances will automatically have credit withdrawn until all outstanding balances are cleared. Forge Products Inc. reserves the right to charge interest at the rate of 2% on all overdue balances calculated on a daily basis from the due date until such amount is paid.
- (c) If the Customer defaults in payment of any invoice when due, the Customer will indemnify Forge Products Inc. from and against all Forge Products Inc.'s costs and disbursements including a solicitor and own client basis and in addition to Forge Products Inc.'s nominee's costs of collection.

5. DELIVERY OF GOODS AND RISK

- (a) Delivery of the Goods shall be made to the Customer's address. The Customer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- (b) The failure of Forge Products Inc. to deliver will not entitle the Customer to treat this Contract as cancelled.
- (c) Forge Products Inc. will not be liable for any loss or damage whatever due to failure by Forge Products Inc.

- to deliver the Goods (or any part of them) promptly or at all.
- (d) All risk for the Goods passes to the Customer on delivery even if Forge Products Inc. retains ownership.
- (e) \$500 Free Freight. Freight charge for orders below \$500.

6. RETENTION OF TITLE

- (a) All Goods remain the property of Forge Products Inc. until the Customer has paid for the Goods in full. If payment is made by cheque, payment will not be deemed to have been made until the cheque has been honoured.
- (b) If the Goods are on-sold by the Customer before payment to Forge Products Inc., the proceeds of sale will become property of Forge Products Inc..
- (c) If the Goods are not paid for pursuant to clause 4, Forge Products Inc. may give notice in writing to the Customer to return the Goods or any part of them to Forge Products Inc..
- (d) Forge Products Inc. may enter the Customer's premises without notice at any time and take possession of the Goods and without being responsible for any damage thereby caused if:
 - (i) The Customer does not pay for the Goods under clause 4;
 - (ii) The Customer fails to return the Goods upon demand;
 - (iii) A trustee in bankruptcy, Administrator, or receiver and manager is appointed over the Customer;
 - (iv) Winding-up proceedings in relation to the Customer are commencing; or
 - (v) The Customer becomes bankrupt.

7. CLAIMS

- (a) The Customer will inspect the Goods on delivery and will within seven (7) days of delivery notify Forge Products Inc. in writing of any alleged defect, shortage in quantity, errors, omissions or failure to comply with the Order or Quotation.
- (b) The Customer will afford Forge Products Inc. the opportunity to inspect the Goods within a reasonable time of delivery if the Customer believed the Goods are defective in any way. If the Customer fails to comply with these provisions, the Goods will be deemed to be free from any defect or damage and payment will be owing under this Contract.
- (c) If Forge Products Inc. agrees in writing that the Customer is entitled to reject the Goods because they are defective:
 - (i) The Goods must have a corresponding invoice number quoted;
 - (ii) Freight charges incurred for the return of the Goods being returned is at the expense of the Customer, unless otherwise agreed; and
 - (iii) Forge Products Inc.'s liability is limited to either replacing or repairing the Goods at its discretion.
- (d) Forge Products Inc. does not warrant that the Goods are fit for any particular purpose or an intended use by the Customer.

8. LIMITATION OF LIABILITY

- (a) Subject to cause 8(b), Forge Products Inc. will have no liability whatsoever for any direct or indirect losses, expenses, damages and costs incurred by the

- Customer caused by any breach by Forge Products Inc. of this Contract or any negligent act or omission.
- (b) The liability of Forge Products Inc. to the Customer in the event of any breach of this Contract or other cause of action will not exceed the prices of the Goods.

9. PRIVACY ACT 1998

- (a) The Customer agrees for Forge Products Inc. to obtain from a credit-reporting agency and the trade referees a credit report containing personal credit information about the Customer and any additional information required by Forge Products Inc..
- (b) Forge Products Inc. may exchange information about the Customer with those trade referees name in the application form for a trading account or named in a consumer credit report issued by reporting agency to:
 - (i) Assess the Customer's application;
 - (ii) Notify other credit providers of a default by the Customer;
 - (iii) Exchange other information with other credit providers as to the status of the trading account, if the Customer is in default with other credit providers; and
 - (iv) Assess the credit worthiness of the Customer.

10. GENERAL

- (a) If any provision of these terms and conditions becomes void or unenforceable, it will be severed from this agreement without affecting the enforceability of the other provision, which will continue to have full force and effect.
- (b) Forge Products Inc. may terminate or vary this Contract or cancel delivery of Goods at any time before the Goods are delivered by giving written notice. Forge Products Inc. will not be liable for any loss or damage whatever arising from termination or cancellations.
- (c) The Customer acknowledges and agrees that the products sold to the Customer by Forge Products Inc. cannot be offered for sale through third party shopping websites or platforms (including but not limited to Amazon and Gumtree) without the express written authorisation of Forge Products Inc..



Warranty

Forge Products Inc. (Forge Products Inc.) warrants that all products supplied by it and purchased by you from Authorized Forge Products Inc. Dealers throughout Canada are free of defects except for those products listed under Warranty Exclusions.

Warranty Claims

If you consider that any product supplied by Forge Products Inc. is defective, you can lodge a claim under this Warranty and any apparent fault will be rectified free of charge by Forge Products Inc. or an Authorized Service Dealer within the Warranty Period, which is effective from the date of purchase provided that you meet the following conditions;

- You must produce the original invoice/receipt or other proof of purchase document disclosing the purchase date.
- All costs of installation, cartage, freight, travelling expenses, hiring tools and insurance are paid by the customer.
- The product, being precision equipment, has not been misused, adjusted or serviced by any person other than an Authorized Service Dealer.
- The equipment has been installed correctly and is used in accordance with the Forge Products Inc. instructions supplied with the product.

Forge Products Inc. provides this warranty in addition to all other rights and remedies that you may have under law in relation to the products to which this warranty relates.

Our goods come with guarantees that cannot be excluded under the Canada Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Notwithstanding the proceeding clause, Forge Products Inc.'s liability in respect of a breach of a consumer guarantee or any warranty made under these Conditions of Warranty for any products not of a kind ordinarily acquired for personal, domestic or household use is limited, to the extent permissible by law and at the option of Forge Products Inc. to:

1. Replacing the products or the supply of equivalent products;
2. The repair of the products;
3. The payment of the cost of replacing the products or of acquiring equivalent products; or
4. The payment of the cost of having the products repaired.

To the extent permitted by law, all other warranties whether implied or otherwise, not set out in these Conditions of Warranty are excluded and Forge Products Inc. is not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate the customer for:

1. Any increased cost or expenses;
2. Any loss of profit, revenue, business, contracts or anticipated savings;
3. Any loss or expense resulting from a claim by a third party; or
4. Any special, indirect or consequential loss or damage of any nature whatsoever.

If you wish to make a claim under this Warranty, you should:

- Contact Ph: 604-576-6084
- Visit your nearest Authorized Forge Products Inc. Dealer;
- Visit Forge Products Inc. website for details: www.oxtools.com

These conditions may only be varied with the written approval of the directors of Forge Products Inc..

Warranty Period

Product Type	Warranty Period
Diamond Tools	12 Months
Hand Tools	12 Months
Access Equipment	12 Months
Safety Equipment	12 Months
Construction Machinery	12 Months

Warranty Exclusions

This section identifies what is excluded under this Warranty.

This Warranty does not cover damage caused by:

- Misusing, overloading or abusing the OX product,
- Operating the product in a manner that is not in accordance with the Forge Products Inc. instructions supplied with the product (the "Instruction Manual"),
- Failing to clean the product in accordance with the instructions for correct and regular cleaning as set out in the Instruction Manual,
- Not carrying out periodic maintenance,
- Neglecting or otherwise failing to maintain the product in accordance with the instructions for maintenance of the product including regular tune-ups, lubrication etc...,
- Using incorrect voltage or non-authorized electrical connections with the product,
- Installing the product incorrectly,

- Using non authorized/non-standard parts, non-genuine Forge Products Inc. parts in connection with the product,
- Repairing or carrying out any work on the product by someone other than an Authorized Forge Products Inc. Service Dealer,
- Causing a double burnout - field and armature burnout,
- Operating the product with any guard, shield or line cutting knife removed, repositioned, or that is incomplete or damaged,
- Using or operating the product with any evidence of partial failure of product or damage being present,
- Tampering with the product in any way other than in accordance with the manual,
- Not having taken reasonable steps to prevent the damage or failure from occurring to the product,
- Storing the product inconsistently with manufacturer's recommendations or where the product is exposed to corrosive substances such as fertilisers, grass and plant residue including palm tree sap, bore water and other detrimental environmental exposure,
- Making mechanical adjustments that are inconsistent with the Manual- including, chains, bars, engine tuning etc...,
- Operating the product with incorrect fuel to oil ratio,
- Having made improper adjustments of ignition timing or the carburettor,
- Using the product with clogged or removed filters (i.e. fuel filter, oil filter, air filter),
- Using incorrect chain and bar oil/lubricant for the oil pump

In addition to the above, this Warranty DOES NOT cover the following:

- Products purchased:
 - Outside of Canada,
 - from a non - Authorized Forge Products Inc. Dealer (such as purchases from unauthorized retailers and purchases over the internet, from local/ international sellers or sites such as Ebay),
 - at an auction, or
 - from a private seller.
- Accidental damage or damage caused by an extra ordinary event or circumstance beyond your or anyone else's control including damage caused by:
 - environmental factors,
 - natural discolouration of material due to ultraviolet light,
 - crushing, impact with hard surface or damage caused in the transit of the product, foreign material, or exposure of the product to excessive heat or cold or to solvents, or water entry into the product,
 - abnormal product performance caused by any ancillary equipment interference or other external factors,
- Damage or failure that occurs for a reason or reasons that were already disclosed to you (in writing or otherwise), prior to your purchase of the product,
- Damage or defects to the product that ought reasonably to have been revealed to you by an examination of the product, where you conducted such an examination before acquiring the product,
- Normal wear and tear due to the course of normal use,
- Freight costs associated transporting the product between you, the place of purchase, the Authorized Forge Products Inc. Dealer and Forge Products Inc. for the purposes of making a claim pursuant to this Warranty or otherwise,
- Repairs that are required by you to be made to the product which are simply due to a clogged or restricted exhaust system, carbon deposits in exhaust ports, piston crown or combustion chamber or periodic decarbonizing,
- Products with serial number altered or removed,
- Refurbished, ex display or factory second products,
- Consumable items supplied with the product or that are a part of the product,
- Service parts,
- Accessories, that for the avoidance of doubt include but are not limited to the following: those included with the product at the time the product was purchased by you including cases & site bags, brushes, chucks, cord sets, bulbs, LED's & lamps, driver & drill bits, blades, driver blades, o-rings, switches & triggers, power tool attachments, blades and cutters, spark plugs, carburettor kits, filters, bars & chains, cutting equipment, recoil springs, rope, belts, measuring devices, air (pneumatic) fittings, nose caps, gaskets, fuel hoses,
- The product coming into contact with sand, water, rust, corrosion, fire, vermin and insect infestation, power outages or surges or inadequate voltage or current.

If the product you are using has been rented or leased by you, and you consider a claim might be made under this Warranty, you should refer the matter to the rental or leasing company immediately and they will handle the matter.

This Warranty does not cover service costs in replacing and maintaining consumable parts and accessories that have ceased working through normal wear and tear such as, but not limited to: drill heads, blades, cutters and other parts classifiable as a consumable part or accessory.

Forge Products Inc.
1 - 17530 56A Ave.
Surrey, BC V3S 1G3
604 576 6084
sales@forgeproducts.ca





Safety

Safety is not something that is taken lightly at OX. When we design and build our tools the safety of the operator and safety of the tool is always the most important factor that is well thought-out during the whole process.

Safety when using OX tools is of paramount importance. Ultimately safety comes down to the operator which is why instructions need to be read and adhered to. It is also important to ensure the correct safety clothing is worn whilst working on a construction site.

Environmental

OX Tools is committed to managing environmental impact as an integral part of our operations. In particular, it is our policy to assure the environmental integrity of our processes and facilities at all times. We will do so by adhering to the following principles:


We employ management systems and procedures specifically designed to minimize the use of hazardous materials, energy and other natural resources, to minimize the generation of waste and to enable recycling and reuse of materials.

We continually seek opportunities to improve our environmental performance by establishing objectives and targets, measuring progress, and reporting our results; including but not limited to energy, water, paper and fuel consumption and vehicle miles travelled.

We promote participation and communicate our commitment to responsible environmental management by promoting environmental responsibility among our employees; by providing the necessary training and support to enable them to implement this policy; by informing suppliers of our environmental policy and encouraging them to adopt effective environmental management practices; and by soliciting input from our employees, suppliers, customers and board members in meeting our environmental goals.

OX®

UNLEASH THE POWER



Forge Products Inc.
1 - 17530 56A Ave.
Surrey, BC V3S 1G3

T: 604 576 6084
F: 604 576 6036
E: sales@forgeproducts.ca

For more information visit: oxtools.com